

Index

- \$ indicator for PHP variables, 311
- <%> tag in, 447–448, **448**
- <%@> tag, 450
- / continuation character in JavaScript, 211
- & special character/escape code, 52–53, **52**, **53**, **54**
- A**
 - A language, 19
 - <a> anchor tag, 81–82, **82**, 85–88, **85**, **86**, **87**, **88**. *See also* links, 81
 - <abbreviation> tag, 545*t*
 - absolute property, 109
 - Access, 11, 175
 - AccessDataSource, 432, **432**
 - <acronym> tag, 545*t*
 - actions, JSP, 435, 452–464, 453*t*. *See also* individual jsp:xxx listings
 - ActionScript, 19
 - Active Server Pages. *See* ASP/ASP.NET and VB Script
 - Ada95, 19
 - <address element> tag, 545*t*
 - adware, 189*t*
 - Ajax, 16–17, 23, 170
 - asynchronous interactions in, 17
 - DOM, 17
- JavaScript and, 17
- XML and, 17
- alert boxes, 238, **238**, **239**
- alert function, 238, **238**, **239**
- align attribute, 31, 41
- alink attribute, 30
- alt/alternate font, 31–32, 58, 71–72
- ampersand (&, special character/escape code)
 - characters, 52–53, **52**, **53**, **54**
- <anchor> tag, 545*t*
- anchors. *See* links, anchors for, 81
- and/or conditions, in ASP/ASP.NET/VB Script, 403–404, **404**
- ANSI standards, 175
- Apache, 288, 335
- APIs, 172, 184
 - CGI and vs., 281, 283
- apostrophes, 5
- appearance controls, 116–120
- AppleScript, 19
- <applet> tag, 545*t*
- application methods, JSP and, 467
- Application Program Interface. *See* APIs
- application scope, 466–468, **467**
- application servers, 168–169, 169*t*. *See also* servers
- applications for HTML, 1, 3–4
- <area inside image map> tag, 545*t*
- <area> tag, 71
- arguments, in PHP, in brackets, 337

Note: Boldface numbers indicate illustrations and code; *t* indicates a table.

arithmetic operators, 215, 215*t*
arranging content, 133–161, 177, **178**
 business partner communication through, 135
 cascading style sheets (CSS) and, 133
 customer communication through, 134

tag in, 133, 153, 158–161, **158–161**
 frames in, 153–158. *See* frames
 purpose of, 134–136
 resource provision through, 135–136
 sales leads generation through, 134
 selling products through, 134
 span> tag in, 133, 153, 158–161, **158–161**
 tables in, 136–153. *See* tables
array constants, 556*t*
array functions, 553–555*t*
 ASP/ASP.NET/VB Script and, 397, 397*t*
arrays, 255–258, **255**, **256**, 256–257*t*, **257**, **258**
 ASP/ASP.NET/VB Script and, 390–391, **390**,
 397, 397*t*
 methods for, 256–257, 256–257*t*
 multidimensional, in PHP, 332–334, **333**, **334**
 PHP and, 331–334, **332**, **333**, **334**, 335
 populating (loading), 255–256, **256**
 sorting, 257–258, **257**, **258**
AS400, 19
ASP/ASP.NET and VB Script, 8, 9, 15, 19, 163,
 172, 184, 186, 277, 284, 307, 310, 377–433,
 435, 535
 advantages and disadvantages of, 379
 and/or conditions in, 403–404, **404**
 array functions in, 397, 397*t*
 arrays in, 390–391, **390**, 397, 397*t*
 body> tag for, 384
 browser support for, 522
 call statement in, 391–393, **391**
 calling a function in, 394, **394**
 CGI vs., 281–282
 Common Language Runtime and, 377
 configuration of, 383–384
 conversion and formatting functions in, 396, 396*t*
 C# and, 377
 date and time functions in, 395*t*
 dim statement in, 389–390, **389**
 div> tags and, 382
Do Until loops in, 408–409, **408**, **409**
Do While loops in, 407–408, **407**, **408**
document.write method in, 385, **385**
For Each loops in, 406–407, **407**
For Next loops in, 405, **405**, **406**
Format function in, 424
forms in, 424–428
 access data source for, 428
 FormView control in, 424, **425–427**
 new page in, 428, **428**
functions in, built-in, 394–399, 395*t*, 396*t*,
 397*t*, 398*t*, 399*t*
functions in, defining, 393–399, **393**
head> tag for, 384
href property in, 421
HTML and, 379–381, **380**
HTML controls in, 409, 409–410*t*
If statements in, 401–403, **401**, **402**, **403**
Internet Information Server (IIS) and, 381
Java vs., 378
JSP and, 436
List Employees table example using,
 413–418, **413–418**
log-in control, 412, 413*t*
loops in, 405–409
math functions in, 396, 397*t*
message box (MsgBox) in, 386–389, **386**, **387**
miscellaneous functions in, 398, 399*t*
navigation controls in, 412, 412*t*
option explicit statement in, 389–390, **390**
PHP vs., 310–311
placing VB Script in HTML documents,
 399–400, 400*t*
processing of, 379–400
query strings in, 421
response.write method in, 381, **381**
script> tag for, 384, 386, **386**
select statements in, 404, **404**, **405**, 424
server-side code in, 379
servers and, 383–384
SQL Server connection in, 433
standard controls in, 410, 410–411*t*
string functions in, 398, 398*t*
subprocedures in, defining, 391–393, **391**, **392**

- tables using, 409–424
 advanced type, 419–424, **419–424**
 Format function in, 424
 href property in, 421
 HTML controls in, 409, 409–410*t*
 List Employees table example using,
 413–418, **413–418**
 log-in control, 412, 413*t*
 navigation controls in, 412, 412*t*
 SELECT statement in, 424
 standard controls in, 410, 410–411*t*
 validation controls in, 411, 411*t*
 tools for, 381–383
 updating database data using, 424–432
 AccessDataSource for, 432, **432**
 EditTemplate for, 429–430, **430**
 InsertTemplate for, 430, **430–431**
 ItemTemplate for, 431, **431**
 validation controls in, 411, 411*t*
 variables in, defining, 389–390
 VB Script code using, 384–389, **385, 386, 387**
 VB.NET and, 377
 Visual Web Developer tool for, 381–383
 wizard for, 381–383, **382**
 assignment operators, 215, 215*t*
 asynchronous interactions, browser-based
 applications and, 17
 Asynchronous JavaScript and XML. *See* Ajax
 attributes for elements, 29
 attributes for table columns tag, 545*t*
 audience of book, 3–4
 audience of Web site, browser selection and,
 516–517
 auto property, 109
 autostart, video, 67
- B**
- tag, **49, 49**
 background
 attribute for, 30
 color, 29, 115
 fill/repeat, 115–116
 positioning, 116
 properties for, 114–116, **115, 116**
 tables and, 136
- URL image as, 114
 backslash (/) continuation character in
 JavaScript, 211
 base URL, 545*t*
 baseline, 109
 Basic, 284
 BCD Web Smart, 173
 beans, JSP and, 460–464, 461*t*, **461, 462t, 462, 463**
 BEF, 19
 benchmark testing, 181
 Berners-Lee, Tim, 26, 513
 best practices, 531–543. *See also* Web site
 design
 avoiding cutting edge techniques, 533
 cascading style sheets (CSS), 533–534
 code checkers/validators, 535–536
 code specification and standards, 534–535
 coding errors, 534
 coding technique standards, 536
 colors, 540
 documentation, 536–537
 font selection, 540
 JavaScript support coding, 537–539, **537–539**
 objective of site when designing, 531
 structuring of site, 532–533, **532**
 testing, 540–543, 541*t*, 542–543*t*
 text, 540
- bgcolor attribute, 29
<big text> tag, 545*t*
<big> tags, **47, 48**
BIGINT JDBC data type, 579*t*
BINARY JDBC data type, 579*t*
BIT JDBC data type, 579*t*
block, 111
block class, 131–132
<blockquote> tag, 48–49, **48, 49**
BMP image file format, 56*t*, 76
Boa Constructor, 173
body of tables, 144–146, **144–146**
<body> tag, 28–29, **29, 36, 100, 116, 384, 545t**
 function declaration in, 234
bold text, **49, 49, 102–103, 545t**
book navigation and layout, 2–3
Boolean objects, 216, 252, 252*t*
Boolean operators (true/false), 212

- borders, 32, 58, 112–114, **113, 114**
for frames/framesets and, 155
for table, 119–120, **119, 137**
- bottom property, 107–108, 109
-
 break tag, **34, 34**
- braces, in cascading style sheets (CSS), 100
- brackets, in cascading style sheets (CSS), 100
- Break statement, JavaScript, 225, 228, **228, 229**
- breaking up long JavaScript text strings, 211, **211**
- browser-based applications, 6–24, 26. *See also*
browsers; Web site design
additional languages for, 8–9
Ajax and, 16–17
asynchronous interactions in, 17
browsers and, 7–8, 10
CGI and, 10
client-side scripting in, 10
client-based vs, 7
clients and, 9–10
databases and, 11
definition of, 7
development process for, 12–19
device support for, 15–16
HTML in, 8, 10
IT staff's role in development of, 13–15, 14*t*
JavaScript and, 10
languages for, 19
operating systems and, 9
platforms and legacy code support for, 15.
See also legacy code
sample code for, 11–12
server-side scripting in, 10
Service Oriented Architecture (SOA) and, 17–18
skills required for, 13–15, 21–22
SOAP and, 18
synchronous interactions in, 17
Web servers and, 11
- browser-safe colors, 52
- browsers, 7–8, 10, 165, 279, 513–529
audience of Web site and, 516–517
cascading style sheets (CSS) and, 527
checklist of issues with, 515, 515*t*
clients and, 170
coding to detect differences in, 528–529, **529**
colors supported by, 52
- controlling layout of pages and, 528
- differences in, addressing and dealing with, 514–515, 515*t*
- dynamic content and, 528
- hardware requirements for, 522
- image format support and, 526
- Internet connection speed and, 526
- Internet Explorer as, popularity of, 520–522
- JavaScript and, detection by, 205
- language configuration for, 518–520, **518, 519, 520**
- list of commonly used, 520–522, 521*t*
- minimizing impact of differences in, 526–529
- monitor settings and, 523–524, **523, 524**
- Mosaic, 279
- operating systems and, 522, 525
- resolution and, 523–524, **523, 524**
- screen readers and, 146–149, **147–148**
- simple designs and, 527
- standards and guidelines for, from W3C, 513–514, 522
- testing compatibility/performance of, 174
- Web interoperability of, 514
- built-in functions, ASP/ASP.NET, 394–399,
395*t*, 396*t*, 397*t*, 398*t*, 399*t*
- bulleted lists, 37–38, **37, 38**, 116–117, **117**
- business partner communication, 135
- C**
- C language, 19, 170, 184, 206, 211, 220, 282, 284, 285, 288, 309, 310
- C++, 9, 19, 25, 170, 206, 211, 220, 245, 282, 284, 288
- calendar
calendar functions, 557*t*
PHP and, 335
- call statement, in ASP/ASP.NET/VB Script, 391–393, **391**
- captions, table, 120
- cascading style sheets (CSS), 8, 19, 99–132, 533–534, 535. *See also* arranging content
- appearance controls in, 116–120
arranging content and, 133
arranging elements using, 130–132, **130–131, 132**
- background settings using, 114–116, **115, 116**

- basic example of, 100, **100**
- brackets, braces in, 100
- browsers and, 527
- CGI and, 282
- changing styles/elements/arrangement using, 130–132, **130–131, 132**
- class definition in, 120–121, **120, 121**
- creating, 99–101
- displaying elements using, properties controlling, 109–114
- elements in, 100, 101–102, 106
- example uses for, 129–132, **130–131, 132**
- fonts set in, 101–106, **101–106**
- ID entity in, 128–129, **129**
- inheritance of properties in, 121–128
- linking to, <link> tag and, 92, 99–101, **99**
- min-height/min-width of, 107
- parent and child elements in, 101–102
- semicolons and colons in, 100
- style sheet using, 101, **101**
- tables and, 119
- themes and, 99
- Web site design and, 527
- case-sensitivity
 - in JavaScript, 206
 - in JSP, 440
- catalog Web page, 62, **62**
- cellpadding, 137, 141–142, **142**
- cells in table, 138–139, **138**
- cellspacing, 137
- <center> tag, 30, **30, 545t**
- Centre d'Etudes et des Recherche Nucleaires (CERN), 279
- CGA standard, 55
- CGI, 5, 9, 19, 163, 170, 171, 172, 191, 202–203, 279–307
 - advantages and disadvantages of, 283
 - APIs vs., 281, 283
 - ASP/ASP.NET/VB Script and vs., 378
 - browser-based applications and, 10
 - cascading style sheets (CSS) and, 282
 - cgi-bin and cgi-src directories for, 285
 - command line for, <ISINDEX> tag for, 287
 - compatibility issues with, 283–285
 - configuration for, 285
- daemons for, 280–281
- databases and, 280
- early development of, 285
- environment variables for, 285–287, 285–286*t*
- forms using, 289–304. *See also* forms
 - check boxes in, 297–299, **297–298, 299**
 - <form> tag for, 289, **289, 290**
 - HTML page with CGI in, 305, **305–306, 307**
 - input elements in, 290–292, 291*t*, 292*t*
 - menu/lists in, 299–301, **300**
 - password fields in, 294, **294, 295**
 - radio buttons in, 295–297, **295, 296, 297**
 - Reset button in, 302–303, **303**
 - <select> tag for, 299–301
 - Submit button in, 303–304, **303–304**
 - text fields in, 292–293, **292, 293**
 - text input areas (large) in, 301–302, **301, 302**
 - uses for, 289
- forms and, 289–304. *See also* forms, 289
- Java and JavaScript vs., 281–282
- JSP and, 436, 437–438
- PHP and, 309
- security and, 287–289
- Server-side Includes (SSI) and, 288
- specifications for, 285–287, 285–286*t*
- SSI, PHP, ASP vs., 281–282
- standard input (stdin) in, 280, 287
- standard output (stdout) in, 280, 287
- uses for, 280–281, 281*t*
- cgi-bin and cgi-src directories, in CGI, 285
- CHAR JDBC data type, 579*t*
- character sets, 83
- check boxes, 297–299, **297–298, 299**
- child selector, 125
- child. *See* parent/child elements
- <citation> tag, 545*t*
- CL, 184
- classes
 - block, 131–132
 - child selector, 125
 - CSS to define, 120–121, **120, 121**
 - date, 251–252
 - descendant selector, 126
 - inheritance vs., 123–128, **123**
 - JSP and, 436

- classes, *continued*
 nested subclasses and, 127
 Object, 245
- clear property, 107, **108**
- client-side scripting, 10
- clients, 9–10, 165
 Ajax and, 170
 browsers and, 170
 JavaScript and, 170
- offloading tasks to, performance and, 181
- operating systems for, 165
- performance issues and, 181
- platform for, 165
- programming and scripting software for, 10, 169–170
- request-response cycle in, 465–468, **465**
- testing compatibility/performance of, 174
- clip, 108–109
- Cloudscape, 335
- CMM, 19
- COBOL, 19, 184
- code sample, 28
- coding
 code checkers/validators, 535–536
 documentation, 536–537
 errors in, 534
 JavaScript placement within HTML page
 code, 209, **209**, **210**
 JavaScript support coding, 537–539, **537–539**
 performance issues and, 183
 sample of, 28
 security using, 192, 192–193t
 specifications and standards in, 534–535, **535**
 techniques and standards, 536
- <col> tag, 149–150, **149**, **150**
- <colgroup> tag, 149–150, **149**, **150**
- collapse property, 108
- colocation, 197. *See also* Web hosting
- colons, in cascading style sheets (CSS), 100
- color, 29, 52, 540
 background, 29, **29**, 115
 browser-safe, 52
 font, 103–104, 104t
 hex codes for, 104, 104t, 581–585t
- cols, in frames/framesets, 155
- colspan/rowspan, in tables, 138, 142–143, **143**, **144**
- column/row heads in, <th> tag for, 140, **140**, **141**
- columns and column groups, in tables, 149–150, **149**, **150**
- command line for CGI, <ISINDEX> tag for, 287
- <comment> tag, 36, 545t
- comments, 36
 JavaScript and, 206, **206**
 PHP and, 318, **318**
- Common Gateway Interface. *See* CGI
- Common Language Runtime, 377
- comparison operators, 215, 216t
- compatibility issues, 173
 CGI and, 283–285
 databases and, 174
- compiler, JSP and, 436
- components of a Web application, 164–183, **164**
- compound statements, in JavaScript, 226, **226**
- compression of image files, 57
 lossy vs. lossless, 57
- computer code text tag, 545t
- conditional statements
 in JavaScript and, 221–225, **221–224**
 in PHP and, 323–328, 323t
- configuration, performance issues and, 181
- confirm boxes, 239, **239**, **240**
- confirm function, 239, **239**, **240**
- connection speed, Internet, 526
- constants
 array, 556t
 date, 558t
 error, 560t
 file system, 563t
 FTP, 566t
 logging, 560t
 math, 569t
 MySQL, 572t
 string, 577t
- constructs, in JSP and, 443t
- content. *See* arranging content
- content-style-type value, 46
- content-type value, 46
- Continue statement, in JavaScript and, 229–230, **229**, **230**
- controller attribute, video, 67–68

controlling layout of pages, 528
 conversion and formatting functions, in
 ASP/ASP.NET/VB Script, 396, 396t
 conversion tools for legacy code, 188
 cookies, 264–266, 264–**265, 266**
 browser support for, 522
 JavaScript and, 206
 JSP and, 474–478, **475–478, 475t**
 PHP and, 339–342, **340, 341, 342**
 coordinates, Paint program showing, 72, **73**
 C#, ASP/ASP.NET/VB Script and, 377
 crawlers. *See* Web crawlers
 CREATEPROCEDURE statement, 184
 crop, 118–119
 cross, 118–119
 cross-platform support, 314
 crosshair property, 110
 cursor property, 109–110, **110**
 custom error-handler, using PHP, 355–356,
 355, 356
 customers, 134

D

daemons, in CGI, 280–281
 data input. *See also* databases
 connect to MySQL database for, 363, **363–364**
 data validation using, 371–372, **372**
 filters in, 356–358, **357, 358**
 for input elements for, 290–292, 291t, 292t
 forms for, 289–304. *See also* forms
 PHP and, 363–376. *See also* PHP
 prompt boxes, prompt function in, 239–240,
 239, 240
 prompting for, 368
 query strings in, 421
 retrieving data from MySQL database for,
 365, 366, 367
 sanitization and filters for, 357
 security issues and, 195
 SELECT statement and, 368–369, **369**
 text files and, File Open function for, 373,
 373, 373t, 374, 374, 375
 updating data with, 369, **369–371**
 validation of, 195, 205, 266–276
 data security, 195. *See also* security

data types
 Booleans (true/false), 212
 JavaScript, 212–220, 212t
 JDBC, 579–580t
 loosely vs. strongly typed variables and, 319
 numbers in, 213
 operators in, 215–220, 215t, 216t, 217–219t
 PHP and, 320–321, 320t, **321**
 precedence of operators in JavaScript, 216,
 217–218t, 219–220, **219, 220**
 strings in, 213–214, 213–214t, **214**
 database management systems (DBMS), 174, 176
 databases, 174–176. *See also* data input; MySQL
 access data source for, in ASP, 428
 AccessDataSource for, 432, **432**
 accessing rows of data in, MySQL, 482–483,
 483, 484
 adding/inserting data to, 484–490, **484–487,**
 488, 489, 490, 493–501, 493–501
 ASP/ASP.NET/VB Script and, updating data
 in, 424
 browser-based applications and, 11
 CGI and, 280
 compatibility issues with, 174
 connect to, for PHP and MySQL, 363,
 363–364, 480–481, 481
 creating, in MySQL, 478–484, **479–480**
 data validation using, 371–372, **372**
 database management systems (DBMS) and,
 174, 176
 DB2 connection, **376**
 deleting data in, 432, 501–505, **502–506, 501**
 EditTemplate for, 429–430, **430**
 error handling in, MySQL, 482, **482**
 FormView control in ASP for, 424, **425–427**
 INSERT command in, 432
 InsertTemplate for, 430, **430–431**
 ItemTemplate for, 431, **431**
 JSP and, 436, 478–506. *See also* JSP,
 database access using
 Open Database Connection (ODBC) to, 375, **375**
 PHP and support, 309, 309t, 310, 335, 375,
 375, 376
 prompting for input in, 368
 query creation for, in MySQL, 481–482, **482**

- databases, *continued*
 relational database management system
 (RDMS) and, 174, 176
 retrieve data from, using PHP and MySQL,
 365, **366, 367**
 SELECT statement and, 368–369, **369**, 432
 SQL data access with, 175
 standards for, 175
 triggers for, 175–176, **176**
 UPDATE command in, 432
 updating data in, 369, **369–371**, 490–505,
 490–491
 user-defined functions (UDFs) and, 186–188,
 187, 188
 validating data in, in MySQL, 495–501. *See also* validating data
date constants, 558*t*
DATE JDBC data type, 579*t*
date/time dates, 247–251, **247–252**, 248*t*
 ASP/ASP.NET/VB Script and, 395*t*
 functions for, 557–558*t*
 PHP and, 335, 342–345, **342–343**, **344**
DB2, 175, 335, **376**, 478, 506
DB2 Call Level Interface (DB2 CLI), 335
dBBase, 175, 335
<dd> tag, 122, 124
DDOS, 189*t*
DECIMAL JDBC data type, 579*t*
declaration tag, in JSP, 443–444, **442**
deep linking, 84–85, **84**
Default keyword, in JavaScript, 225
defined functions, in JavaScript, 235, **235, 236**
definition descriptor tag, 545*t*
definition list tag, 546*t*
definition list, 40, **40**, 122–123, **122, 123, 124**
definition term tag, 546*t*
 tag, 48–49, **48, 49**
DELETE, 432
deleted text tag, 546*t*
deprecated language elements, 26
Derby, 335
descendant selector, 126
description value, 46
descriptors, validation, 276*t*
design. *See* Web site design
development
 ASP. *See* ASP/ASP.NET
 browser-based applications and, 12–19
 CGI for. *See* CGI
 coding techniques and, affecting
 performance, 183
 legacy code reuse in, 183–188. *See also*
 legacy code
 PHP for. *See* PHP
 Rapid Application Development (RAD) and,
 172–173
 standards for, 179
 tools for, choosing, 5
Development kit, for JSP, 439
device support, browser-based applications and,
 15–16
dim statement, 389–390, **389**
direction of text display tag, 545*t*
directives, in JSP, 448–450, 448–450*t*, **450**
directories, in PHP, 335
directory functions, 559*t*
directory list tag, 546*t*
display properties, 109–114, 109, **110**
display/monitor settings, 55
 browsers and, 523–524, **523, 524**
distributed denial of service (DDOS), 189*t*
<div> tag, 133, 153, 158–161, **158–161**, 382
<dl> tag, 40, 122, 124
Do Until loops, in ASP/ASP.NET/VB Script,
 408–409, **408, 409**
Do While loops, ASP/ASP.NET/VB Script,
 407–408, **407, 408**
DOCTYPE declaration (DDD), 534–535, **535, 536**
<doctype> tag, **46, 47, 47**
document in HTML, 10, **46, 47, 47**
document information tag, 546*t*
document title tag, 547*t*
document type tag, 545*t*
document.write method, 385, **385**
documentation, 536–537
dollar sign (\$) indicator for PHP variables, 311
DOM, 17
DOUBLE JDBC data type, 579*t*
DreamWeaver, 439, 534
drop down list tag, 547*t*

- <dt> tag, 122, 124
 Dylan, 19
 dynamic vs. static content, 166, 201, 205, 437, 528
- E**
 e-resize/no-resize properties, 110
 echo command, in PHP, 318
 Eclipse, 439, 534
 ECMA standards, 522
 editors, for JSP, 439
 EditTemplate, 429–430, **430**
 Education Resource Institute, UCLA, 22
 EGA standard, 55
 Eiffel, 19
 elements, 101–102, 106
 cascading style sheets (CSS) and, 101–102, 106
 padding within, 106–107
 Else, in JavaScript, 222–224, **222–224**
 e-mail
 injection attacks using, 349–351, **349–351**
 mail functions, 567t
 mail parameters, 567t
 mailto links, 88–90, **88, 89, 90**
 MIME and, 349
 PHP and, 336, 345–351, **346–351**
 SMTP and, 346, 349
<embed> tag, video, 66–67, **66, 67**
 embedded object tag, 546t
 emphasized text tag, 546t
 empty statement, in JavaScript, 227
 end of file, feof function, PHP and, 373
 end tag, 8, 27
 environment variables, in CGI, 285–287, 285–286t
 ERP, 20
 error catching, 241–244, **242–244**, 534
 custom error-handler for, using PHP, 355–356, **355, 356**
 in JavaScript, 241–244, **242–244**
 in JSP, 507–512, **507–511**
 logging, 352–353, **352–353**
 in MySQL, 482, **482**
 Onerror event handler for, 261–264, **262, 263, 264**
 in PHP and, 336, 351–356
 try-catch-throw statements in, 241–244, **242–244**, 261, 356, 507
 error constants, 560t
 error functions, 559t
 parameters for, 559t
 escape characters, 52–53, **52, 53, 54**, 213–214, 213–214t, **214** *See also* special characters
 event handlers, 258–259, 259t
 events, 205, 258–264, 259t, **261–263**
 handlers for, event handlers, 258–259, 259t
 Onclick event handler for, 259–260, **260**
 Onerror event handler for, 261–264, **262, 263, 264**
 Onmousedown event handler for, 261, **261**
 expression objects, 446
 expression statements, in JavaScript, 226–230, **226–230**
 expression tag, in JSP, 445–446, **446, 447**
 expressions, in PHP, 320
 Extended Log File (ELF) format, 517
 external scripts, JavaScript and, 210, **210**
- F**
 feof function, in PHP, 373
 FH image file format, 56t
 fieldset tag, 546t
 File Open function, in PHP, 373, **373**, 373t, 374, **374, 375**
 file system constants, 563t
 file system functions, 560–563t
 filesystem, in PHP, 336
 fill/repeat background, 115–116
 filters, 564–565t
 functions for, 564t
 PHP and, 336, 356–358, **357, 358**
 Firefox, 7, 10, 165
 firewalls, 191
 Flash, browser support for, 522
 FLOAT JDBC data type, 579t
 float property, 108
 follow value, 46
 tag, 51–52, **51, 546t**
 fonts, 51–52, **51, 101, 101, 102–106, 102–106**, 540
 big text tag, 545t
 bold, 102–103, 545t
 cascading style sheets (CSS) and, 101
 color of, 52, 103–104, 104t, 546t

fonts, *continued*
 direction of, 103–104
 emphasized text, 546*t*
 indent, 104, 105
 italic, 102–103, 546*t*
 letter-spacing in, 103–104, 105
 line-height and, 103–104
 properties of, 102–106, **102–106**
 shadow, 104, 105
 size of, 102–103, 546*t*
 small text tag, 547*t*
 strikethrough tag, 547*t*
 text-align, 103–104, 105
 text-decoration, 103–104, 105
 transform, 104, 105
 underline, 547*t*
 Unicode, 104, 105
 white space and, 104, 105
 word spacing and, 104, 105

Foote Partners, 22

footer, in tables, 144–146, **144–146**

For Each loops, in ASP/ASP.NET/VB Script, 406–407, **407**

For loops
 in JavaScript, 232–234, **233, 234**
 in PHP, 330–331, **330, 331**

For Next loops
 in ASP/ASP.NET/VB Script, 405, **405, 406**

<form> tag, 289, **289, 290, 546*t***

Format function, 424

forms, 206, 289–304, 358–361
 access data source for, 428
 ASP/ASP.NET/VB Script and, 424–
 CGI for, 289–304
 check boxes in, 297–299, **297–298, 299**
 <form> tag for, 289, **289, 290**
 FormView control in, 424, **425–427**
 HTML and CGI used together in, 305, **305–306, 307**
 input elements in, 290–292, 291*t*, 292*t*
 JavaScript and, 206
 menu/lists in, 299–301, **300**
 new page in, 428, **428**
 password fields in, 294, **294, 295**
 PHP and, 358–361, **359, 360**

post and get in, 358–361, **359, 360**

radio buttons in, 295–297, **295, 296, 297**

Reset button in, 302–303, **303**

<select> tag for, 299–301

Submit button in, 303–304, **303–304**

text fields in, 292–293, **292, 293**

text input areas (large) in, 301–302, **301, 302**

uses for, 289

validation of, 266–276, **267–276, 275*t***

FormView control, 424, **425–427**

FORTRAN, 184, 284

<frame> tag, **154, 157, 546*t***. *See also* frames
frames/framesets, 153–158
 borders for, 155
 cols/rows attributes in, 155
 <frame> tag in, **154, 157, 546*t***
 <frameset> tag in, **153, 153, 157, 546*t***
 framespacing for, 155
 <iframe> tag in, 158
 index in, 154
 inline type, 156–158, **157, 158**
 links and, 154, 155–156, **156**
 margins in, 155
 noresize in, 155
 scrolling in, 155
 src attribute for, 157
 tables and, 137
 targets of links in, name attribute and, 155–156, **156**
 two-frame example of, 154, **154, 155**

frameset option, 47

<frameset> tag, **153, 153, 157, 546*t***. *See also* frames/framesets
framespacing, 155

FTP, 191, 337
 constants, 566*t*
 functions, 565–566*t*
 link, 90–91, **90**
 PHP and, 335

functions
 array, 553–555*t*
 ASP/ASP.NET/VB Script and, built-in, 394–399, 395*t*, 396*t*, 397*t*, 398*t*, 399*t*
 ASP/ASP.NET/VB Script and, defining, 393–399, **393**

<body> tag and, 234
 calendar, 557t
 date time, 557–558t
 defined, 235, **235**, **236**
 directory, 559t
 error, 559t
 file system, 560–563t
 filter, 564t
 FTP, 565–566t
 <head> tag and, 234
 HTTP, 567t
 JavaScript, 234–241. *See also* JavaScript
 JSP and (JSTL) standard, 471–472t
 logging, 559t
 mail, 567t
 math, 567–569t
 miscellaneous, 570t
 MySQL, 570–572t
 PHP and, 335–339
 predefined, 236, 236–238t, 238
 SimpleXML, 573t
 string, 573–576t
 user-defined (UDFs), 186–188, **187**, **188**
 user-defined table functions (UDTFs) and,
 187–188, **188**
 XML parser, 577–578t

G

GCI, 8
 GEL, 19
 get, 307, 358–361, **359**, **360**
 GIF image file format, 56t, 57
 Gimp, 75
 global variables, 211
 Glyptic Script, 19
 Google, 32, 45, 83
 Google Maps, 17
 groups for table columns tag, 545t
 Guile, 19

H

<h> heading tags, 27, 30, **30**, **34**, **34**, **35**, 100
 hacking, 189t
 handlers, event, 258–259, 259t
 hardware requirements, browsers, 522

<head> tag, 8, **8**, 36, 384
 function declaration in, 234
 header, in tables, 144–146, **144**–**146**
 headers tag, 546t
 headings, table columns/rows, <th> tag for, 140,
 140, **141**
 height, 32, 58, 59, 67, 107
 help, 110
 hex codes for HTML colors, 52, 104, 104t, 581–585t
 hidden property, 108, 110
 history of HTML, 26
 horizontal rule, 42, **42**, 546t
 hosting, Web. *See* Web hosting
 <hr> tag, 42, **42**
 href attribute, 71–72, 421
 links and, 82
 hreflang attribute, 82
 hspace, 32, 58
 HTML, 25–54, 166, 199, 279, 533
 ASP/ASP.NET/VB Script and, 379–381, **380**
 CGI and, 279–280, 305, **305**–**306**, **307**. *See also* CGI
 form input elements in, 290–292, 291t, 292t
 JavaScript vs. 201–202
 JSP and, 435, 436, 440, **440**, 443
 PHP and, 310
 VB Script placement in, 399–400, 400t
 well-formed, 534
 HTML document tag, 546t
 <html> tag, 28, **28**, 36
 HTTP
 functions, 567t
 PHP and, 336
 Request, 182
 traffic managers, 182
 HTTPd Web server, 279
 hyperlinks, 111, **111**
 hyperTalk, 19
 hypertext markup language. *See* HTML
 Hypertext Preprocessor. *See* PHP

I

<i> tag, 49, **49**
 IBM, 25, 173, 335
 Icon, 19

- id attribute, 82
ID entity, 128–129, **129**
identifiers, in JavaScript, 207, **207**
If else
 in PHP, 324–326, **324–326**
 in JavaScript, 222–224, **222–224**
If statements
 in ASP/ASP.NET/VB Script, 401–403, **401**, **402**, **403**
 in JavaScript, 221–224, **221–224**
 in PHP, 323–326, **324–326**
<iframe> tag, 158
image map tag, 546t
image maps, 70–74, **71–75**
image tag, 546t
images, 31–34, **33**, 55–79. *See also* Web site
 design
 align controls for, 57–58
 alt/alternate font and, 58, 71–72
 <area> tag in, 71
 BMP files in, 76
 borders for, 58
 browsers and, format support from, 526
 coding for, **62–64**
 compression of, 57
 coords attribute for, 71
 displays/monitors and, 55
 do's and dont's of, 76
 formats of, 56–57, 56t, 76
 height and width of, 58, 59
 history and development of, in Web pages, 55
 href attribute for, 71–72
 hspace and vspace attributes for, 58
 tag for, 57–58, **57**, 71
 links for, 68–70, **68–70**
 lossy vs. lossless compression of, 57
 <map> tag in, 71
 maps for, 70–74, **71–75**
 Paint program and, showing coordinates, 72, **73**
 placement on page of, 62
 properties of, in Windows File Explorer, 60, **60**
 resolution of, 55–56, 58, **58**, 60
 sample code for, 77, **77–78**
 scalability of, 57, 60–61, 77
 shape attributes for, 71
 sizing of, 59–64, **59**, **61**, **62–64**, 76
 src attribute for, 57–58
 standards for, 55–56
 TIFF files in, 76
 tools/programs for, 75–76
 transparency of, 57, 76
 types of, 55, 56–57, 56t
video, 64–68
 alignment of, 67
 autoplay for, 67
 controller attribute for, 67–68
 <embed> tag for, 66–67, **66**, **67**
 launching to play, 65–66, **66**
 loop control for, 67
 playcount for, 67
 pluginspage for, 68
 sizing of, 67, **67**
 volume control for, 67–68
Web design tools and working with, 76
 tag, 31–34, 331, 57–58, **57**, 71. *See also* images
implicit objects, in JSP, 444, 464–468, 464t
include directives, in JSP, 448–451, **451**
indent, 104, 105
index, frames/framesets and, 154
index value, 46
inheritance, 121–128
 child selector for, 125
 classes vs., 123–128, **123**
 descendant selector in, 126
 JSP and, 436
 sibling elements in, 126
injection attacks, e-mail, 349–351, **349–351**
inline, 111
inline frames, 156–158, **157**, **158**
inline sub window tag, 546t
input elements, form, 290–292, 291t, 292t
input field tag, 546t
<ins> tag, 48–49, **48**, **49**
INSERT, 432
inserted text tag, 546t
InsertTemplate, 430, **430–431**
instances, JSP and, 436
INTEGER JDBC data type, 579t
interception of data, 189t

Internet connection speed and, 526
 Internet development, 26
 Internet Explorer, 7, 10, 165, 520–522
 Internet Information Server (IIS), 311, 381
 interpreted language, 201–202
 introduction to HTML, 25–54
 invisible link, 91–93, **91, 92, 93_t**
 <ISINDEX> tag and CGI command line, 287
 ismap, 32
 ISO character sets, 83
 ISO standards, 175, 522
 IT staff
 job markets and, 22–23
 outsourcing and, 23–24
 role in browser-based applications and
 development, 13–15
 skills of, 13–15, 21–22
 italic text, 49, **49**, 102–103, 546_t
 ItemTemplate, 431, **431**

J

Java, 4, 19, 23, 170, 172, 199, 202, 211, 220,
 245, 284, 309, 310, 312, 337
 ASP/ASP.NET/VB Script vs., 378
 CGI vs., 281–282
 JSP and, 435, 439
 PHP vs., 311–312
 Java Server Pages (JSP), 8, 19, 163, 172, 184,
 186, 202, 277, 284, 307, 312, 435–512, 435,
 533, 534, 535
 actions in, 435, 452–464, 453_t
 advantages and disadvantages of, 438–439
 application methods in, 467_t
 ASP and, 436
 beans and, 460–464, 461_t, **461**, 462_t, **462, 463**
 browser support for, 522
 case-sensitivity of, 440
 CGI and, 436, 437–438
 classes in, 436
 compiler for, 436
 constructs in, 443_t
 cookies in, 474–478, **475–478**, 475_t
 database access and JDBC in, 436, 478–506
 accessing rows of data in, 482–483, **483, 484**

adding data to database in, 484–490,
484–487, 488, 489, 490
 adding/inserting data in, 493–501, **493–501**
 connecting to database for, 480–481, **481**
 creating MySQL database for, 478–484,
479–480
 deleting data in, 501–505, **502–506**
 display database records in, 478–484
 error handling in, 482, **482**
 query creation for, 481–482, **482**
 updating a database in, 490–505, **490–491**
 validating data in, 495–501
 declaration tag in, 443–444, **442**
 Development kit for, 439
 directives in, 448–450, 448–450_t, **450**
 editors for, 439
 error/exception handling in, 507–512, **507–511**
 expression tag in, 445–446, **446, 447**
 functions in, standard (JSTL), 471–472_t
 HTML and, 435, 436, 440, **440**, 443
 implicit objects in, 444, 464–468, 464_t
 include directives in, 448–451, **451**
 inheritance in, 436
 instances in, 436
 Java and, 435, 439
 JavaScript and, 437
 jsp:fallback action in, 453–454, **454**
 jsp:forward action in, 454, **454, 455**
 jsp:getProperty action in, 455–456, **455, 456**
 jsp:include action in, 456–457, **457**
 jsp:param action in, 457–458, **458**
 jsp:plugin action in, 458–459, **459**
 jsp:setProperty action for, 460, 460_t
 jsp:UseBean action for, 460–464, 461_t, **461**,
 462_t, **462, 463**
 .NET and, 438
 packages in, 443
 page directives in, 448–450, 451–452, **452**
 page scope and, 466–468, **467**
 pageContext methods in, 467–468_t
 PHP and, 436, 438
 plugins for, 459
 prerequisites for using, 439–440
 quotes as delimiters in, 440
 request methods in, 466_t

Java Server Pages, *continued*
request-response cycle in, 465–468, **465**
response methods in, 466t
scripting elements in, 443–448
scriptlet tag in, 447–448, **448**
server for, 439
servlets, Servlet API and, 435, 439
session methods in, 468t
sessions in, 472–474, **472–474**
simple script example using, 440, **440**
standard functions in, 471–472t
standard JSTL tags in, 469–471t
superclasses in, 436
syntax of, 440–443, 441–442t
tag libraries (JSTL) in, 435–436, 468–472,
 469–472t
tags in, 440
template text for, 443
uses for, 437–438
variables in, predefined, 444–445t
Web site design using, 436, 437
XML and, 436

Java Servlets, 172

Java Virtual Machine (JVM), 4, 15, 170

JavaScript, 8, 9, 19, 170, 201–277, 533, 534, 535
 advantages and disadvantages of, 204–205
 Ajax and, 17
 alert function in, 238, **238, 239**
 alternatives to, 202
 arrays in, 255–258, **255, 256**, 256–257t, **257, 258**
 backslash continuation character in, 211
 Break keyword in, 225
 Break statement in, 228, **228, 229**
 breaking up long text strings in, 211, **211**
 browser support for, 10, 205, 522
 C and C++ comments supported by, 206
 case-sensitivity of, 206
 CGI vs., 281–282
 CGI vs., 202–203
 code placement of, within HTML page, 209,
 209, 210
 coding support using, 537–539, **537–539**
 comments in, 206, **206**
 compound statements in, 226, **226**
 conditional statements in, 221–225, **221–224**
 confirm function in, 239, **239, 240**
 Continue statement in, 229–230, **229, 230**
 cookies and, 206, 264–266, 264–**265, 266**
 data types in, 212–220, 212t
 Booleans (true/false), 212
 numbers in, 213
 operators in, 215–220, 215t, 216t, 217–219t
 precedence of operators in JavaScript, 216,
 217–218t, 219–220, **219, 220**
 strings in, 213–214, 213–214t, **214**
 Default keyword in, 225
 defined functions in, 235, **235, 236**
 dynamic content using, 205
 empty statement in, 227
 error catching in, 241–244, **242–244**
 escape characters in, 213–214, 213–214t, **214**
 events and triggers with, 205, 258–264, 259t,
 261–263
 expression statements in, 226–230, **226–230**
 external scripts using, 210, **210**
 For loops in, 232–234, **233, 234**
 form validation in, 266–276, **267–276, 275t**
 forms using, 206
 functions in, 234–241
 HTML and, 201–202, 205, 208–212
 identifiers in, 207, **207**
 If statements in, 221–224, **221–224**
 inserting into an HTML page, 208–212
 interpreted language of, 201–202
 JSP and, 437
 keywords in, 207, 207t
 labeled statements in, 227, **227, 228**
 loops in, 229–230, **229, 230**, 231–234, **231–234**
 methods in, 214
 <noscript> tag in, 538
 object-oriented programming (OOP) and, 245
 objects in, 245–254. *See also* objects
 PHP vs., 310
 pop-up windows using, 206
 precedence of operators in, 216, 217–218t,
 219–220, 219, 220
 predefined functions in, 236, 236–238t, 238
 prompt function in, 239–240, **239, 240**
 reserved words in, 207, 207t
 Return statement in, 241, **241**

- sandbox for, 202
script files and the <script> tag for, 202,
 208–209, 208*t*, 537
semicolon delimiters in, 208
server-side scripting vs. 202–203
statements in, 220–241
Switch statement in, 225, **225**, **226**
syntax of, 206–208
uses for, 205–206
validating data with, 205
variables in, var statement and, 211–212
VB Script vs., 203–204, 203
While loops in, 229–230, **229**, **230**, 231–232,
 231, **232**
 whitespace in, 208
JDBC, data types for, 579–580*t*
job markets, 22–23
JP2/J20 image file format, 56*t*
JPG/JPEG image file format, 56*t*, 77
JSP. *See* Java Server Pages
jsp:fallback action, 453–454, **454**
jsp:forward action, 454, **454**, **455**
jsp:getProperty action, 455–456, **455**, **456**
jsp:include action, 456–457, **457**
jsp:param action, 457–458, **458**
jsp:plugin action, 458–459, **459**
jsp:setProperty action, 460, 460*t*
jsp:UseBean action, 460–464, 461*t*, **461**, 462*t*,
 462, **463**
JSTL. *See* tag libraries (JSTL), JSP
justification of text, 31
- K**
keyboard text tag, 546*t*
keystroke logging, 189*t*
keywords, 46
 JavaScript and, 207, 207*t*
KQML, 19
- L**
label for form control tag, 546*t*
labeled statements, in JavaScript and, 227, **227**, **228**
landscape page orientation, 119
language configuration, for browsers, 518–520,
 518, **519**, **520**
languages, programming, 8–9, 19, 25–26, 170,
 184–185, 199, 202, 284
LANSA, 173
layout of page, 119
Lazarus, 173
left property, 107–108
<left> tag, 34, **34**
legacy code, 183–188
 APIs and, 184
 browser-based applications and, 15
 conversion/migration tools for, 188
 stored procedures and, 184–185, **185**, **186**
 user-defined functions (UDFs) and, 186–188,
 187, **188**
 user-defined table functions (UDTFs) and,
 187–**188**, **188**
letter spacing, 103–104, 105
 tag, 39, 124, 125
libraries, tag. *See* tag libraries, JSP
Linda, 19
line breaks, 34, 118, 545*t*
line-height, 103–104
Lingo, 19
links and <link>, 30, 36, 81–98, **91**, **92**, 93*t*,
 99–101, **99**
 <a> anchor tag for, 81–82, **82**., 85–88, **85**, **86**,
 87, **88**
 cascading style sheets (CSS) and, 92, 99–101,
 99
 charset attribute for, 83
 deep linking with, 84–85, **84**
 display properties for, 111–112, **111**
 frames/framesets and, 154, 155–156, **156**
 FTP type, 90–91, **90**
 href attribute for, 82
 hreflang attribute for, 82
 hyperlinks and, 111, **111**
 images and, 68–70, **68**–**70**
 invisible, with <link> tag, 91–93, **91**, **92**, 93*t*
 language selection for, 82
 <link> tag, 99–101, **99**
 mailto, 88–90, **88**, **89**, **90**
 name and id attributes for, 82

- links and <link>, *continued*
 open in new window, parent/child windows
 and sizing, 83
placing on a page, 81–82
sample of, 93–97, **94–98**
sample of, to Google, 83, **83**
search engine action and, 84
slash () ending for, 88
style attribute for, 88, **88**
target attribute for, 82–84, 155–156, **156**
title attribute for, 83
 types of, 93*t*
lint programs, 535–536
Linux, 9, 175, 525
 PHP and, 335
Lisp, 19
List Employees table example using ASP,
 413–418, **413–418**
list item tag, 546*t*
lists, 116–117, **117**
 bulleted, 37–38, **37, 38**, 116–117, **117**
 definition of, 40, **40**, 122–123, **122, 123, 124**
 inheritance and classes for, 124–125, **125**
 menu/lists in forms and, 299–301, **300**
 nested, 125–128, **125–128**
 ordered/numbered, 39, **39, 41**, 116–117, **117**,
 546*t*
 unordered, 37–38, **37, 38**, 116–117, **117**, 547*t*
load, traffic, 182–183
local variable, 211
log files, Extended Log File (ELF) format, 517
log-in controls, ASP/ASP.NET/VB Script and,
 412, 413*t*
logging
 constants, 560*t*
 Extended Log File (ELF) format, 517
 functions, 559*t*
logical operators, 216, 216*t*
Logo, 19
long quotation tag, 545*t*
LONGVARBINARY JDBC data type, 579*t*
LONGVARCHAR JDBC data type, 579*t*
loop control, video, 67
loops
 in ASP/ASP.NET/VB Script, 405–409, 405
 in JavaScript, 229–230, **229, 230**, 231–234,
 231–234
 in PHP, 328–331
loosely vs. strongly typed variables, 319
lossy vs. lossless compression, 57
lowsrc, 32–33
- M**
- Mac OS, 9, 525
mail. *See e-mail*
mailto links, 88–90, **88, 89, 90**
<map> tag, 71
maps, image, 70–74, **71–75**
margins, 112, **112**
 for frames/framesets, 155
marker-offset property, 117
markup languages, 8
math
 constants, 569*t*
 functions, 396, 397*t*, 567–569*t*
 objects, 252–254, 253*t*, **254**
 PHP and, 336
max-height/max-width, 107
menu/lists, 299–301, **300**, 546*t*
message box (MsgBox), in ASP/ASP.NET/VB
 Script, 386–389, **386, 387**
<meta> tag, 36, 45–46, **45**, 546*t*
meta-data, 36, 45–46, **45**
methods, 214
 array, 256–257, 256–257*t*
 Boolean object, 252, 252*t*
 date object, 248*t*
 math, 252–254, 253*t*, **254**
 object, 245, 246–247, 246*t*, **247**
 predefined, for strings, 246, 246*t*
Microsoft, 7, 11, 15, 310, 377, 381, 438
Microsoft Access, 11
Microsoft Internet Explorer. *See browsers;*
 Internet Explorer
middle property, 109
migration tools for legacy code, 188
MIME, 349
min-height/min-width, 107
miscellaneous functions, 570*t*
ML, 19

- Modula-3, 19
- monitor settings, for browsers, 523–524, **523, 524**
- monitoring and logging performance, 183. *See also* logging; performance
- Mosaic, 279
- move property, 110
- Mozilla Firefox, 7
- multidimensional arrays, in PHP, 332–334, **333, 334**
- MySQL, 11, 175, 363–376, 478
- accessing rows of data in, 482–483, **483, 484**
 - adding data to database in, 484–490, **484–487, 488, 489, 490**
 - adding/inserting data in, 493–501, **493–501**
 - connect database to, 363, **363–364**, 480–481, **481**
 - constants for, 572*t*
 - creating database using, 478–484, **479–480**
 - data validation using, 371–372, **372**
 - deleting data in, 501–505, **502–506**
 - error handling in, 482, **482**
 - functions in, 570–572*t*
 - JSP and, 478–506. *See also* JSP, database access using
 - PHP and, 335, 336, 363–376
 - prompting for input in, 368
 - query creation in, 481–482, **482**
 - retrieve data from, 365, **366, 367**
 - SELECT statement for, 368–369, **369**
 - updating data in, 490–505, **490–491**, 369, **369–371**
 - validating data in, 495–501
- N**
- name attribute, 82
- National Center for Supercomputing Applications (NCSA), 279–280, 284, 288
- navigation controls, 412, 412*t*
- navigation, 178, **179**
- nested lists, 125–128, **125–128**
- nested tables, 151–153, **151–152**
- .NET framework, 5, 9, 18, 23, 184, 202, 310–311, 337, 377, 533, 534, 535. *See also* ASP/ASP.NET and VB Script
- JSP and, 438
- NetBeans, 173
- Netscape, 10, 165, 279
- Network Information Services (NIS), 191
- Networked File System (NFS), 191
- NewtonScript, 19
- nofollow value, 46
- noframe section tag, 546*t*
- noindex value, 46
- none, 110
- noresize, 155
- <noscript> tag in, 538, 546*t*
- Notepad, 439
- nowrap tables and, 138, 139
- numbered lists, 39, **39, 41**, 116–117, **117, 546**
- numbers, 213
- NUMERIC JDBC data type, 580*t*
- O**
- Object class, 245
- object-oriented programming (OOP), 245
- objects, 245–254
- Boolean, 252, 252*t*
 - date, 247–251, **247–252**, 248*t*
 - expression, in JSP, 446
 - implicit, in JSP, 444, 464–468, 464*t*
 - math, 252–254, 253*t*, **254**
 - methods of, 245, 246–247, 246*t*, **247**
 - Object class for, 245
 - object-oriented programming (OOP) and, 245
 - predefined methods for, for strings, 246, 246*t*
 - properties of, 245, **245**
 - string, 245
- Oblique, 19
- tag, 125, 126
- Onclick event handler, 259–260, **260**
- Onerror event handler, 261–264, **262, 263, 264**
- Onmousedown event handler, 261, **261**
- Open Database Connection (ODBC), for PHP, 310, 375, **375**
- open link in new window, parent/child windows and sizing, 83
- Opera, 10, 165
- operating systems, 9, 25–26. *See also* browsers; platforms
- browsers and, 522, 525
- clients, 165
- compatibility issues of, 174

- operating systems, *continued*
 PHP and, 314
- operators, 215–220, 215*t*, 216*t*, 217–219*t*
 PHP and, 321–322, 321*t*, 322*t*, 323*t*
- option explicit statement, 389–390, **390**
- option group tag, 546*t*
- Oracle, 175, 478, 506
- ordered/numbered lists, 39, **39**, **41**, 116–117, **117**, 546*t*
- orientation of page, 119
- orphans, 118
- outsourcing, 23–24
- overflow property, 108
- P**
- packages, in JSP, 443
- padding, element, 106–107
- page breaks, 118
- page directives, in JSP, 448–450, 451–452, **452**
- page heading, **8**
- page scope, 466–468, **467**
- pageContext methods, in JSP, 467–468*t*
- Paint program, showing image coordinates, 72, **73**
- Paint Shop Pro, 75
- Paint.net, 75
- Palm OS, 9
- PalmPilot, 165
- paragraphs, **41**, **41**, 547*t*
- parameter for object tag, 547*t*
- parameters, mail, 567*t*
- parent/child elements. *See also* inheritance
 cascading style sheets (CSS) and, 101–102
 child selector for, 125
 descendant selector for, 126
 inheritance between, 121–128
 sibling elements, 126
- Pascal, 284
- passwords, 194–195
 forms, password fields in, 294, **294**, **295**
 invalid, JavaScript coding for, 225, **225**, **226**
- PDAs, 9, 165
- performance, 180–183
 coding techniques and, 183
 HTTP traffic managers and, 182
 monitoring and logging tools for, 183
- response standards, 181
- technology issues, new software, 173–174
- traffic load and, 182–183
- Perl, 19, 170, 172, 191, 202, 282, 284, 309
- Phantom, 19
- phishing, 190*t*
- Photo Impact, 75
- Photoshop, 75
- Photosuite, 75
- PHP, 5, 8, 9, 19, 23, 163, 172, 184, 186, 199, 202, 277, 284, 307, 309–376, 435, 533, 534, 535
 advantages and disadvantages of, 312–314, 313–314*t*
- arguments for, in brackets, 337
- arrays in, 331–334, **332**, **333**, **334**
- ASP/ASP.NET/VB Script and vs., 310–311, 378
- browser support for, 522
- CGI vs., 281–282, 309
- comments in, 318, **318**
- conditional statements in, 323–328, 323*t*
- configuration of, and special updates, 315, 316, 335
- cookies and, 339–342, **340**, **341**, **342**
- cross-platform support in, 314
- data operations using, 363–376
 connect to MySQL database with, 363, **363**–**364**
 data validation using, 371–372, **372**
 prompting for input in, 368
 retrieving data from MySQL database with, 365, **366**, **367**
 SELECT statement for, 368–369, **369**
 text files and, File Open function for, 373, **373**, 373*t*, 374, **374**, **375**
 updating data with, 369, **369**–**371**
- data types in, 320–321, 320*t*, **321**
- database connection and, 310, 375, **375**, **376**
- databases supported by, 309, 309*t*
- date/time functions in, 342–345, **342**–**343**, **344**
- download of, 316
- echo command in, 318
- end of file, feof function in, 373
- error handling in, 336, 351–356
 components of, 353–354, **354**
 custom error-handler for, 355–356, **355**, **356**

- logging of, 352–353, **352–353**
 - expressions in, 320
 - filters in, 336, 356–358, **357, 358**
 - For loops in, 330–331, **330, 331**
 - forms with, 358–361, **359, 360**
 - post and get in, 358–361, **359, 360**
 - functions in, 335–339
 - HTML and, 310
 - If statements in, 323–326, **324–326**
 - installation of, 316
 - Java vs., 311–312
 - JavaScript vs., 310
 - JSP and, 436, 438
 - loops in, 328–331
 - loosely vs. strongly typed variables in, 319
 - mail/e-mail and, 336, 345–351, **346–351**
 - multidimensional arrays in, 332–334, **333, 334**
 - MySQL and, 363–376
 - Open Database Connection (ODBC) and, 310, **375, 375**
 - operating system support for, 314
 - operators in, 321–322, 321*t*, 322*t*, 323*t*
 - <php> tag for, 317
 - platform support for, 314
 - sanitization and filters for, 357
 - <script> tag for, 317
 - server-side scripting with, 309
 - sessions in, 361–363, **362**
 - statement terminator (semicolon) in, 317
 - Switch statement in, 326–328, **327**
 - syntax of, 316–323
 - tags for, 317, **317**
 - uses for, 315–316
 - variables in, 319–320, **319**
 - variables in, dollar sign (\$) indicator for, 311
 - versions of, 315
 - While loops in, 328–329, **328, 329, 373**
 - <php> tag, 317
 - PL/I, 184
 - Planet J WOW, 173
 - platforms, 15, 25
 - client, 165
 - compatibility issues of, 174
 - cross-platform support in, 314
 - PHP and, 314
 - playcount, video, 67
 - plugins, for JSP, 459
 - pluginspage, video, 68
 - PNG image file format, 56*t*, 57, 77
 - policy, security, 194
 - pop-up windows, 206
 - JavaScript and, 206
 - populating an array, 255–256, **256**
 - portals, 169
 - portrait page orientation, 119
 - position property, 109
 - post, 307, 358–361, **359, 360**
 - <pre> tag, 35, **35**
 - precedence of operators in JavaScript, 216, 217–218*t*, 219–220, **219, 220**
 - predefined functions, JavaScript and, 236, 236–238*t*, 238
 - predefined methods for strings, 246, 246*t*
 - preformatted text, 35, 547*t*
 - procedures, stored, 184–185, **185, 186**
 - programming
 - client-side, software for, 169–170
 - object-oriented programming (OOP) and, 245
 - server-side, software for, 171–173, **172, 202–203, 309, 379, 435**
 - prompt boxes, 239–240, **239, 240**
 - prompt function, 239–240, **239, 240**
 - prompting for input, 368
 - properties, object, 245, **245**
 - PSD image file format, 56*t*
 - PSP image file format, 56*t*
 - push button tag, 545*t*
 - Python, 19, 170, 172
- Q**
- queries, 307, 421
 - MySQL, 481–482, **482**
 - query strings, 421
 - question-and-answer page, 121–123, **121–123**
 - quotations, 48–49, **48, 49, 545*t*, 547*t***
 - quotes as delimiters, in JSP, 440
- R**
- radio buttons, 295–297, **295, 296, 297**

- RadRails, 173
Rapid Application Development (RAD), 172–173
Rational Developer, 173
REAL JDBC data type, 580*t*
relational database management system (RDMS), 174, 176
relative property, 109
repeat background, 115–116
request methods, in JSP, 466*t*
request-response cycle, 465–468, **465**
requirements for applications/development, 12
reserved words, in JavaScript, 207, 207*t*
Reset button, 302–303, **303**
resolution, 55–56, 58, **58**, 60
 of browsers, 523–524, **523**, **524**
resource provision, 135–136
resource reference tag, 546*t*
response methods, 466*t*
response standards, 181
response.write method in, 381, **381**
Return statement, 241, **241**
REXX, 19, 184
RGB colors. *See* colors; hex codes for colors
right, left, top, bottom properties, 107–108
<right> tag, 31, **31**
robot value, 46
Robots Exclusion Protocol, 46
rows, in frames/framesets, 155
rows, in table, 137–138, **137**
rowspan. *See* colspan/rowspan
RPG, 19, 25, 184, 284
RPGLE, 185, 186
Ruby, 19, 172
Ruby on Rails, 172
- S**
- sales leads, 134
sample code, for a browser-based application, 11–12
sample computer code tag, 547*t*
sandbox for JavaScript, 202
sanitization and filters, PHP, 357
Sarbanes-Oxley legislation, 12
SBScript, 19
scalability of images, 57, 60–61, 77
- scope
 application, session and page, 466–468, **467**
 tables and, 138, 147–148
screen readers, 146–149, **147–148**
script files and the <script> tag, 202
<script> tag, 537, 547*t*
 ASP/ASP.NET/VB Script and, 384, 386, **386**
 external scripts and, 210, **210**
 JavaScript and code placement with, 208–209, 208*t*
 PHP and, 317
- scripting
 client-side, software for, 169–170
 external, 210, **210**
 JavaScript for, 202, 208–209, 208*t*. *See also* JavaScript
 JSP and, elements for, 443–448
 server-side, software for, 171–173, **172**, 202–203, 309, 379, 435
- scriptlet tag, 447–448, **448**
- ScriptX, 19
- scroll, 108
- scroll bars, 44–45, 155
- SDI, 19
- search engines, 32, 45, 177, 279–280
 CGI and, 279–280. *See also* CGI
 links and, 84
- section in document tag, 546*t*, 547*t*
- Secure Sockets Layer (SSL), 191
- security, 189–197
 best practices for, 191
 CGI and, 287–289
 coding practices for, 192, 192–193*t*
 data, 195
 e-mail injection attacks and, 349–351, **349–351**
 firewalls and, 191
 FTP and, 191
 password protection and, 194–195
 policy for, establishing and enforcing, 194
 Secure Sockets Layer (SSL) and, 191
 Server-side Includes (SSI) and, 288
 server, 196–197
 threats to, 189, 189–190*t*
 validation of data and, 195, 205, 266–276
- SELECT statement, 368–369, **369**, 424, 432

- Select statements, in ASP/ASP.NET/VB Script, 404, **404, 405**
 <select> tag, 299–301
 selectable list tag, 547*t*
 Self, 19
 selling products, 134–135
 semicolon
 in cascading style sheets (CSS), 100
 in JavaScript and, 208
 in PHP, as statement terminator in, 317
 Server-side Includes (SSI), 171, 172
 CGI vs., 281–282, 288
 server-side scripting, 10
 servers, 166–169, 279. *See also* Web servers
 application, 168–169, 169*t*
 ASP/ASP.NET/VB Script and, 383–384
 benchmark testing of, 181
 CGI and, 279–280. *See also* CGI
 choosing, selection criteria for, 168
 configuration of, 181
 Extended Log File (ELF) format and, 517
 HTTPd, 279
 JSP and, 439
 offloading tasks to client from, 181
 performance issues and, 181–183, 181
 portals and, 169
 programming and scripting software for, 171–173, **172**, 202–203, 309, 379, 435
 Rapid Application Development (RAD) and, 172–173
 request-response cycle in, 465–468, **465**
 security of, 196–197. *See also* security, 196
 Server-side Includes (SSI) and, 171, 172
 software available for, 167, 167*t*
 testing compatibility/performance of, 174
 Web, 11, 166–168, 167*t*
 Service Oriented Architecture (SOA),
 browser-based applications and, 17–18
 servlets, Servlet API, 435, 439
 session methods, in JSP, 468*t*
 sessions, 361–363, **362**
 JSP and, 472–474, **472–474**
 PHP and, 361–363, **362**
 scope of, 466–468, **467**
 session methods, JSP, 468*t*
 unique ID (UIDs) in, 361
 shadowed text, 104, 105
 short quotation tag, 547*t*
 sibling elements, 126
 SIMPLE, 19
 Simple Mail Transfer Protocol. *See* SMTP
 Simple Object Access Protocol. *See* SOAP
 SimpleXML
 functions, 573*t*
 PHP and, 336
 sizing images, 59–64, **59, 61, 62–64**, 76
 sizing text, 30, **47**, 48, 102–103
 sizing video clips, 67, **67**
 skills required, 13–15, 21–22
 <small> tags, **47**, 48, 547*t*
 SMALLINT JDBC data type, 580*t*
 SMTP, 346, 349
 smurf attack, 190*t*
 SOAP, 18
 software for Web applications, 169–174
 client-side programming and scripting, 169–170
 compatibility of, 173
 performance and technology issues of, 173–174
 Rapid Application Development (RAD) and, 172–173
 server-side programming and scripting, 171–173, **172**, 202–203, 309, 379, 435
 testing compatibility/performance of, 174
 Software Development Group (NCSA), 279, 284
 sorting arrays, 257–258, **257, 258**
 spam, 190*t*
 tag, 133, 153, 158–161, **158–161**
 special characters, 52–53, **52, 53, 54**, 549–552*t*
 specifications. *See also* coding techniques;
 standards
 for CGI, 285–287, 285–286*t*
 for HTML, 26
 spyware, 190*t*
 SQL, 11. *See also* MySQL
 data access with, 175
 stored procedures and, 184–185, **185, 186**
 user-defined functions (UDFs) and, 186–188, **187, 188**
 SQL Server, 175, 478, 506
 connecting to, in ASP, 433

- src, 32, 33, 57
 frames/framesets and, 157
standard input (stdin), 280, 287
standard output (stdout), 280, 287
standards
 browsers and, 513–514
 coding, 534–535
 database, 175
 development, 12, 179
 image display, 55
 response time, 181
statements in JavaScript, 220–241. *See also*
 JavaScript
static HTML documents, 166, 201
stdin. *See* standard input (stdin)
stdout. *See* standard output (stdout)
stored procedures, 184–185, 185, 186
strikethrough text tag, 547t
strings, 213–214, 213–214t, 214
 ASP/ASP.NET/VB Script and, 398, 398t
 constants, 577t
 escape characters in, 213–214, 213–214t, 214
 functions, 573–576t
 immutable values of, in JavaScript
 JavaScript and, 213–214, 213–214t, 214
 JavaScript and, breaking up, 211, 211
 methods and, 214
 object, 245
 PHP and, 337
 predefined methods of, 246, 246t
strong text tag, 547t
Structured Query Language. *See* SQL
style attribute, 88, 88
style definition tag, 547t
style sheets. *See* cascading style sheets
sub and super alignment, 109, 546t
<sub> tag, 50, 50
subclass. *See* class
Submit button, 303–304, 303–304
subprocedures, in ASP/ASP.NET/VB Script,
 defining, 391–393, 391, 392
subscript text, 50, 50, 547t
summary, tables and, 137
Sun Microsystems, 435, 438, 439
<sup> tag, 50, 50
superclasses, JSP and, 436
superscript text, 50, 50, 547t
SVGA standard, 56
SWF image file format, 56t, 56
Switch statement
 in JavaScript, 225, 225, 226
 in PHP, 326–328, 327
Sybase, 175
synchronous interactions, in browser-based
 applications, 17
syntax checkers, 535–536
- T**
- <table> tag, 136, 136, 547t. *See also* tables
tables, 119, 136–153
 alignment in, valign for, 138, 144
 in ASP/ASP.NET and VB Script, 409–424
 advanced type, 419–424, 419–424
 Format function in, 424
 href property in, 421
 HTML controls in, 409, 409–410t
 List Employees table example using,
 413–418, 413–418
 log-in control, 412, 413t
 navigation controls in, 412, 412t
 SELECT statement in, 424
 standard controls in, 410, 410–411t
 validation controls in, 411, 411t
 attributes for columns tag, 545t
 background color for, 136
 body of, 144–146, 144–146, 547t
 borders for, 119–120, 137
 cell tag for, 547t
 cellpadding for, 137, 141–142, 142
 cells in, <td> tag in, 138–139, 138
 cellspacing in, 137
 code sample for, 139
 colspan/rowspan for, 138, 142–143, 143, 144
 column/row heads in, <th> tag for, 140, 140, 141
 columns and column groups in, 149–150,
 149, 150
 <div> tags and, 153
 empty cells in, 119
 footer of, 144–146, 144–146, 547t
 frames for, 137

- tables, *continued*
 groups for columns tag, 545t
 header of, 144–146, **144–146**, 547t
 hidden cells/elements in, 119
 nested, 151–153, **151–152**
 nowrap for, 138, 139
 rows in, <tr> tag, 137–138, **137**
 scope for, 138, 147–148
 screen readers and, 146–149, **147–148**
 show/hide, 119
 tags and, 153
 summary for, 137
 <table> tag in, 136, **136**
 user-defined table functions and, 187–188
 width of, 137
- tag libraries (JSTL), 435–436, 468–472, 469–472t
- tags, **2**, 8, 27
 in HTML, 545–547t
 in JSP and, 440
 in PHP, 317, **317**
- targets of links, 82–84, 155–156, **156**
- <td> tag, 138–139, **138**
 teletype text tag, 547t
 template text, JSP and, 443
 testing compatibility of systems, 174, 540–543, **541t**, 542–543t
 text, 540
 text area tag, 547t
 text attribute, 30
 text bottom/top property, 109
 text fields in forms, 292–293, **292**, **293**
 text files and File Open function, in PHP, 373, **373**, 373t, 374, **374**, **375**
 text input areas (large) in, 301–302, **301**, **302**
 text value, 110
 <th> tag, 140, **140**, **141**
 themes and cascading style sheets (CSS), 99
 threats to security, 189, 189–190t
 throwing errors, try-catch-throw statements in, 241–244, **242–244**, 261, 356, 507
- THW standards, 522
- TIFF image file format, 56t, 57, 76
- TIME JDBC data type, 580t
- title bars, **37**
- title in fieldset tag, 546t
- <title> tag, 36–37, **36**, **37**
- titles, 36
- tools for development, 12–13
- top property, 107–108, 109
- <tr> tag, 137–138, **137**
- traffic load, 182–183
- traffic managers, HTTP, 182
- transform text, 104, 105
- transparency, 57, 76
- triggers, database, 175–176, **176**, 205
- trinoo, 190t
- Trojan horses, 190t
- true/false, 212
- try-catch-throw statements in, 241–244, **242–244**, 261, 356, 507
- ## U
- <u> tag, **49**, **49**
- tag, 37–38, **37**, **38**, 125, 126
- underline text, 49, **49**, 547t
- Unicode, 104, 105
- unique ID (UIDs), 361
- Universal Resource Locator. *See* URL, 32
- Unix, 25, 175
- Unix Shell, 284
- unordered lists, 37–38, **37**, **38**, 116–117, **117**, 547t
- UPDATE, 432
- updating data, 369, **369–371**
- URL, 32, 81. *See also* links
 background images using, 114
 base URL tag, 545t
- usemap, 32, 70–74, **71–75**
- user feedback, in Web site design, 180
- user-defined functions (UDFs) and, 186–188, **187**, **188**
- user-defined table functions (UDTFs), 187–188, **188**
- ## V
- validating data, 195, 205, 266–276
 ASP/ASP.NET/VB Script and, validation
 controls in, 411, 411t
 descriptors for, 276t
 form validation and, 266–276, **267–276**, 275t
 MySQL, 495–501
 PHP and, 371–372, **372**

validators, code, 535–536
value attributes, 39
var statement, in JavaScript and, 211–212
VARBINARY JDBC data type, 580*t*
VARCHAR JDBC data type, 580*t*
variables
 in ASP/ASP.NET/VB Script, 389–390
 dim statement for, 389–390, **389**
 environment, in CGI, 285–287, 285–286*t*
 global, 211
 in JavaScript, 211–212
 in JSP, predefined, 444–445*t*
 local, 211
 loosely vs. strongly typed, 319
 option explicit statement for, 389–390, **390**
 in PHP and, dollar sign indicator for, 311, 319–320, **319**
VB Script, 170, 202, 203–204, 311, 384–389, **385**, **386**, **387**. *See also* ASP/ASP.NET and VB Script
VB.NET, 9, 199
 ASP/ASP.NET/VB Script and, 377
vertical align property, 109
VGA standard, 55–56
video, 64–68. *See also* images
 alignment of, 67
 autoplay for, 67
 controller attribute for, 67–68
 <embed> tag for, 66–67, **66**, **67**
 launching to play, 65–66, **66**
 loop control for, 67
 playcount for, 67
 pluginspage for, 68
 sizing of, 67, **67**
 volume control for, 67–68
Viola, 19
viruses, 190*t*
visibility property, 108
visible property, 108
Vista, 525
Visual Basic (VB), 9, 19, 25, 172, 204, 284
vlink attribute, 30
volume control, video, 67–68
VRML, 19
vspace, 32, 58

W

W3C. *See* World Wide Web Consortium
wait, 110
WDSc, 439, 534
Web applications, 163–199
 application methods, JSP, 467*t*
 browsers in, 165
 client in, 165
 components of, 164–183, **164**
 database in, 174–176
 compatibility issues with, 174
 database management systems (DBMS) and, 174, 176
 SQL data access with, 175
 standards for, 175
 triggers for, 175–176, **176**
 design of Web site for, 176–180
 HTML and, 166
 legacy code reuse in, 183–188
 performance issues in, 180–183
 coding techniques and, 183
 configuration and, 181
 HTTP traffic managers and, 182
 monitoring and logging tools for, 183
 offloading tasks to client and, 181
 response standards and, 181
 servers and, 181–182
 traffic load and, 182–183
portals and, 169
scope of, 466–468, **467**
security issues and, 189–197
servers in, 166–169
 Web, 166–168, **167**
 application, 168–169, 169*t*
software for, 169–174
 client-side programming and scripting, 169–170
 compatibility of, 173
 performance and technology issues of, 173–174
 server-side programming and scripting, 171–173, **172**, 202–203, 309, 379, 435
 testing compatibility/performance of, 174
static vs. dynamic content in, 166, 201, 205
Web hosting and, 197–198, 197–198*t*

- Web client. *See* browsers
- Web crawlers, 32, 45
- Web development, 4–5
- Web hosting, 197–198, 197–198*t*
- Web interoperability, browsers and, 514
- Web Object Wizard (WOW), 173
- Web page, 3, 27–35, 27, 44
- catalog images on, 62, 62
 - code sample for, 28
 - color background for, 29
 - images scaled to, 61
 - images used on, 77, 77–78
 - links on, 93–97, 94–98
 - sample code for, 42, 43–44
- Web servers, 11, 166–168, 167*t*. *See also* servers
- Web site design, 176–180. *See also* arranging content; best practices; browsers; images
- application, session, page scope and, 466–468, 467
 - audience and, 516–517
 - avoiding cutting edge techniques in, 533
 - best practices in, 531–543
 - browser selection and, 516–517, 526–529
 - cascading style sheets (CSS) in, 527, 533–534
 - coding to detect browser differences in, 528–529, 529
 - considerations for, 177*t*
 - content and, 177, 178. *See also* arranging content
 - controlling layout of pages and, 528
 - dynamic content and, 528
 - font selection in, 540
 - images and, tools for working with, 76
 - Internet connection speed and, 526
 - JSP and, 436, 437
 - minimizing impact of different browsers in, 526–529
 - navigation and, 178, 179
 - objective of site in, 531
 - performance issues and, 180–183
 - search engines and, 177
 - security issues for, 189–197. *See also* security
 - simplicity in, 527, 533
 - standards for, 179
 - structuring of site in, 532–533, 532
 - testing, 540–543, 541*t*, 542–543*t*
- user feedback for, 180
 - Web Smart, 173
 - Webmaster's role, 163
 - WebScript, 19
 - well-formed HTML, 534
 - While loops
 - in JavaScript, 229–230, 229, 230, 231–232, 231, 232
 - in PHP, 328–329, 328, 329, 373
 - white space, 104, 105, 208
 - Wi-Fi, 16
 - widows, 118
 - width, 32, 58, 59, 67, 107
 - Windows, 9, 25, 165, 522, 525
 - windows, pop-up. *See* pop-up windows
 - wireless fidelity. *See* Wi-Fi
 - windows, open in new window, parent/child windows and sizing, 83
 - word spacing, 104, 105
 - World Wide Web (WWW) development, 26
 - World Wide Web Consortium (W3C), 26, 199, 513–514
 - worms, 190*t*
 - WOW, Planet J, 173
- ## X
- XGA standard, 56
 - XHTML, 19, 535
 - XML, 16–19, 170. *See also* Ajax
 - JSP and, 436
 - PHP and, 336, 337
 - XML parser
 - functions for, 577–578*t*
 - PHP and, 337
- ## Y
- Yahoo, 32, 45
- ## Z
- z-index property, 109
 - Zend, 438