

Index

A

- Abstraction, 18–24
- Accentuate the Positive, 25
- Add statement, 226, 227, 231
- Advertising revenue, 37
- Agile development, 16–17
- AJAX, 11
- Alias, 170
- Allocation, 184
- And operator, 200
- Annotation fields
 - bindingKey, 165
 - defaultSelectCondition, 234, 235
 - keyItems, 231
 - tableName, 231
- Annotations
 - Alias, 170
 - BindService, 165
 - Column, 231
 - defined, 151
 - DisplayName, 171, 255
 - DisplayUse, 255
 - field level, 171
 - FileName, 228
 - InputRequired, 171
 - MaxSize, 187
 - overview, 170–173
 - syntax, 171–172
- ThrowNrfEofExceptions, 237
- ValidationOrder, 256
- ValidatorFunction, 256
- Apache
 - Derby, 88
- AppendElement, 186, 198, 199
- Application scope, 265
- Application server
 - defined, 61
- Arrays
 - dynamic, 186–187, 235–236
 - literals, 186
 - overview, 186–188
 - structure field, 188
- Assignment, 189–199
 - array of records, 197–199
 - compatibility, 202
 - record with reference variable, 196–197
 - reference variable to reference variable, 191–194
 - reference variable to value variable, 194–195
 - value variable to reference variable, 189–191
 - value variable to value variable, 189
- Asymmetric cryptosystem, 51–52
- Authentication
 - basic, 62, 62
 - defined, 60
 - form based, 62, 62
- authorization, 60
- B**
- Base URI, 139–141

- Basic authentication, 62
BasicRecord stereotype, 153
BasicTable stereotype, 158
Batch Message Processing program (BMP), 87
BidiTextArea, 293
BidiTextField, 293
Binary-exchange services, 75–76
Binding
 actions in EGL JSF, 253
 data in EGL JSF, 252–253
 in EGL deployment descriptor, 137
BindingKey annotation field, 165
BindService annotation, 165

BIRT. *See* Business Intelligence and Reporting Tools
Blog, 9
BMP. *See* Batch Message Processing program
Box, 278
Brand image, 36
Brokerage revenue, 37
Build, 147
Build descriptor, 147
Build parts, 147
Build path, 178
Business Intelligence and Reporting Tools (BIRT)
 example, 239–243
 overview, 93–94
 Web site, 272
Button, 293–294
- C**
- CA. *See* Certificate Authority
Call statement, 216
Callback function, 110
Called program, 161
Case statement, 212–213
Certificate Authority (CA), 54–55
Certificate. *See* Digital certificate
CheckBox, 294–295
CICS. *See*
 Customer Information Control System
Cipher, 50
Clean option, 147
Client-side
 security, 58–60
Close statement, 226
Cloud computing, 15
Cloudscape, 88
COBOL, generated, 84, 86, 87
Code injection, 56–57
Code integration, 94–95
Collaboration, 35–36
Column annotation, 231
Combo, 295–296
Commit, 225–226
Compatibility rules, 202
Compilation, 146
Compiler, 146
Complex types, 150
Component tree, 263–264
Conditional processing, 211–213
Console UI, 91
Constants, 181
Container
 server as, 61
Container widgets, 277–284
 Box, 278
 Div, 279
 FloatLeft, 280–281
 FloatRight, 281–283
 Grouping, 283–284
Container-managed authentication, 62
Continue statement, 214
Controller
 in EGL JSF, 262
 in Rich UI, 113–119
Creative Commons, 41
Cross-site integration, 10
Cross-site scripting (XSS), 58–59
Cryptosystem, 50–52
CSS Style, 273–275
Customer Information Control System (CICS), 86, 87
file types, 89
Web services, 131–133

D

Data access, 225–237
 Data dictionary, 151
 Data in transit, 47–55
 Data items

- defined, 151
 - overview, 152
- Data Language/I (DL/I), 88
 Data ownership, 39
 Data packets, 47–50
 Data parts, 151
 Data tables

- compared to dictionaries, 159
- defined, 151
- overview, 158–159

Data types, 149–159

- complex, 150
- defined, 149
- instances of, 150
- primitive, 150, 151
- reference, 183
- value, 183

Databases

- hierarchical, 88
- relational, 87–88, 230–236

DB2 Universal Database (DB2 UDB), 87

Debugger, 84

Default package, 179

DefaultSelectCondition annotation field, 234, 235

Delegate parts, 167–169

Delete statement, 226

Denial of service, 47

Deployment descriptor

- EGL, 136–137, 164

Deployment wizard, 134

Dictionaries

- compared to data tables, 159

Dictionary parts, 151, 156–157

Digest, 53

Digital certificate, 54–55

Digital signature, 52–54

Direct sales, 37–39

DisplayName annotation, 171, 255

DisplayUse annotation, 255
 Div, 279
 DL/I. *See* Data Language/I
 Document element, 101
 Document Object Model (DOM), 99–103
 Dojo, 90
 DOM. *See* Document Object Model
 Domains, 22
 DREAD, 65–66
 Drive-by download, 59
 Dynamic

- access, 202–205
- arrays, 186–187, 235–236

Dynamic Web page, 250

E

Eclipse, 83, 272
 EGL

- benefits of, 22–24, 25, 59–60, 83–85
- build, 147
- build path, 178
- Cafe, 271
- compilation, 146, 148
- customer experience, 27
- data types, 149–159
- defined, 83–85
- deployment descriptor, 136–137
- integration with existing code, 94–95
- JSF handler, 251–260
- logic parts, 159–165
- prototype parts, 165–169
- runtime environments, 85–87
- services

 - EGL, 76, 92, 137
 - EGL REST, 79, 92, 139

- supported technologies, 85–94
- text reporting

 - example, 243–247
 - overview, 94
 - use in MDD, 154
 - user interface parts, 169–170

Eglpath, 179
 Elevation of privilege, 47
 Else statement, 212

Embedded handlers, 109–110
Encryption, 50–55
End-to-end processing, 133–136
Enterprise language, 22–24
 disruptiveness, 26
 flaws of abstraction, 27
 inhibiting innovation, 26–27
 old news, 28
 overview, 22–24
Enterprise mashup, 40
Entry point, 133
Equality operator, 200
Escape character, 229–230
Exception handling, 218–224
Exceptions record stereotype, 153
Execute statement, 226
Exit statement, 215
Expressions
 name resolution, 200–202
 overview, 199–200
ExternalType parts, 167

F

Factory mode, 5
FastPath, 87
Field-level annotations, 171
File access, 227–230
FileName annotation, 228
Firewall, 59
FloatLeft, 280–281
FloatRight, 281–283
For statement, 213–214
ForEach statement, 226, 233–235
Form
 print, 94
 text, 91
Form parts, 169
Form processing
 in Rich UI, 113–119
Form-based authentication, 62
Forward statement, 216
Framework, 261–262
Freemium, 37
Functions

callback, 110
in logic parts, 159
invocation of, 214–215
onException, 110
parameter modifiers, 160–161

G

Generalized Sequential Access Method (GSAM), 89
Generatable
 defined, 159
 logic parts, 160
Generation
 COBOL, 84
 defined, 84–85
 Java, 84
 overview, 145–148
Get statement, 226, 227, 231
Greater-than operator, 200
Grid, 284–286
GridTooltip, 305–307
Grouping, 283–284
GSAM. *See* Generalized Sequential Access Method

H

Handlers, 161
History of software, 18–21
Host variables, 57
Hover widgets, 305–310
 GridTooltip, 305–307
 Tooltip, 307–309
 TreeTooltip, 309–310
HTML. *See* Hypertext Markup Language
HTTP, 49–50
 port, 141
Hyperlink, 296
Hypertext Markup Language (HTML)
 generated, 84
 widget, 287–288

I

I/O object, 227

- IBM i, 86
 access of programs as Web services, 133
 logical files, 89
 physical files, 89
 IBM Toolbox for Java, 93
 Identifiers
 local, 159
 private, 162
 program global, 159
 run-unit global, 162
 If statement, 212
 Image, 288–289
 Import statement, 177
 IMS Connector for Java, 93
 IMS. *See* Information Management System
 In operator, 200
 Indexed files, 88
 Inequality operator, 200
 Infobus, 127–130
 Information disclosure, 46
 Information Management System (IMS), 86
 BMP, 87
 FastPath, 87
 Message Processing Program (MPP), 87
 message queues, 89
 Information widgets, 284–293
 Grid, 284–286
 HTML, 287–288
 Image, 288–289
 Shadow, 289–290
 Span, 290
 TextLabel, 291
 Tree, 291–293
 Informix, 88
 InputRequired annotation, 171
 InsertElement, 186, 199
 Instance, 150
 Instant messaging, 9
 Integrating code, 94–95
 Interactive Web sites
 benefits, 35–39
 overview, 9–10
 Interactive widgets, 293–304
 BidiTextArea, 293
 BidiTextField, 293
 Button, 293–294
 CheckBox, 294–295
 Combo, 295–296
 Hyperlink, 296
 List, 297
 ListMulti, 297–298
 Menu, 299–301
 PasswordField, 302
 RadioGroup, 302–303
 TextArea, 303–304
 TextField, 304
 Interface code, 93
 Interface parts
 overview, 166–167
 Internationalization, 119–120
 IR files, 147
 Isa operator, 157
 IT as a commodity, 6–7
- J**
- Java Database Connectivity (JDBC), 88
 Java Enterprise Edition (JEE), 61
 Java Platform, Enterprise Edition (JEE)
 application client, 86
 defined, 86
 Enterprise JavaBean stateful session bean, 86
 platforms, 86
 Web application, 86
 Java Platform, Standard Edition (JSE)
 defined, 85
 platforms, 85
 Java wrapper, 94–95
 JavaScript
 defined, 90
 JavaServer Faces (JSF), 249–269
 and Rich UI, 251
 component tree, 263–264
 defined, 90–91
 life cycle, 265–269
 overview, 249–269
 specification, 272
 tags, 262–263
 weaknesses, 251

JavaServer Faces (JSF), *continued*

- Web site, 262
- JSF handler, 251–260
- JSF. *See JavaServer Faces*

K

- Key fields, 231
KeyItems annotation field, 231, 234

L

- LDAP-compliant server, 60
Less-than operator, 200
Libraries
 - system, 217*Libraries, continued*
 - use in Rich UI, 112

Library parts, 161, 162–163
List, 297
ListMulti, 297–298
Local identifiers, 159
Locale, 120
Logic parts, 159–165
Logical files, 89, 228
Logical unit of work, 225–226
Long Tail, 37–39
Loop control, 213–214
Loose coupling, 72–73

M

- Main program, 161
Man in the middle (MITM), 48, 57
Mashups, 40–41
MatchInvalidTable stereotype, 158
MatchValidTable stereotype, 158
MaxSize annotation, 187
MDP. *See Model Driven Development*
Menu, 299–301
Message Processing program (MPP), 87
Message queues
 - IMS, 89
 - WebSphere MQ, 88

Microsoft SQL Server, 88
MITM. *See Man in the middle*

Model

- in EGL JSF, 264–265
- in Rich UI, 113–119

Model Driven Development (MDP), 154

Model of format, 161

Model, View, Controller (MVC)

- in EGL JSF, 261
- in Rich UI, 113–119
- overview, 112–113

Modifiers, 160–161

Move statement, 193–194, 209–211

MPP. *See Message Processing program*

MsgTable stereotype, 158

Multilingual, 119–120

MVC. *See Model, View, Controller*

N

Name resolution, 200–202

Native programs, 94

Network

- defined, 29
- effect, 30–35
- social, 30–35
- technological, 29–30

Network communication, 93

New operator, 184

Non-structured records, 154

Not operator, 200

O

OnConstruction function, 256

OnException blocks, 218–220

OnException function, 110

OnPrerender function, 256

Open statement, 226, 233–235

Operators

- and, 200
- equality, 200
- greater than, 200
- in, 200
- inequality, 200
- isa, 157
- less than, 200

- new, 184
- not, 200
- or, 200
- Or operator, 200
- Oracle, 88

- P**
- Packages
 - default, 179
 - overview, 176–179
- Packets, 47–50
- Page Data view, 258–260
- Page flow
 - in Rich UI, 120–126, 130
- Parameter modifiers, 160–161
- Parsing, 57
- Parts
 - Build descriptor, 147
 - DataItem, 151, 152
 - DataTable, 151, 158–159
 - Delegate, 167–169
 - Dictionary, 151, 156–157
 - ExternalType, 167
 - Form, 169
 - FormGroup, 170
 - Handler, 161, 239–247, 251–253
 - Interface, 166–167
 - Library, 161, 162–163
 - Program, 161
 - Record, 151, 153–156
 - Resource associations, 228–229
 - Service, 161, 163–165
 - static, 151
- PasswordTextField, 302
- Physical files, 89, 228
- PKI. *See* Public Key Infrastructure
- Precedence rules, 200
- Prepare statement, 226
- Primitive types, 150, 151
- Print form, 94, 170
- Private identifiers, 162
- Profiles, 10
- Program
 - called, 161
- main, 161
- parts, 161
- Program-global identifiers, 159
- programmableWeb.com, 40
- Programming models, 98–99
- Projects, 134
- Propagation, 221–222
- Property field, 171
- Protocol
 - analyzer, 48
 - defined, 164
 - HTTPS, 49–52
 - TCP/IP, 48–50
- Protocols
 - HTTP, 141
- Prototype parts, 165–169
- Public key cryptography, 52
- Public Key Infrastructure (PKI), 54–55

- Q**
- Quality interfaces, 41–43
- Quality of service
 - defined, 72

- R**
- RA. *See* Registration Authority
- RadioGroup, 302–303
- RangeChkTable stereotype, 158
- Rational products, 95
- Really Simple Syndication (RSS), 9
- Record parts, 151, 153–156
- Record stereotypes, 153–154
- Reference
 - compatibility, 202
 - types, 183
 - variables, 182
- Relational databases, 230–236
- Relative files, 88
- Reliance on IT, 3–6
- RemoveElement, 186
- Replace statement, 226
- Report production, 93–94
- Reporting, 239–247

- Repudiation, 46
Request scope, 265
Resource associations, 228–230
REST services, 76–77, 78–79, 92, 139–141
REST-RPC services, 77, 79
Return statement, 215
Revenue from Web sites, 37–39
Reverse cipher, 51
RIA. *See* Rich Internet Application (RIA)
Rich Internet Application (RIA)
 benefits, 39–44
 deployment, 44
 overview, 10–12
Rich UI
 and EGL JSF, 251
 deployment wizard, 134
 editor, 107–109
 handler, 104–106
 embedded, 109–110
 proxy, 61
 security, 63–65
 service access, 110–111
 use of JavaScript libraries, 90
 widgets, 273–312
Risk, 65–67
Rollback, 225–226
Root CA, 55
RSS. *See* Really Simple Syndication
Run unit
 global identifiers, 162
 overview, 161–162
- S**
- Scope
 application, 265
 request, 265
 session, 265
Secure Sockets Layer (SSL) *See* Transport Layer Security
Security, 45–67
 client, 58–60
 data in transit, 47–55
 for Rich UI, 63–65
 risk, 65–67
server, 55–57
threats, 46–47
trends, 45–46
Sequential files, 88
Server-side
 security, 55–57
Service client bindings, 137
Service Level Agreement (SLA), 74
Service parts, 161, 163–165
Service registry, 74
ServiceLib.serviceExceptionHandler, 110
Service-oriented application, 69–70
Service-oriented architecture (SOA)
 architectural styles, 76–77
 aspects of services
 contract, 71–72
 elementary access details, 71, 137–141
 implementation, 70
 loose coupling, 72–73
 overview, 12–15
 Service Level Agreement (SLA), 74
 service registry, 74
 support for, 91–92, 131–142
Services
 access from Rich UI, 110–111
 deployment of EGL-generated, 134, 141–142
 EGL, 76, 92, 137
 EGL REST, 92, 139
 on CICS, 131–133
 REST, 76–77, 78–79, 92, 139–141
 REST-RPC, 77, 79
 SOAP, 77–78, 91–92, 138–139
 Web and binary-exchange, 75–76
Session scope, 265
Set statement, 211
SetError, 258
Set-value blocks
 nested, 175–176
 with annotations, 171
 with reference variables, 185
 with runtime values, 174–176
Shadow, 289–290
Silverlight, 90
Simple property, 171

- SLA. *See* Service Level Agreement
 SOA. *See* Service-oriented architecture
 SOAP services, 77–78, 91, 92, 138–139
 Social bookmarking, 10
 Social network, 30–35
 Social site, 9
 Software Development Kit (SDK)
 defined, 85
 eglpath, 178
 example, 85
 Sources of information, 271–272
 Span, 290
 Spoofing identity, 46
 SQL
 defined, 87
 statements, 231–233
 SQLRecord stereotype, 153, 230–236
 Standalone Web server. *See* Web server
 Standard output, 160
 StartTransaction, 161
 Statements
 add, 226, 227, 231
 call, 216
 case, 212–213
 close, 226
 continue, 214
 delete, 226
 else, 212
 execute, 226
 exit, 215
 for, 213–214
 forEach, 226, 233–235
 forward, 216
 get, 226, 227, 231
 if, 212
 import, 177
 move, 193–194, 209–211
 open, 226, 233–235
 prepare, 226
 replace, 226
 return, 215
 set, 211
 throw, 224
 transfer, 216
 try, 218–220
 use, 179–180
 while, 214
 Static access, 202–205
 Static part, 151
 Stereotypes
 data table, 158
 defined, 154, 173
 record, 153–154
 syntax, 173–174
 Strategic mode, 6
 STRIDE, 46–47
 Structured Query Language (SQL)
 security, 56, 57
 Structured records, 154–156
 Structure-field arrays, 188
 Styles, 273–275
 Support mode, 4
 Symmetric cryptosystem, 51–52
 SysLib.commit, 226
 SysLib.rollback, 226
 SysLib.setError, 258
 System libraries, 217
- T**
- TableNames annotation field, 231
 Tagging, 9
 Tampering with data, 46
 TCP/IP, 48–50
 Technical domains, 22
 Technological network, 29–30
 Technology domains, 22
 Text form, 91, 170
 Text reporting
 example, 243–247
 overview, 94
 Text UI
 overview, 91
 TextArea, 303–304
 TextField, 304
 TextLabel, 291
 Threats, 46–47
 Throw statement, 224
 ThrowNrfEofExceptions, 237

Tiers, 97–98
TLS. *See* Transport Layer Security
Tooltip, 307–309
Transfer of control
 out of a program, 216
 within a program, 214–215
Transfer statement, 216
Transport Layer Security (TLS), 49–52, 62
Tree, 291–293
TreeTooltip, 309–310
Try statement, 218–220
Turnaround mode, 5

U

UML. *See* Unified Modeling Language
Unified Modeling Language (UML), 154
URI template, 140–141
Use statement, 179–180
User interface parts, 169–170

V

Validation
 in EGL JSF, 267–268
 in Rich UI, 116–119
ValidationOrder annotation, 256, 258
ValidatorFunction annotation, 256
Value types, 183
Value variables, 182
Value-binding expression, 263
Variables
 arrays, 186–188
 assignment, 189–199
 dynamic access, 202–205
 initialization, 183–184
 local, 159
 overview, 182–184
 private, 162
 program global, 159
 reference, 182
 run-unit global, 162
 static access, 202–205
 value, 182
VgLib.startTransaction, 161

View
 in EGL JSF, 262–264
 in Rich UI, 113–119
Virtual Storage Access Method (VSAM), 89
Virtual world, 9

W

Web 2.0
Web page
 dynamic, 250
 static, 250
Web security, 45–67
Web server
 defined, 61
Web service deployment, 137, 142
Web services
 and binary-exchange services, 75–76
 on CICS, 131–133
Web Services Description Language (WSDL),
 77–78
Web transaction, 91
WebSphere MQ, 88
WebSphere Unit Test Environment, 85
While statement, 214
Widgets, 276–312
 container widgets, 277–284
 Box, 278
 Div, 279
 FloatLeft, 280–281
 FloatRight, 281–283
 Grouping, 283–284
 hover widgets, 305–310
 GridTooltip, 305–307
 Tooltip, 307–309
 TreeTooltip, 309–310
information widgets, 284–293
 Grid, 284–286
 HTML, 287–288
 Image, 288–289
 Shadow, 289–290
 Span, 290
 TextLabel, 291
Tree, 291–293

interactive widgets, 293–304
 BidiTextArea, 293
 BidiTextField, 293
 Button, 293–294
 CheckBox, 294–295
 Combo, 295–296
 Hyperlink, 296
 List, 297
 ListMulti, 297–298
 Menu, 299–301
 PasswordField, 302
 RadioGroup, 302–303
 TextArea, 303–304
 TextField, 304
Wiki, 9
Wizard, 83
Workbench, 85
WriteStdOut, 160
WSDL. *See* Web Services Description Language

X

XSS. *See* Cross-site scripting

Z

z/OS, 86–87
 batch, 86
z/VSE, 87
 batch, 87