

Index

A

- abstract description of Web services, 49
- accessing database, authentication values for, 178-179
- admin console, WebSphere Application Server, 52-53, **53, 54**
 - binding settings using, 55, **56**
 - installing a Web service using, 54-58, **55-59**
 - logging in and out of, 59
 - Master Configuration Web service settings in, 57, **58**
 - reviewing installation settings for, 56, **57**
 - stopping, 59
- alias, Java Authentication and Authorization Service (JAAS) and, 173
- alias and naming, digital signatures, 298
- authentication, 274
 - Java Authentication and Authorization Service (JAAS) and, 173

B

- beans, 21
- BindingPoint, 106
- bindings for Web Services, 47-50, 92, **92**, 128
 - digital signature for, request vs. response, 299
- body, 3
- brokers. See service brokers
- business registries, xviii. See also Universal Description, Discovery, and Integration (UDDI)

C

- Certificate Authorities (CAs), 275-276
- check box added to form, 203, **203**, 206, **206**
- client keystore, 289-290, **292**
- client proxy, 4, 234-235, **235**
 - creation of, 27-31, 27
 - discovering Web services and, creation of, 94-95, 103-106
 - environment configuration for, 29, **30**

- JavaServer Faces (JSF) and, 223
- JavaServer Page (JSP) logic for, 31-36, **32, 33, 34-35**
- Page Designer and, 31-36, **32, 33, 34-35**
- type of proxy, selection of, 28-29, **28**
- using, in Web application, 31-36
 - Web service selection and URI for, 29, **29**
- collection classes, JavaServer Faces (JSF) and, 220-221, **221**
- columns, database, 137, 144-146, 145, 145*t*, **146**
- concrete bindings for Web services, 49
- connecting to a database, 139-142, **139, 141, 142**, 148-149
- Console tab, 18
- constructor, 218, **218**, 252
- controllers, 189, 214
- controls, 255, **255, 256**, 260, **261**
- cryptography, 275. See also encryption

D

- Data Definition view, 138-139
- data objects added to Web page, 223-230, **224-230**
- Data perspective, 138
- data pooling, 159
- data source, 171-175, **172, 173, 174, 175**
- Database Explorer view, 138-139
- databases, 135-211
 - accessing of, authentication values for, 178-179
 - Cloudscape, 139-140
 - columns in, 137, 144-146, 145, 145*t*, **146**
 - connection to, creation of, 139-142, **139, 141, 142**, 148-149
 - creating, 138-143
 - Data Definition view in, 138-139
 - Data perspective for, 138
 - data pooling in, 159
 - data source definition for, 171-175, **172, 173, 174, 175**

- Database Explorer view in, 138-139
- disconnecting from, and reconnecting to, 142, 162
- fields in, 137
- foreign key in, 137
- help for, 140
- host variables in, 152
- introduction to, 136-138
- Java Authentication and Authorization Service (JAAS) and, 173
- Java Naming and Directory Interface (JNDI) in, 159, 177-178, **178**
- JavaBeans generated from SQL in
 - accessing of, authentication values for, 178-179
 - data source definition for, 171-175, **172, 173, 174, 175**
 - error handling in, 185-186, **185**
 - examining the generated beans in, 165-171, **165-166**
 - resource reference definition for, 175-179, **176, 177, 178**
 - servlets and, 164
 - SOAP request/response and, 186-187, **186**
 - Subscribe class in, 182, **182-183**
 - SubscribeRow class in, 181, **181-182**
 - SubscribeSelect bean in, **168-169**
 - SubscribeSelectRow bean in, 169, **170**
 - SubscribeUpdate bean in, **167-168**
 - Web service creation using, 164-188, **164**
 - Web service wizard and, 184-187, **185**
 - WSDL file and, 187-188, **188**
- JDBC and, 136, 139-140, **139**
- keys in, 137
- model-view-controller (MVC) architecture in, 189
- ODBC and, 136
- primary key in, 137
- Register Web page application developed using, 188-210
 - check box added to form in, 203, **203, 206, 206**
 - creating Register Web page for, 197-201, **198, 199, 200, 201**
 - deployment descriptor and, 195-197, **196, 197**
 - finished form in, 209, **209**
 - hidden field in forms for, 205-207, **205**
 - Insert Web page in, 201-204, **204**
 - InsertServlet servlet in, 193, **193-194**
 - link to Web page in, 199-200, **199**
 - Row Not Found Exception class and, 190
 - running, 209-210
 - SelectServlet servlet in, **191-192**
 - servlet classes in, 190-197, **191-197**
 - servlets for form action in, 200, **200**
 - setting up project for, 189-190
 - Thanks Web page in, 208, **208**
 - Update Web page in, 204-207, **207**
 - UpdateServlet servlet in, 193, **194-195**
- relational type, 136
- relationships between tables of, 137
- resource reference definition for, 175-179, **176, 177, 178**
- rows in, 137
- sample of, 137, **138**
- schemas, folders, and files created for, 142, **143**
- solution files for, 136
- SQL and, 137, 149-157
 - Insert statement in, 149-152, **149, 150, 151, 152**
 - JavaBeans generated from, 157-161, **158, 160**
 - SELECT statement in, 155-157, **156, 157**
 - SET clause in, 155, **155**
 - Update statement in, 153-155, **153, 154, 155**
 - WHERE clause in, 154-155, **154, 156-157, 157**
- table definition deployment to create, 146-147, **146, 147**
- tables in, 137, 143-149
- deploying and publishing the Web services, 41-77
 - administrative console startup for, 52-53, **53, 54**
 - application servers and, deploying to, 52-62
 - bindings set for, 55, **56**
 - exporting the EAR file in preparation for, 51-52, **51**
 - installing Web service on Application Server in, 54-58, **55-59**
 - Master Configuration settings for, 57, **58**
 - NAICS categories for Web services and, 70, **71**
 - preparing the Web service for, 45-52
 - reviewing installation settings for, 56, **57**
 - running the Web application for, 60-62, **62**
 - service-oriented architectures for, 63-64, **63**
 - simple vs. advanced publication formats for, 68, 69
 - stopping administrative console after, 59
 - UDDI registries for, 64-65
 - UDDI Test Registry (IBM) for, 65-73
 - Universal Description, Discovery, and Integration (UDDI) for, 62
 - updating the WSDL file in preparation for, 46-51, **47**
 - Web Services Explorer for, 65-73
 - Web Services Inspection Language (WSIL) and, 64, 73-77
 - WebSphere Application Server startup for, 52
- Deployment Descriptor Editor, security and, to define options for, 293
- deployment descriptor, 195-197, **196, 197**
- digital certificates, 275-276, 284-292, **292**
 - client keystore for, 289-290, **292**
 - distinguished name for, 288
 - IBM Key Management Tool for, 284-285, **285**
 - importing signer certificates for, 290-292, **290, 291**
 - self-signed, 287-289, **288**
 - server keystore setup for, 286-289, **286, 287, 292**
- digital signatures, 275, 276-278, 292-317

alias and naming in, 298
 bindings for, request vs. response, 299
 client application security configuration and, updating for, 322-326
 key locator and key information for, 299-301, **300**, **301**, 311-312, **311**, **312**, 320-321, 324-325
 sample signed Web service request using, **316-317**
 sample signed Web service response using, **327-329**
 signing a Web service response using, 318-329
 signing information configuration for, 301-304, **302**, **303**, **304**, 313-315, **314**, 321-322, 325-326
 testing, 315-317, 326-329
 token consumer configuration for, 309-310, **310**, 324
 token generator configuration for, 296-298, **298**, 319-320
 transforms to sign message body in, 303-304, **304**
 trust anchor configuration for, 307-308, **308**, 323
 updating Web service with, 304-315
 Web service security configuration and, updating for, 318-322
 what was signed, identification of, 305-307, **306**, **307**
 what will be signed, identification of, 294-296, **295**, **296**, 318-319

disconnecting from the database, 142, 162

discovering Web services, 2, 79-106, 79
 binding details for, 92, **92**
 client proxy creation for, 94-95, 103-106
 HTML forms in, 81-84, **82**, **83**, **84**
 JavaServer Page (JSP) logic for, 95-97, **96**
 public Web services, discovering and using, 101-106
 service requestors in, 80

StockPriceLookup Application, 80-81, **80**, **96-97**
 binding details for, 92, **92**
 client proxy creation for, 94-95
 JavaServer Page (JSP) for, 81-82
 running, 97-98, **98**
 solution file for, 98-99
 static content in, 81
 testing, 91-93, **92**, **93**

terms of use agreements for, 101

testing Web service in, 91-93, **92**, **93**

UDDI registry use for, 80, 85-91, 101-106

“unreachable service” message and, 90, 91

URL for, 92

Web Services Inspection Language (WSIL) and, 99-100, **100**

Web Services Interoperability (WS-I) standards and, 104-105

WSDL file access for, 102-103

distinguished name, 288

dynamic Web project, 11

E

encryption, 274, 275, 331-358
 client application security configuration for, updating, 334-339, 352-354
 encryption information, configuration of, 338-339, **339**, 343-344, **344**, 351-352, 353-354
 key locator and key information for, 335-338, **336**, **337**, 341-343, **342**, **343**, 349-351, **350**, **351**, 352-353
 sample Web service request using, **346-348**, **355-357**
 TCP/IP Monitor and, 332, 345-348
 testing Web service request using, 345-348, 354-357
 Web service and client application setup for, 332
 Web service request using, 333-348
 Web service response using, 348-357
 Web service security configuration for, updating, 339-344, 348-352
 what was encrypted, identification of, 339-340, **340**, 352
 what will be encrypted, identification of, 334-335, **335**, 348-349
 XML encryption in, 333

endpoint address for Web service, 46, 60, **61**, 113

Enterprise Application (EAR), 11

Enterprise Archive (EAR) files, 13
 exporting, in preparation for Web service deployment, 51-52, **51**

envelope, 3

error handling, 107-134
 adding error-checking to Web applications and, 116-122, **118**, **119**, **120**, **121**
 databases and, 185-186, **185**
 HTTP traffic monitoring in, 108-116
 ImprovedStockQuote Web service example for, 124-131
 binding details in, 128
 creating Web service for, 126-131
 setting up Web project for, 124-126, **124-126**
 SOAP request and response messages in, 129-130, **129**, **130**, **131**
 status pane for errors in, 128-129, **129**
 updating, 131-133, **132**, **133**

JavaServer Faces (JSF) and, 239-240, **239**, 243, **243**
 status pane for errors in, 128-129, **129**
 stopping the servers in, 121-122, **122**

TCP/IP Monitor and, 108
 endpoint address for, 113
 HTTP traffic monitoring in, 108-116
 running Web application using, 114-116, **114**, **115**
 server configuration for, 110-111, **110**, **111**
 setting up, 111-112, **112**
 SOAP request and response message with, 115-116, **115**

- stopping, 121-122, **122**
- updating Web application to include, 113, **113**
- validation page for, 239-240, **239, 240**
- Web Services Explorer Test Facility for, 108
- event handlers, 257-258, 257-**258**, 262, **262**, 264-265, **265**
- JavaServer Faces (JSF) and, 240-241, **241**
- event listeners, 215
- expressions, 21, 33

F

- fields, database, 137
- file creation, 19
- finance.yahoo.com, 17
- firewalls and Web applications, 37
- folder structure for projects in Rational Developer, 13
- foreign key, in databases, 137
- forms, HTML, 81-84, **82, 83, 84**
 - checkbox added to, 203, **203**, 206, **206**
 - fields added to, 83, **83**
 - hidden field in, 205-207, **205**
 - input field in, 256-257, **256**
 - labeling Submit button in, 237, **237**
 - servlets for action in, 200, **200**
 - Submit button added to, 83-84, **84**

G

- getter and setter methods, 218, **219**
- Grand Central Communications, 106
- grid component added to page, JavaServer Faces (JSF) and, 231-232, **232**

H

- hash or message digest, 277
- header, 3
 - HTTP, 109-110
- Hello Web service example of security features, 279-284, **279**
 - creating Web service and client application in, 279-281, **279, 281**
 - SOAP request and response messages in, 283-284, **283**
 - TCP/IP Monitor and, 280-281
- hidden field in forms, 205-207, **205**
- host variables, in databases, 152
- HTML, 21
 - forms for, 81-84, **82, 83, 84**
 - JavaServer Faces (JSF) and, 214
 - previewing results of, Preview tab and, 24
 - viewing, Source tab and, 24
- HTTP, 3
 - headers for, 109-110

- port numbers for, 49-50
- Secure Sockets Layer (SSL) and, 274-275
- traffic monitoring in, using TCP/IP Monitor, 108-116

I

- IBM, xviii
- IBM Key Management Tool, 284-285, **285**
- IBM Microsoft, 64
- implicit objects, JavaServer Page (JSP), 96
- importing Web service classes, for database, 179-183, **180, 181-182**
- ImprovedStockQuote Web service example, 124-131, **124-126**
 - binding details in, 128
 - creating Web service for, 126-131
 - setting up Web project for, 124-126, **124-126**
 - SOAP request and response messages in, 129-130, **129, 130, 131**
 - status pane for errors in, 128-129, **129**
 - updating, 131-133, **132, 133**
- input field in Register page, 256-257, **256**
- Insert statement, SQL, 149-152, **149, 150, 151, 152**
- Insert Web page, 201-204, **204**
- InsertServlet servlet, 193, **193-194**
- integrity checking, 274
- International Telecommunications Union (ITU), security specifications of, 276

J

- J2EE, xviii, xix, 13
- Java, xix, 2
 - importing source for Web service creation, 14-17, **15, 16-17**
 - JavaServer Faces (JSF) and, 214
- Java Authentication and Authorization Service (JAAS), 173
- Java Database Connectivity, 136. See also JDBC
- Java Naming and Directory Interface (JNDI), 159, 177-178, **178**
- JavaBeans, xix
 - managed beans in, 215, 252-253, **253**, 259, **259**
 - scope of beans and, 215
 - SQL to generate, 157-161, **158, 160**
 - generated from SQL, 164-188, **164**
 - accessing of, authentication values for, 178-179
 - data source definition for, 171-175, **172, 173, 174, 175**
 - error handling in, 185-186, **185**
 - examining the generated beans in, 165-171, **165-166**

- importing Web service classes in, 179-183, **180**, **181-182**
- information on, using Rational Developer Help for, 170
- Java Authentication and Authorization Service (JAAS) and, 173
- Java Naming and Directory Interface (JNDI) in, 177-178, **178**
- resource reference definition for, 175-179, **176**, **177**, **178**
- servlets and, 164
- SOAP request/response and, 186-187, **186**
- Subscribe class in, 182, **182-183**
- SubscribeRow class in, 181, **181-182**
- SubscribeSelect bean in, **168-169**
- SubscribeSelectRow bean in, 169, **170**
- SubscribeUpdate bean in, **167-168**
- Web service wizard and, 184-187
- WSDL file and, 187-188, **188**
- JavaServer Faces (JSF), 213-272
 - constructors in, 252
 - event listeners and, 215
 - HTML and Java in, 214
 - introduction to, 214-216, 214
 - managed bean in, 215, 252-253, **253**, 259, **259**
 - Model-View-Controller architecture and, 214
 - MyStocks Web application using, 216-233, **216**
 - client proxy for, 223
 - collection classes in, 220-221, **221**
 - data objects added to, 223-230, **224-230**
 - file creation for, 221-223, **222**
 - getter and setter methods for, 218, **219**
 - grid component added to page in, 231-232, **232**
 - locating Web services in, 223-224, **224-230**
 - logic for, coding, 219, **219-220**
 - object model creation for, 216-221, **217**
 - Page Designer used in, 221-223, **223**
 - running, 232-233, **233**
 - variables and constructor for, 218, **218**
 - view creation for Web page in, 230-232, **231**, **232**
 - navigation rules and, 266-270, **267**, **268**, **269**, **270**
 - Page Designer used with, 215
 - PageCode class for, 215
 - scope of beans and, 215
 - StockPriceLookup Web application, 234-244, **234**
 - adding proxy to, 234-235, **235**
 - error handling in, 239-241, **239**, **241**, 243, **243**
 - Insert Web Service window for, **236**, **236**
 - labeling Submit button in, 237, **237**
 - Quick Edit view for, 241, **241**
 - running, 242-244, **242**
 - setting up Web project for, 234
 - validation page for, 239-240, **239**, **240**
 - view creation for, 236-239, **236-238**
- SubscribeClient Web application using, 246-272, **246**
 - constructors in, 252
 - controls in Insert page of, 260, **261**
 - controls in Register page of, 255, **255**, **256**
 - event handlers for Insert page of, 262, **262**
 - event handlers for Register page of, 257-258, **257-258**
 - event handlers for Update page in, 264-265, **265**
 - input field in Register page of, 256-257, **256**
 - Insert Web page for, 258-262
 - managed beans in, 252-253, **253**, 259, **259**
 - navigation rules for, 266-270, **267**, **268**, **269**, **270**
 - object model creation for, 246-249, **248**, **249**, **259**, **260**
 - Page Data objects in Register page for, 249-254, **254**
 - Page Data objects in Update page for, 263, **263**
 - Register Web page for, 249-258
 - running, 270-272, **271**
 - Thanks Web page in, 265-266, **266**
 - Update page for, 262-265
 - view creation for Insert page in, 260-262, **261**
 - view creation for Register page in, 254-256, **255**
 - view creation for Update page in, 263-264, **264**
- user interface (UI) components and, 214-215
- Web service method selection in, 251, **251**
- workspace to locate Web services in, 250-251, **250**
- JavaServer Page (JSP), xix, 21
 - client proxy logic development using, 31-36, **32**, **33**, 34-35
 - creating, 22-24, **23**
 - discovering Web services and, 81-82
 - discovering Web services and, adding logic for, 95-97, **96**
 - implicit objects in, 96
 - servlets and, 164
 - viewing, Source tab and, 24
- JDBC, 136, 139-140, **139**
- K**
- key locator and key information
 - in digital signature, 299-301, **300**, **301**, 311-312, **311**, **312**, 320-321, 324-325
 - for encryption, 335-338, **336**, **337**, 341-343, **342**, **343**, 349-351, **350**, **351**, 352-353
- keys, database, 137
- keystores
 - client-side, for digital certificate, 289-290, **292**
 - server-side, for digital certificates, 286-289, **286**, **287**, **292**

L

labeling Submit button, 237, **237**
link to Web page, 199-200, **199**

M

managed beans, 215, 252-253, **253**, 259, **259**
message digest. See hash or message digest
messages and Console tab, 18
messages for Web services, 47-50
Model-View-Controller architecture, 189
 JavaServer Faces (JSF) and, 214
MyStocks Web application, 216-233, **216**
 client proxy for, 223
 collection classes in, 220-221, **221**
 data objects added to, 223-230, **224-230**
 file creation for, 221-223, **222**
 getter and setter methods for, 218, **219**
 grid component added to page in, 231-232, **232**
 locating Web services in, 223-224, **224-230**
 logic for, coding, 219, **219-220**
 object model creation for, 216-221, **217**
 Page Designer used in, 221-223, **223**
 running, 232-233, **233**
 variables and constructor for, 218, **218**
 view creation for Web page in, 230-232, **231, 232**

N

NAICS categories for Web services, 70, **71**
navigation rules, 266-270, **267, 268, 269, 270**
nonrepudiation, 274
North American Industry Classification System
(NAICS), 70, **71**

O

object model creation, 216-221, **217**, 246-249, **248, 249**
Open Database Connectivity (ODBC), 136
operations for Web services, 47-50

P

packages, naming, 14, **14**
Page Data objects in Insert page, 258-260, **259**
Page Data objects in Register page, 249-254, **254**
Page Data objects in Update page for, 263, **263**
Page Designer, 24-27
 client proxy development and, 31-36, **32, 33, 34-35**
 JavaServer Faces (JSF) and, 215, 221-223, **223**
 Palette in, 24-25, **25**
 Properties view in, 24
 static content creation using, 25-26, **26**
 table created using, 25-27, **26, 27**

PageCode class, JavaServer Faces (JSF) and, 215
Palette in Page Designer, 24-25, **25**
perspectives in Rational Developer, 6-13
port numbers/HTTP port numbers, 49-50
port types for Web services, 47-50
ports for Web services, 47-50
preference setting in Rational Developer, 11
Preview tab, 24
primary key, in databases, 137
privacy/confidentiality, 274
product updates, installation of, 362-363
profiles, WebSphere Application Server, 42, 43-45, **43, 45**
 node and host names in, 44
 port assignments in, 44
 root directory default for, 44
programming languages, 2
proof of possession and CAs, 276
Properties view in Page Designer, 24
providers. See service providers
proxy servers and Web applications, 37
public vs. private key cryptography, 275
public Web services, discovery and use of, 101-106

Q

Query Builder. See SQL, 149
Quick Edit view, 241, **241**

R

Rational Application Developer, xix
Rational Developer, xvii, xviii-xix
 creating project in, 11-13, **12**
 dynamic Web project in, 11-13, **12**
 folder structure for projects in, 13
 installation of, 5-6
 opening perspective in, 8, **8**
 packaging of WAR and EAR files by, 13
 perspectives of, 6-13
 preference setting in, 11
 starting, 7-9, **7**
 toolbar in, 8-9, **8**
 Workbench in, 9-13, **10, 35-36**
 workspace in, 7, 7, 35-36
Rational Web Developer, xix
 installation of, 361-362
Register Web page application
 check box added to form in, 203, **203, 206, 206**
 creating Register Web page for, 197-201, **198, 199,**
 200, 201
 deployment descriptor and, 195-197, **196, 197**
 finished form in, 209, **209**
 hidden field in forms for, 205-207, **205**

- Insert Web page in, 201-204, **204**
 - InsertServlet servlet in, 193, **193-194**
 - link to Web page in, 199-200, **199**
 - Row Not Found Exception class and, 190
 - running, 209-210, 209
 - SelectServlet servlet in, **191-192**
 - servlet classes in, 190-197, **191-197**
 - servlets for form action in, 200, **200**
 - setting up project for, 189-190
 - Thanks Web page in, 208, **208**
 - Update Web page in, 204-207, **207**
 - UpdateServlet servlet in, 193, **194-195**
 - registries for Web services, 63-65. See also UDDI
 - Test Registry (IBM)
 - private vs. public, 64-65
 - UDDI, 64-65
 - UDDI Business Registry in, 64
 - UDDI Test Registry in, 64-73
 - Web Services Inspection Language (WSIL) and, 64, 73-77, 99-100, **100**
 - relational database, 136
 - relationships between tables of database, 137
 - RemoteMethods, 106
 - requestors. See service requestors
 - resource reference definition, 175-179, **176, 177, 178**
 - root CA, 276
 - rows, database, 137
 - RSA algorithm, 275
 - runtime messages, 18
- S**
- Sample Web Service Application, 5, **5**
 - SAP, 64
 - scope of beans, 215
 - scriptlets, 21
 - search form/results for Web services, 86-91, **86, 87, 90, 91**
 - Secure Sockets Layer (SSL), 274-275
 - security, 273-358
 - accessing database and, authentication values for, 178-179
 - authentication in, 274
 - Certificate Authorities (CAs) in, 275-276
 - Deployment Descriptor Editor to define options for, 293
 - digital certificates in, 276-276, 284-292, **292**
 - client keystore for, 289-290, **292**
 - distinguished name for, 288
 - IBM Key Management Tool for, 284-285, **285**
 - importing signer certificates for, 290-292, **290, 291**
 - self-signed, 287-289, **288**
 - server keystore setup for, 286-289, **286, 287, 292**
 - digital signatures in, 275, 276-278, 292-317
 - alias and naming in, 298
 - bindings for, request vs. response, 299
 - client application security configuration and, updating for, 322-326
 - key locator and key information for, 299-301, **300, 301, 311-312, 311, 312, 320-321, 324-325**
 - sample signed Web service request using, **316-317**
 - sample signed Web service response using, **327-329**
 - signing a Web service response using, 318-329
 - signing information configuration for, 301-304, **302, 303, 304, 313-315, 314, 321-322, 325-326**
 - testing, 315-317, 326-329
 - token consumer configuration for, 309-310, **310, 324**
 - token generator configuration for, 296-298, **298, 319-320**
 - transforms to sign message body in, 303-304, **304**
 - trust anchor configuration for, 307-308, **308, 323**
 - updating client application with, 293-304
 - updating Web service with, 304-315
 - Web service security configuration and, updating for, 318-322
 - what was signed, identification of, 305-307, **306, 307, 322-323**
 - what will be signed, identification of, 294-296, **295, 296, 318-319**
 - encryption in, 274, 275, 331-358
 - client application security configuration for, updating, 334-339, 352-354
 - encryption information, configuration of, 338-339, **339, 343-344, 344, 351-352, 353-354**
 - key locator and key information for, 335-338, **336, 337, 341-343, 342, 343, 349-351, 350, 351, 352-353**
 - sample Web service request using, **346-348, 355-357**
 - TCP/IP Monitor and, 332, 345-348
 - testing Web service request using, 345-348
 - testing Web service response using, 354-357
 - Web service and client application setup for, 332
 - Web service request using, 333-348
 - Web service response using, 348-357
 - Web service security configuration for, updating, 339-344, 348-352
 - what was encrypted, identification of, 339-340, **340, 352**
 - what will be encrypted, identification of, 334-335, **335, 348-349**
 - XML encryption in, 333
 - hash or message digest in, 277
 - Hello Web service example, 279-284, **279**

- creating Web service and client application in, 279-281, **279**, **281**
 - SOAP request and response messages in, 283-284, **283**
 - TCP/IP Monitor and, 280-281
 - testing, 282-284
 - integrity checking in, 274
 - introduction to, 274-278
 - nonrepudiation in, 274
 - privacy/confidentiality in, 274
 - proof of possession and CAs in, 276
 - public vs. private key cryptography in, 275
 - request generator/consumer and response generator/consumer scheme in, 292, **292**
 - RSA algorithm in, 275
 - Secure Sockets Layer (SSL) and, 274-275
 - self-signed digital certificate, 276, 287-289, **288**
 - updating client application, 293-304
 - X.509 certificates in, 276
 - XML digital signatures in, 275
 - XML encryption in, 275
- SELECT statement in, 155-157, **156**, **157**
- SelectServlet servlet, **191-192**
- self-describing Web services, 2
- self-signed digital certificate, 276, 287-289, **288**
- server configuration for TCP/IP Monitor, 110-111, **110**, **111**
- server keystore, 286-289, **286**, **287**, **292**
- service brokers, 63
- service-oriented architecture (SOA), xviii, 63-64, **63**
- service providers, 63
- service requestors, 63, 80
- servlets, xix, 164, 190-197, **191-197**
- SET clause, SQL, 155, **155**
- Simple Object Access Protocol. See SOAP
- simple vs. advanced publication formats, 68, 69
- SOAP, xix, 3-4
 - error handling and, 115, 117-122, **118**
 - request and response message with, 115-116, **115**, 129-130, **129**, **130**, **131**, 186-187, **186**, 283-284, **283**
- Source tab, 24
- SQL, 137, 149-157
 - Insert statement in, 149-152, **149**, **150**, **151**, **152**
 - JavaBeans generated from, 157-161, **158**, **160**
 - SELECT statement in, 155-157, **156**, **157**
 - SET clause in, 155, **155**
 - Update statement in, 153-155, **153**, **154**, **155**
 - WHERE clause in, 154-155, **154**, 156-157, **157**
- start-up messages, 18
- static content, 25-26, **26**
- status pane for errors, 128-129, **129**
- StockPriceLookup application, 80-81, **80**, 234-244, **234**
- adding proxy to, 234-235, **235**
 - binding details for, 92, **92**
 - client proxy creation for, 94-95
 - error handling in, 239-240, **239**, 243, **243**
 - event handling in, 240-241, **241**
 - Insert Web Service window for, 236, **236**
 - JavaServer Page (JSP) for, 81-82
 - labeling Submit button in, 237, **237**
 - Quick Edit view for, 241, **241**
 - running, 97-98, **98**, 242-244, **242**
 - setting up Web project for, 234
 - solution file for, 98-99
 - static content in, 81
 - testing, 91-93, **92**, **93**
 - validation page for, 239-240, **239**, **240**
 - view creation for, 236-239, **236-238**
- StockQuote sample code, 16-17
- Subscribe class, 182, **182-183**
- SubscribeClient Web application, 246-272, **246**
- constructors in, 252
 - controls in Insert page of, 260, **261**
 - controls in Register page of, 255, **255**, **256**
 - event handlers for Insert page of, 262, **262**
 - event handlers for Register page of, 257-258, **257-258**
 - event handlers for Update page in, 264-265, **265**
 - input field in Register page of, 256-257, **256**
 - Insert Web page for, 258-262
 - managed beans in, 252-253, **253**, 259, **259**
 - navigation rules for, 266-270, **267**, **268**, **269**, **270**
 - object model creation for, 246-249, **248**, **249**
 - Page Data objects in Insert page for, 258-260, **259**, **260**
 - Page Data objects in Register page for, 249-254, **254**
 - Page Data objects in Update page for, 263, **263**
 - Register Web page for, 249-258
 - running, 270-272, **271**
 - Thanks Web page in, 265-266, **266**
 - Update page for, 262-265
 - view creation for Insert page in, 260-262, **261**
 - view creation for Register page in, 254-256, **255**
 - view creation for Update page in, 263-264, **264**
- SubscribeRow class, 181, 181-**182**
- SubscribeSelect bean, **168-169**
- SubscribeSelectRow bean, 169, **170**
- SubscribeUpdate bean, **167-168**
- ## T
- tables, databases, 137
 - creating, 143-149, **144**, **145**, 145*t*
- tables, using Page Designer, 25-27, **26**, **27**
- TCP/IP Monitor, 108

- encryption and, 332, 345-348
 - endpoint address for, 113
 - HTTP traffic monitoring in, 108-116
 - Monitor Web service check box in Web Service Explorer and, 280
 - running Web application using, 114-116, **114**, **115**
 - security and, 280-281
 - server configuration for, 110-111, **110**, **111**
 - setting up, 111-112, **112**
 - SOAP request and response message with, 115-116, **115**
 - stopping, 121-122, **122**
 - testing Web service in, 282-284
 - updating Web application to include, 113, **113**
 - terminology of Web services, 3-5
 - terms of use agreements for Web services, 101
 - Test Registry, UDDI. See UDDI Test Registry (IBM)
 - testing Web service, 91-93, **92**, **93**, 282-284
 - Thanks Web page, 208, **208**
 - token consumer, digital signatures and, 309-310, **310**, 324
 - token generator for digital signatures, 296-298, **298**, 319-320
 - toolbar in Rational Developer, 8-9, **8**
 - transforms to sign message body, digital signatures, 303-304, **304**
 - trust anchor, digital signatures and, 307-308, **308**, 323
- U**
- UDDI registries
 - discovering Web services through, 80, 85-91
 - public Web services in, 101-106
 - search form/results for Web services in, 86-91, **86**, **87**, **90**, **91**
 - UDDI Test Registry (IBM), 65-73
 - category for Web services, using NAICS codes, 70, **71**
 - name and description of your business in, 68, **69**, 69
 - simple vs. advanced publication formats for, 68, **69**, 69
 - user ID and password for, 67-68
 - Web service published to, 69-71, **71**, **72**
 - Web Services Explorer showing details of, 66-67, **67**
 - Uniform Resource Identifier (URI), 75. See also URIs and URLs
 - Uniform Resource Locator (URL), 75. See also URIs and URLs
 - Universal Description, Discovery, and Integration (UDDI), xviii, xix, 62. See also UDDI registries; UDDI Test Registry
 - registries in, 64-65
 - UDDI Business Registry in, 64
 - UDDI Test Registry in, 64-73
 - Web Services Inspection Language (WSIL) vs., 73
 - “unreachable service” message, when discovering Web services, 90, 91
 - Update statement, SQL, 153-155, **153**, **154**, **155**
 - Update Web page, 204-207, **207**
 - updates, product, installation of, 362-363
 - UpdateServlet servlet, 193, **194-195**
 - URIs and URLs
 - client proxy and, 29, **29**
 - discovering Web services and, 92
 - endpoint address of Web service and, 46, 60, **61**
 - HTTP headers and, 109-110
 - registries containing, 63-65, **64**
 - URL vs URI., 75
 - Web service port numbers/HTTP port numbers for, 50
 - WSIL document for, 74-76, **74**
 - user interface (UI) components, 214-215. See also JavaServer Faces
- V**
- validation, 239-240, **239**, **240**
 - variables, 218, **218**
 - views, 189, 214, 230-232, **231**, **232**, 236-239, **236-238**
- W**
- Web applications, 2, 21-40
 - client proxy creation for, 27-31
 - client proxy use in, 31-36
 - error-checking added to, 116-122, **118**
 - firewalls and proxy servers for, 37
 - JSP setup for, 22-24, **23**
 - MyStocks, 216-233. See also JavaServer Faces (JSF)
 - Page Designer for, 24-27
 - proxy servers for
 - running, 36-37, **36**, 60-62, **62**
 - solution files imported for, 37-39, **38**, **39**
 - static content for, using Page Designer, 25-26, **26**
 - table for, using Page Designer, 25-27, **26**, **27**
 - testing Web service before adding to, 91-93, **92**, **93**
 - WebSphere test environment for, 37-40, **38**, **39**
 - Web Archive (WAR) files, 13
 - Web module, 13
 - Web services, xviii, 2
 - abstract descriptions of, in WSDL file, 49
 - bindings for, 47-50
 - concrete bindings for
 - creation of, 14-21, 126-131, **127**, **128**
 - deploying and publishing, 41-77
 - discovering, 223-224, **224-230**
 - endpoint address for, 46, 60, **61**, 113
 - error handling in. See error handling
 - finding, using Web Services Explorer, 85-91, **85**

- Java source imported for, 14-17, **15**, 16-17
 - JavaBeans to create, 164-188, **164**
 - JavaServer Faces with. See JavaServer Faces
 - messages for, 47-50
 - NAICS categories for, 70, **71**
 - naming package for, 14, **14**
 - operations for, 47-50
 - port numbers/HTTP port numbers for, 49-50
 - port types for, 47-50
 - ports for, 47-50
 - registries for, 63-65
 - running the Web application for, 60-62, **62**
 - search form/results for, using Web Services Explorer, 86-91, **86, 87, 90, 91**
 - security for. See security
 - selecting, 251, **251**
 - service brokers for, 63
 - service-oriented architectures for, 63-64, **63**
 - service providers for, 63
 - service requestors for, 63
 - terminology used with, 3-5
 - terms of use agreements for, 101
 - Web Service Explorer to publish, 65-73
 - Web Services Interoperability (WS-I) standards and, 104-105
 - wizard to create, 17-21
 - workspace used to locate, 250-251, **250**
 - WSIL document creation for, 74-76, **75**
 - Web Services Description Language (WSDL), xix, 4
 - discovering Web services and, 102-103
 - Web Services Explorer, 65-73
 - cleaning current contents from, 71-72
 - finding Web services using, 85-91, **85**
 - launching, 66, **66**
 - Monitor Web service check box in, 280
 - search form/results for Web services in, 86-91, **86, 87, 90, 91**
 - Test Facility in, 108
 - Test Web service check box in, 280
 - UDDI Test Registry details shown in, 66-67, **67**
 - Web Services Inspection Language (WSIL)
 - deploying and publishing Web services using, 64, 73-77
 - deploying document to server in, 76-77, **77**
 - discovering Web services and, 99-100, **100**
 - document creation for, 74-76, **75**
 - Web Services Interoperability (WS-I) organization, 106
 - Web Services Interoperability (WS-I) standards, 104-105
 - Web Sphere Application Server, xix, 2
 - administrative console startup for, 52-53, **53, 54**
 - binding settings for Web service installed on, 55, **56**
 - configurations for, 42-43, **42**
 - deploying Web service to, 52-62
 - installation of, 5-6, 360-361
 - installing Web service on, using admin console, 54-58, **55-59**
 - Master Configuration Web service settings for, 57, **58**
 - profiles in, 42, 43-45, **43, 45**
 - reviewing Web service installation settings on, 56, **57**
 - starting, 52
 - stopping administrative console in, 59
 - WebSphere Express, installation of, 359-363
 - WebSphere Studio Application Developer. See Rational Application Developer, xix
 - WebSphere Studio Site Developer. See Rational Web Developer
 - WebSphere Test Environment
 - configurations for, 42-43, **42**
 - running the Web application on, 60-62, **62**
 - stopping, 40
 - Web application and, 37-40, **38, 39**
 - WHERE clause, SQL, 154-155, **154**, 156-157, **157**
 - wizard for Web services, 17-21
 - client proxy creation using, 27-31, **28, 29, 30**
 - databases and JavaBeans, 184-187
 - folders and files created by, 19-20, **19**
 - optional settings for, 18, **19**
 - Workbench in Rational Developer, 9-11, **10**, 6-13, 35-36
 - workspace in Rational Developer, 7, 7, 35-36
 - used to locate Web services, 250-251, **250**
 - WSDL files, 19
 - abstract Web service descriptions in, 49
 - bindings for Web services in, 47-50
 - concrete bindings for Web services and, 49
 - databases and JavaBeans, 187-188, **188**
 - endpoint address of Web service in, 46, 60, **61**
 - messages for Web services in, 47-50
 - operations for Web services in, 47-50
 - port numbers/HTTP port numbers in, 47-50
 - port types for Web services in, 47-50
 - second copy of, wizard creation of, 50-51
 - updating of, in preparation for deployment, 46-51, **47**
- ## X
- X.509 certificates, 276
 - XMethods, 106
 - XML digital signatures, 275
 - XML encryption, 275, 333