

Index

A

<A> TAG, 27, 28, 206

Active Server Pages (ASP), 1, 5, 31-60

Apache Web server and, 32

Application object in, 37, 40-42

application programming interfaces (APIs)
and, 35

ASP.NET and, 34

ASPError object in, 42, **43**, 44

check boxes and radio buttons in HTML form
using, 51-52, **52**

client-side scripts in, 52-60

client-side form validation in, 55-58, **56**, **58**

collections in objects of, 35

compatibility products for, 32, **33**

converting other code to (*See* converting to ASP)

Cookies and, 37

Current Time and Date ASP example, 34-35,
34, **35**

data access in (*See* data access in ASP)

enabling scripts property for, 32, **33**

examples of, 34-35

flow control in, 40

For Each..Next loops in, 38

For..Next loops in, 38

Form collection in, 37, 38-39

GET and POST commands in, 37, 38

HTML and, 35

HTML forms used with, 46-52, **47**

JavaScript within, 31

list boxes in HTML form using, 49, **50**

methods in objects of, 35

Microsoft Internet Information Server (IIS)
and, 32

Microsoft Personal Web Server and, 32

mouse event handling in, 53-55, **54**, **55**

ObjectContext object in, 44-45

objects in, 35-45, **37**

order entry in (*See* order entry in ASP)

percent sign (%) script block identifiers in,
34, 155, 190-191, 202

processing an HTML form using, 47-52, **48**

properties in objects of, 35

QueryString collection in, 37, 38, 39

Request object in, 37, 39, **39**

Response object in, 35, **36**, 37

tag for, 34

security and, 31

Server object in, 37, 42, **43**

server-side scripts in, 31, 34

Server Variables collection in, 39-40, **41**

Session object in, 37, 40-42

setup for, 31-33

Sun ONE, 32

transaction processing in, 44-45

UNIX/Linux systems and, 32

VBScript vs. JavaScript in, 31, 59-60, **59**

ActiveX data objects (ADO), data access, 62-76

ASP.NET and, 193-199, **195-196**, **197-198**,
203

Command object in, 62, 71-75, **73-74**, **75**

Connection object in, 62, 63-66, **64**, **65-66**

cursor management in, 69, 71, **72**

efficiency improvement using ASP objects
and, 83-84

error handling routine using, 80-81, **82-83**

Error object in, 63, 76, **76**

example using, displaying field information
for file, 76-84, **77**, **78**, **79-80**, **81**

ODBC and OLE DB compatibility with, 62

ODBC driver definition for, 64

parameterized SQL statements in, 72

Recordset object in, 63, 67-71, **67-68**, **70-71**

SQL statements and, 62

systables file in QSYS2 library and, 77, 78

ad hoc sales reporting tool (*See* sales reporting
tool)

ADD in RPG, converting to ASP, 86

ADO.NET, 193-199, **195-196**, **197-198**, 203

ALLOW and DENY access control, ASP.NET and, 201
Apache Web server, Active Server Pages (ASP) and, 32
application management changes in, ASP.NET and, 199-201
Application object in Active Server Pages (ASP), 37, 40-42
application programming interfaces (APIs), Active Server Pages (ASP) and, 35
ASP.NET, 2, 34, 187-204, 187
 ADO.NET and, 193-199, **195-196, 197-198, 203**
 ALLOW and DENY access control in, 201
 application management changes in, 199-201
 authentication methods and, 200-201
 changes in, 188-201
 coding changes in, 188-199
 common language runtime (CLR) and, 187
 configuration setting storage in, 199-200
 datasets vs. recordsets in, 193-199, **195-196, 197-198**
 default properties in, 191-192, 203
 Form collection in, 188-190
 HTML and, 192-193, **194**
 include files and, 202
 Internet Information Server (IIS) and, 201
 JavaScript and, 188
 languages supported by, 188, 202
 NET and, 187-188
 @PAGE directive in, 188, **189**
 parameters and parentheses in, 203
 percent sign (%) script block in, 190-191, 202
 preparing your applications for, 202-204
 Querystring collection in, 188-190
 render subroutines and, 202-203
 RUNAT SERVER directive in, 192
 <SCRIPT> block in, 190-191, 202
 security and, 199-200
 server-side script in, 192-193, **194, 202**
 validation of HTML forms in, 192-193, **194**
 VBScript and, 188
ASPError object, 42, **43, 44**
attributes for HTML tags, 7-8
authentication methods, ASP.NET and, 200-201

B

, 12, 206
BEGSR..ENDSR in RPG, converting to ASP, 87
<BLOCKQUOTE>, 14, **15, 206**
<BODY>, 6-9, 12, 28, 113, 205
boldface, in HTML, 12

, 14, 48, 206
Buy Now SUBMIT button in order entry in ASP, 141

C

C#, 188
CALL in RPG, converting to ASP, 87-88
catalog, order entry in ASP and, 135-139, **135-138**
CD-ROM companion disk, installation and use, 211-214
charts and graphs, in sales report, 174, 178-181, **179-181, 182**
check boxes in HTML forms, 22-23, **23, 51-52, 52**
Checkout application, order entry in ASP and, 145
Client Access Express, data access in ASP and, 61-62, **62**
client-side scripts in ASP, 52-60
 error handling by, 132
 form validation in, 55-58, **56, 58, 126-129, 128, 129**
 mouse event handling in, 53-55, **54, 55**
collections in objects, Active Server Pages (ASP), 35
color, in HTML coding, 8, **8**
column formatting in HTML tables, 18-19
column headings, in sales reporting tool, 171
command buttons in HTML forms, 23-26, **24, 49, 50, 51**
Command object, ActiveX data objects (ADO) and, 62, 71-75, **73-74, 75**
common language runtime (CLR), 187
COMP in RPG, converting to ASP, 88
compatibility products for Active Server Pages (ASP), 32, **33**
configuration setting storage in ASP.NET, 199-200

- Connection object, ActiveX data objects (ADO), 62, 63-66, **64, 65-66**
- converting to ASP, 2, 85-118
- ADD in RPG and, 86
 - BEGSR..ENDSR in RPG and, 87
 - CALL in RPG and, 87-88
 - COMP in RPG and, 88
 - display files and, 89-90, 100, **101-102, 106-113, 107, 108-110**
 - DO in RPG and, 88-89
 - DOWxx,DOUxx in RPG and, 89
 - EXFMT in RPG and, 89-90
 - EXSR in RPG and, 90
 - GOTO in RPG and, 90
 - HTML forms and, 110-113
 - IF/IFxx..ELSE..ENDIF in RPG and, 90-91
 - ILE RPG source and, 102-105, **103-105, 106**
 - iSeries data and, 85
 - OPEN in RPG and, 91
 - program conversion in, 100-113
 - READ (READP, READE, READPE) in RPG and, 91-93
 - report creation and (*See also* sales reporting tool), 114-118, **118**
 - RETURN in RPG and, 93
 - RPG operation codes (opcodes) and, 85-100
 - SCAN in RPG and, 93-94
 - SELEC..WHxx..ENDSL in RPG and, 94-95
 - SETGT/SETLL in RPG and, 95
 - SETON/SETOF in RPG and, 95
 - SORTA in RPG and, 95-96
 - string manipulation and, 93-94, 96-97
 - subfiles in, 102-105, **103-105, 106**, 110-113, **111-112, 113**
 - SUBST in RPG and, 96-97
 - TAG in RPG and, 90
 - TESTN in RPG and, 97
 - TIME in RPG and, 97-98
 - UPDAT in RPG and, 98
 - VBScript and, 85
 - WRITE in RPG and, 99
 - XFOOT in RPG and, 99-100
- cookies, Active Server Pages (ASP) and, 37
- Current Time and Date ASP example, 34-35, **34, 35**
- cursor management in ASP data access, 69, 71, **72**
- customer account creation/login validation, in ASP order entry, 145, **146, 147, 148-150**
- customer master maintenance application in ASP order entry, 132-135, **133, 134**
- ## D
- data access in ASP, 2, 61-84
- ActiveX data objects (ADO)and, 62-76
 - ADO Command object in, 62, 71-75, **73-74, 75**
 - ADO Connection object in, 63-66, **64, 65-66**
 - ADO Error object in, 63, 76, **76**
 - ADO example for, displaying field information for file, 76-84, **77, 78, 79-80, 81**
 - ADO Recordset object in, 63, 67-71, **67-68, 70-71**
 - Client Access Express and, 61-62, **62**
 - configuring for, 61-62
 - cursor management in, 69, 71, **72**
 - database compatibility and, 61
 - efficiency improvement using ASP objects and ADO, 83-84
 - error handling routine using ADO in, 80-81, **82-83**
 - JOIN clause in SQL and Recordset object in, 67
 - ODBC compatibility with, 61-62, **62**
 - ODBC driver definition for ADO, 64
 - OLE DB compatibility with, 61-62, **62**
 - parameterized SQL statements in, 72
 - SQL Server and, 61
 - systables file in QSYS2 library and, 77, 78
 - Web server and, 61
- datasets vs. recordsets, 193-199, **195-196, 197-198**
- debugging, 2-3
- detail level HTML tags, 8-16
- details of sales report, generating, 171-177, **172-174**
- display files, converting to ASP, 89-90, 100, **101-102, 106-113, 107, 108-110**
- <DIV>, 15, 206

DO in RPG, converting to ASP, 88-89
document formatting tags in HTML, 206
document level HTML tags, 6-8, 205
DOWxx,DOUxx in RPG, converting to ASP, 89
dynamic Web page creation, 1

E

embedded tables in HTML, 19, **19**
Error object, ActiveX data objects (ADO), 63,
76, **76**
errors
ADO Error object and, 63, 76, **76**
ASPError object in, 42, **43**, 44
error handling routine using ADO in, 80-81,
82-83
order entry in ASP and, 132
EXFMT in RPG, converting to ASP, 89-90
EXSR in RPG, converting to ASP, 90

F

flow control in Active Server Pages (ASP), 40
, 12, 17, 206
For Each..Next loops, 38
For..Next loops, 38
Form collection in Active Server Pages (ASP)
and, 37, 38-39
ASP.NET and, 188-190
<FORM>, 20-26, 46, 209
forms in HTML, 20-26, 46-52, **47**, 209
ASP processing in, 47-52, **48**
ASP used with, 46-52, **47**
ASP.NET and, validation of, 192-193, **194**
check boxes and radio buttons in, 51-52, **52**
client-side validation in, 55-58, **56**, **58**,
126-129, **128**, **129**, 126
command buttons in, 49, **50**, **51**
converting to ASP, 110-113
dynamic building of, 155-159, **155-158**
input fields for, 46-47, **46**
list boxes in, 49, **50**
objects used with, **53**
tabbed design in, 123-126, **123**, **124-126**
tags for, 209

Update form, 112-113, **112**, **113**
<FRAME>, 27-29, 208
frames in HTML, 27-29, **29**, 208
<FRAMESET>, 27-29, 208

G

GET commands, HTML forms and, 20, 37
GOTO in RPG, converting to ASP, 90
graphic elements in HTML, 15-16, 207
grouping levels, for sales reporting, 165, **166**, 174

H

<H>, 13, 206
<HEAD>, 6, 9, 28, 205
headings, heading sizes in HTML, 13, **13**
<HR>, 16, 207
<HREF>, 9-11
HTML (*See also* forms in HTML), 1, 5-29
Active Server Pages (ASP) and, 35
ASP.NET and, 192-193, **194**
attributes for tags in, 7-8
basic Web page created using, 7-8, **7**
boldface and italic in, 12
check boxes in forms using, 22-23, **23**, 51-52,
52
color attributes in, 8, **8**
command buttons in forms using, 23-26, **24**,
49, **50**, **51**
detail level tags in, 8-16, 206
document level tags in, 6-8, 205
document structure for, 5-6
font selection in, 12
forms in, 20-26, 46-52, **47**, 209
frames in, 27-29, **29**, 208
GET and POST commands for forms in, 20,
37, 38
graphic elements in, 15-16, 207
headings, heading sizes in, 13, **13**
hyperlink definition in, 9-11, 206
<INPUT> tag for forms in, 21-22, 25, 49
list box creation for, 25-26, 49, **50**, 121,
121-122, 123
nesting tags in, 6

objects used in forms, **53**
 paragraph formatting in, 14-15, **15**
 radio buttons in forms using, 22, **22**, 51-52, **52**
 render subroutines and, 202-203
 RESET buttons in forms using, 23
 SUBMIT buttons in forms using, 23-24, **24**,
 49, **50**, **51**
 tables in, 16-19, **17**, **18**, 207-208
 tags in, 5-6, 205-209
 targets for hyperlinks in, 10-11
 text areas in, 26, **26**
 text formatting elements in, 11-13, 206
 <HTML>, 6, 28, 205
 hyperlinks in HTML, 9-11, 206
 graphics within, 16
 hypertext markup language (*See* HTML)

I

<I>, 12, 206
 IF/IFxx..ELSE..ENDIF in RPG, converting to
 ASP, 90-91
 ILE RPG source, converting to ASP, 102-105,
103-105, **106**
 , 15-16, 25, 207
 include files
 ASP.NET and, 202
 order entry in ASP and, 139
 input fields in HTML forms, 46-47, **46**
 <INPUT>, in HTML forms, 21-22, 25, 49, 126,
 139, 209
 installation of CD-ROM examples, 211-214
 Internet Information Server (IIS), Active Server
 Pages (ASP) and, 32
 italic, in HTML, 12
 item master maintenance application, in ASP
 order entry, 121-132

J

Java, 5
 Java Server Pages, 5
 JavaScript
 Active Server Pages (ASP) and, 31
 ASP.NET and, 188

client-side form validation in, 55-58, **56**, **58**,
 126-129, **128**, **129**
 client-side scripts in ASP using, 52-60
 mouse event handling in, 53-55, **54**, **55**
 VBScript vs., in ASP, 59-60, **59**
 JOIN clause in SQL and Recordset object in
 ADO, 67

L

language support in ASP.NET, 188, 202
 LDA, Active Server Pages (ASP) vs. Session
 object in ASP, 42
 Linux, Active Server Pages (ASP) and, 32
 list boxes in HTML forms, 25-26, 49, **50**, 121,
121-122, 123
 login validation, order entry in ASP and, 145,
146, **147**, **148-150**
 loops, converting to ASP, 88-89, 90-91

M

methods in objects of Active Server Pages
 (ASP), 35
 Microsoft Development Environment, 2-3
 Microsoft Internet Information Server (IIS)
 Active Server Pages (ASP) and, 32
 ASP.NET and, 201
 Microsoft Office, 2
 Microsoft Office Web Components (OWC), 2,
 177-184
 Microsoft Personal Web Server, Active Server
 Pages (ASP) and, 32
 Microsoft Script Debugger, 2-3
 mouse event handling, 53-55, **54**, **55**

N

nested HTML tags, 6
 nested includes, ASP.NET and, 202
 nested tables in HTML, 17-19, **17**, **20**
 .NET, 2, 187-188
 <NOFRAMES>, 28, 208

O

<OBJECT>, 177
ObjectContext object in Active Server Pages (ASP), 44-45
objects, ASP, 35-45, **37**
ODBC (*See also* data access in ASP)
 ActiveX data object (ADO) compatibility with, 62
 data access in ASP and, 61-62, **62**
Office Web Components (*See* Microsoft Office Web Components)
OLE DB (*See also* data access in ASP)
 ActiveX data object (ADO) compatibility with, 62
 data access in ASP and, 61-62, **62**
ONCHANGE event, 158, 161
ONCLICK event, 126, 193
ONLOAD/ONUNLOAD event, 113
ONMOUSEOVER/ONMOUSEOUT, 53-55, **54**, **55**, 178
ONSERVERCLICK event, 193
ONSUBMIT event, 55-58, 126-129, **128**, **129**
opcodes, RPG, converting to ASP, 85-100
OPEN in RPG, converting to ASP, 91
<OPTION>, 25, 49, 123, 159, 160, 209
order entry in ASP, 119-152
 building blocks of, 119-121
 Buy Now SUBMIT button in, 141
 catalog displayed in, 135-139, **135-138**
 Checkout application in, 145
 client-side form validation in, 126-129, **128**, **129**
 customer account creation/login validation for, 145, **146**, **147**, **148-150**
 customer master maintenance application in, 132-135, **133**, **134**
 DDS source code for, 119
 error handling in, 132
 files used in, **120**
 HTML form in, with tabbed design, 123-126, **123**, **124-126**
 include files in, 139
 item master maintenance application for, 121-132, **122**

 library creation for, 119-120
 list box creation for, 121, **121-122**, 123
 order entry application in, 135-152, **135-138**
 printer file for, 120-121
 Recalculate button in, 145
 Session variables to store partial order data in, 135
 shopping cart application in, 141-145, **141-144**, **145**
 sidebar menu for, 139-141, **140-141**
 source code for, 120
 source physical files creation for, 120
 SUBMIT buttons in, 123, 126-127, 141
 update maintenance file in, 130-132, **130-132**
 writing out order data in, 150-152, **150-152**

P

<P>, 14, 206
page headings for sales report, 166-171, **167-170**
@PAGE directive, ASP.NET and, 188, **189**
paragraph formatting in HTML, 14-15, **15**
parameterized SQL statements, for data access in ASP, 72
Passport authentication, 200-201
percent sign (%) script block identifiers, ASP, 34, 155, 190-191, 202
Personal Web Server, Active Server Pages (ASP) and, 32
POST command, HTML forms and, 20, 37, 38
<PRE>, 11, 206
printer file, in ASP order entry, 120-121
prompt screen code for sales report, **114-115**
properties in objects of Active Server Pages (ASP), 35

Q

QCMDEXC API, 71
QTEMP, Active Server Pages (ASP) vs. Session object in ASP, 42
Querystring collection in
 Active Server Pages (ASP) and, 37-39
 ASP.NET and, 188-190

R

radio buttons in HTML forms, 22, **22**, 51-52, **52**
 READ (READP, READE, READPE) in RPG, 69
 converting to ASP, 91-93
 Recalculate button in ASP order entry, 145
 Recordset object, ActiveX data objects (ADO)
 and, 63, 67-71, **67-68**, **70-71**
 render subroutines, ASP.NET and, 202-203
 report creation (*See* sales reporting tool)
 Request object in Active Server Pages (ASP)
 and, 37, 39, **39**
 RESET buttons in HTML forms, 23
 Response object, Active Server Pages (ASP)
 and, 35, **36**, 37
 RETURN in RPG, converting to ASP, 93
 row formatting in HTML tables, 18-19
 RPG operation codes (opcodes), converting to
 ASP, 85-100

S

sales reporting tool, 2, 114-118, **118**, 153-185
 charts and graphs in, 174, 178-181, **179-181**,
 182
 column headings for, 171
 definition of report for, 154-165
 details of report, generating, 171-177, **172-174**
 displaying/hiding data in, 174-175, **175**
 files used in, 153-154, **154**, 213-214, **214**
 finished report in, **176**
 generating the report in, 165-184
 grouping levels in, 165, **166**, 174
 Microsoft Office Web Components (OWC)
 in, 177-184
 Office documents used in, 177-184
 options defined in, 161-165, **162-164**
 page headings for, 166-171, **167-170**
 prompt screen code for, **114-115**
 running a saved report using, 159-160, **160**
 saving report in, 175-176, **177**
 search screen for, 115
 selecting records, report type, and fields in,
 155-159, **155-158**
 sorting levels in, 165, **166**

 source code for, **116-117**
 spreadsheet in, 182-184, **183**, **184**
 SQL source for, 166-171, **167-170**
 VBScript for, 154-165
 SCAN in RPG, converting to ASP, 93-94
 <SCRIPT>, 34, 132
 <SCRIPT> block, ASP.NET and, 190-191, 202
 search screen, in sales reporting tool and, 115
 security
 Active Server Pages (ASP) and, 31
 ASP.NET and, 199-200
 authentication methods and, 200-201
 Passport authentication and, 200-201
 SELEC..WHxx..ENDSL in RPG, converting to
 ASP, 94-95
 <SELECT>, 25, 49, 121, 209
 Server object in Active Server Pages (ASP) and,
 37, 42, **43**
 server-side script
 Active Server Pages (ASP) and, 31, 34
 ASP.NET and, 192-193, **194**, 202
 Server Variables collection, Active Server Pages
 (ASP), 39-40, **41**
 Session object in Active Server Pages (ASP),
 37, 40-42
 Session variables to store partial order data, 135
 SETGT/SETLL in RPG, 69
 converting to ASP, 95
 SETON/SETOF in RPG, converting to ASP, 95
 shopping cart application, 2, 141-145, **141-144**,
 145
 files used in, 212, **212-213**
 sidebar menu for ASP order entry, 139-141,
 140-141
 SORTA in RPG, converting to ASP, 95-96
 sorting, in sales reporting tool, 165, **166**
 , 193
 spreadsheet, in sales reporting tool, 182-184,
 183, **184**
 SQL
 ActiveX data objects (ADO) and, 62
 parameterized statements in, 72
 sales reporting tool and, source for, 166-171,
 167-170
 SQL Server, data access in ASP and, 61

string manipulation, converting to ASP, 93-94, 96-97
subfiles, converting to ASP, 102-105, **103-105**, **106**, 110-113, **111-112**, **113**
SUBMIT buttons in HTML forms, 23-24, **24**, 49, **50**, **51**, 123, 126-127, 141
SUBST in RPG, converting to ASP, 96-97
Sun Microsystems Sun ONE ASP, 32
systables file in QSYS2 library, data access in ASP and, 77, 78

T

tabbed design for interactive HTML form, 123-126, **123**, **124-126**
<TABLE>, 6, 17-19, 207
tables in HTML, 16-19, **17**, **18**, 207-208
 nested, 17-19, **17**
TAG in RPG, converting to ASP, 90
tags, HTML, 5-6
targets for HTML coded hyperlinks, 10-11
<TD>, 6, 18, 69, 80, 207, 208
TESTN in RPG, converting to ASP, 97
text areas in HTML forms, 26, **26**
text formatting in HTML, 11-13, 206
<TEXTAREA>, 209
<TH>, 18, 80, 207, 208
TIME in RPG, converting to ASP, 97-98
<TITLE>, 9, 205
<TR>, 6, 17, 18, 69, 207

transaction processing in Active Server Pages (ASP), 44-45

U

UNIX, Active Server Pages (ASP) and, 32
UPDAT in RPG, converting to ASP, 98
update maintenance file, in ASP order entry, 130-132, **130-132**

V

validation routines, client-side form validation, 55-58, **56**, **58**
VBScript
 Active Server Pages (ASP) and, 31
 ASP.NET and, 188
 client-side scripts in ASP using, 52-60
 converting to ASP, 85
 JavaScript vs., in ASP, 59-60, **59**
 sales reporting tool and, 154-165
Visual Basic.NET, 188

W

Web server, data access in ASP and, 61
WRITE, 72
 converting to ASP, 99
writing out order data, in ASP order entry, 150-152, **150-152**

X

XFOOT in RPG, converting to ASP, 99-100