

Index

A

absolute links, 291-294, **291-292**
Action canceled screen, 505, **505**
Add Physical File Member (ADDPFM), 374
Add Style wizard, 171-172, **171**
Application Deployment Descriptors, 524-525,
525
Apply Page Template wizard for, 73-75, **73, 74**,
75
ASP/VB scripting language, 195
asterisk to indicate pending changes, 42
Attribute view
 Beans in JSPs and, 239-240, **239, 240**
 HTML page and, 39
 Web perspective, 25
authorities, 351

B

Beans for dynamic Web sites, 195-224
 adding Java to application, 198-209
 class creation in, 202-209, **202, 203, 204, 209**
 code entry for, 205-208, **205-206**
 code review for, 220-224, **220**
 Customer class in, **220**
 CustomerList class code in, 207-208,
208-209, 221-222

errors in, 214-215, **214**
Java editors for, 198
Java Source object for, 199-200, **200**
JSPs using. *See JSPs*, 225
maximized output for, **219**
namespace in, 200-201, **202**
New Java Class wizard for, 203, **203, 204**
New Java Package wizard for, 200, **201**
Project Navigator for, 199, **199**
running, 214-215, **214, 217-219, 218**
saving, 207, **207**
saving source for, 217-218, **217**
source member for correcting errors in,
215-216, 215
step-by-step checklist for, 196-197
synchronization in, 222-223
TestCustomerList class in, 212-213, **212-213**,
223-224, 223-224
testing Beans in, 210-224, **211**
TreeMap structure in, 222
BODY region in template, 77, 78, **78**, 127, 142,
142
BODY tag, HTML page and, 36
book format, 5-6
breakpoint
 setting, 303-306, **304-306**

- Breakpoint, *continued*
 for debugging on host and, 421-422, **421**,
 422
 WebSphere Test Environment (WTE) and,
 194
business logic on host, 459-501
 code review for, 496-501, **496**-**501**
 database creation for, 463-475
 code entry for, 466-467, **466**
 iEdit perspective for, 463-464, **463**
 INZCM program for records to
 CUSTMAST file, 469, **469**
 log view for, 472, **473**
 physical file creation for, 467, **467**
 refreshing library contents for, 471-472,
 471, **472**
 RPG program creation for, 470-471, **470**,
 471
 running INZCM program in, 472-474,
 472, **474**, **475**
 saving work in, 470
 source file and member creation in,
 464-466, **464**, **465**, **466**, 468-469, **468**
servlet for, 482-501
 CustListProxy.java for, 486-489, **486**,
 487-**489**, 501
 data is received from host using, 494-495,
 494
 editing and error correction in, 490-491,
 490, **491**
 fast view for, 484-485, **485**
 launching application, Run on Server,
 492-494, **492**, **493**
 Package Explorer view for, 483-484, **483**,
 484
 Throws clause added to, 491-492, **491**,
 492, 498
step-by-step checklist for, 460-462
writing business logic in, 476-481, **476**-**481**
 Customer Master server program for,
 479-480, **479**, 496-501, **496**-**501**
 error list for, 480, **480**, **481**
 source file and member creation in,
 477-478, **477**, **478**
- C**
- Call program (CALL) wizard, 414, **414**
Cascading Style Sheet (CSS), 1. *See also* CSS
 Designer, 163
 Web perspective, 25
Change Layout Orientation tool, Web Site
 Designer, 66, **66**
Checkpoints, 4, 10, 551-554, 578-579
 naming workspaces for, 554
 reference table for, 553, **553**
 starting and using, 554
 step-by-step checklist for, 552
Child, adding pages as, 44-45, **44**, 61, **61**
class creation
 in Beans for dynamic Web sites, 202-209,
 202, **203**, **204**, **209**
dragging and dropping, 237-239, **237**, **238**
client/server, 3
closing files, 227, **227**, 337-338, **338**
closing views, 346
CODE editor, 336, 437-438, **437**
code entry, 377-425
 advanced editing features for, 433-434
 CODE and VisualAge for RPG (VARPG),
 437-438, **437**, **438**
compiling on the host, 393-406
 Commands Log for, 401-402, **401**, **402**
 Compile selection for, 396, **396**
 error log or list in, 398-400, **398**-**400**
 EVFEVENT file in, 398-400, **398**-**400**
 making host connection for, 393-396,
 393-**396**
 selecting code for, 397-398, **397**
database creation and, 466-467, **466**
debugging on the host, 407-425
 breakpoint setting in, 421-422, **421**, **422**
 Call program (CALL) wizard in, 414, **414**
 configuration for, 407-409, **408**, **409**
 ending the program in, 424-425, **424**, **425**
 entering parameters for, 414-415, **415**
 How to Start pane for, 410-411, **410**
 launching the program in, 417-419, **417**,
 418

- Monitor and inspection view for, 419-420, **419, 420**
 Prompt for, 411-412, **411**
 Submit Job (SBMJOB) wizard for, 412-413, **413**, 416-417, **416**
 user ID and password for, 412-413, **412**
 watch breakpoint setting in, 421-422, **421-424**
 editing and verifying code in, 381-392
 jLpex RPG editor for, 381-392, **381**
 adding lines in, 385-386, **385, 386**
 color coding of parsed text in, 382-383
 compile option in, 390-391, **390, 391**
 copy and paste code in, 384-385, **384, 385**
 error correction in, 390-391, **390, 391**
 heading for, context sensitivity in, 382, **382**
 line command in, 383-384
 prompter in, 385-386, **385, 386**
 Save Conflict dialog in, 389, **389**
 SEU commands and, 383-384, **383**
 syntax checker in, 388
 verification levels in, 387-388, **387, 388**
 step-by-step checklist for, 378-380
 User Actions menu in, 403-406, **404, 405**
 CODE/400 editor, 381
 ColdFusion scripting language, 195
 color
 WebArt Designer, 103-104, **103**
 templates, 133-134, **133, 133, 134**
 Commands Log, 360, **360, 361**, 401-402, **401, 402**
 common gateway interface (CGI), 195
 servlets, servlet proxies and JSP Model II in vs., 259
 compile option, in jLpex RPG editor, 390-391, **390, 391**
 Compile option/menu, 396, **396**
 computer requirements for WDSC, 2
 WebSphere Test Environment (WTE) and, 179
 Console Output pane, debugging and, 321
 Console view, WebSphere Test Environment (WTE) and, 187-188, **188**
 constructors, for servlets, servlet proxies and JSP Model II, 281
 copy and paste code, 384-385, **384, 385**
 copying a file, 150-151, **151**
 Create a Page wizard, 45-46, **46**
 Create Library (CRLIB) wizard, 357-361, **358**
 Create New Express Server, 558, **558, 559**
 Create Source Physical File (CRTSRCFP), 372
 creating Web project, 26-27, **26, 27**
 crosshatching on page, 122-123, **123**, 138
 CSS Designer, 163-177. *See also* styles
 Add Style wizard in, 171-172, **171**
 adding new styles using, 165-177, **167-177**
 maximizing, 167-169, **167**
 opening, 166-167, **166**
 saving changes in, 174-175, **175**
 selecting styles in, 167-169, **168**
 Set Selector dialog in, 170, **170**
 step-by-step checklist for, 163-164
 text layout settings in, 172-174, **172, 173**
 viewing changes in, 175-177, **175, 176, 177**
 CustList class, servlets, servlet proxies and JSP Model II in, 275, **275**
 CustListProxy.java, 486-489, **486, 487-489**, 501
 servlets, servlet proxies and JSP Model II in, **273**
 Customer class, **220**
 Customer Master server program for, 479-480, **479**, 496-501, **496-501**
 CustomerList class, **221-222**
- D**
- Data Definition Language (DDL), 431
 data for Beans, 248-250, **248-250**
 Data perspective, 431-432, **432**
 database creation, 463-475
 code entry for, 466-467, **466**
 iEdit perspective for, 463-464, **463**
 INZCM program for records to CUSTMAST file, 469, **469, 469**
 log view for, 472, **473, 472**
 physical file creation for, 467, **467**

- database creation, *continued*
 refreshing library contents for, 471-472, **471**, **472**
RPG program creation for, 470-471, **470**, **471**
running INZCM program in, 472-474, **472**, **475**
saving work in, 470
source file and member creation in, 464-466, **464**, **465**, **466**, 468-469, **468**
debug mode, WebSphere Test Environment (WTE) and, 179, 180, 194
debug perspective, 311, **311**, 320-321, **320**
Debug view, 321
debugging, 301-329
 breakpoint setting in, 303-306, **304**-**306**
 console output pane in, 321
 debug mode for, **312**
 debug perspective for, 311, **311**, 320-321, **320**
 Debug view in, 321
 Eclipse for, 312
 editor pane in, 321
 inspection pane in, 321
 launching the servlet for, 317-318, **317**
 messages from server in, 311-312
 on-host debugging, 407-425
 breakpoint setting in, 421-422, **421**, **422**
 Call program (CALL) wizard in, 414, **414**
 configuration for, 407-409, **408**, **409**
 ending the program in, 424-425, **424**, **425**
 entering parameters for, 414-415, **415**
 How to Start pane for, 410-411, **410**
 launching the program in, 417-419, **417**, **418**
 Monitor and inspection view for, 419-420, **419**, **420**
 Prompt for, 411-412, **411**
 Submit Job (SBMJOB) wizard for, 412-413, **413**, 416-417, **416**
 user ID and password for, 412-413, **412**
 watch breakpoint setting in, 421-422, **421**-**424**
outline pane in, 321
Resume tool in, 328, **328**
rows displayed in, grab and drag, 312-316, **313**-**316**
running in debug mode for, 307-319
server selection for, 308-310, **308**, **309**, **310**
step-by-step checklist for, 302
step-by-step mode in, 318-319, **318**, 328-329, **329**
step-into option for, 317
suspended servlet in, 319, **319**
variables and, inspecting and changing, 322-329, **322**-**329**
Web Browser for, 327-328, **328**
deployment, 9, 521-533
 Application Deployment Descriptors for, 524-525, **525**
 EAR file creation for, 521, 528-529, **528**, **529**
 Export wizard for, 527-532, **528**-**532**
 exporting the project for, 526-532, **526**-**532**
 naming/renaming the application for, 523-525, **523**, **524**
 refactoring in, 523-525, **524**
 RPG programs, 533
 step-by-step checklist for, 521-522
 WAR file creation for, 521, 530-532, **530**, **531**, **532**
Design mode, 39-40
Beans in JSPs and, 235-236, **235**, **236**, 243-244, **244**
crosshatching on page and, 122-123, **123**, 138
HTML page and, 39-40, **40**
templates, 122-123, **122**, 131, **131**
display screen requirements for WDSC, 2
dynamic Web sites, 7-8

E

- EAR files, 2, 27, 521, 528-529, **528**, **529**.
See also deployment, 521
application installation and, 570-571, **570**
Eclipse, 198
 debugging and, 312
 one view on page, 121-122, **121**
Edit Navigation Label, 86-87, **86**, **87**
editable portions of page, 124-125, **125**
editing files, 153-154, **154**

-
- editing, advanced features for, 433-434
- Editor pane
- debugging and, 321
 - Remote System Explorer (RSE), 341
 - Web perspective, 25
- Editor view, **157**
- encapsulation and superclasses, 280
 - enterprise application project/EAR files in, 27
 - Enterprise Generation Language (EGL), 1, 50, **577**
 - error correction
 - jLpx RPG editor and, 390-391, **390, 391** - error list
 - debugging on host and, 398-400, **398-400**
 - writing business logic and, 480, **480, 481** - EVFEVENT file, debugging on host and, 398-400, **398-400**
 - Export wizard, 527-532, **528-532**
 - exporting project for deployment, 526-532, **526-532**
 - Express server, 555-566
 - Create New Express Server screen in, 558, **558, 559**
 - creation process for, 565-566, **566**
 - Express management screen for, 557-558, **558**
 - HTTP server selection for, 560, **561**
 - IP address and ports for, 561, **562, 563**
 - naming the server, 559, **560**
 - samples and examples in, 563, **564**
 - step-by-step checklist for, 556
 - summary panel of settings for, 565, **565**
 - WDSCHOST file and, 557 - Express Test Environment, WebSphere Test Environment (WTE) and, 185, **185**
 - Expression widget, Palette, 55-56, **55, 56**
 - extensions for iSeries, 9, 335-336
 - CODE and VisualAge for RPG (VARPG), 336, 437-438, **437, 438**
 - iSeries Debugger in, 335
 - iSeries Projects in, 335-336
 - Remote System Explorer (RSE) in, 335, 337-343. *See also* Remote System Explorer (RSE)
 - Web Tooling in, 336 - WebFacing in, 336, 439
- F**
- 5722WDS, 13
 - fast view, 24, 342, 343, **343, 346-348, 347, 484-485, 485**
 - Feature Install dialog, upgrading WDSC and, 540-541, **541**
 - Feature License dialog, upgrading WDSC and, 541, **542**
 - Feature Verification screen, upgrading WDSC and, 544, **545**
 - File System Import wizard, JAR file import and, 446-447, **447**
 - files
 - closing, 227, **227**, 337-338, **338**
 - copying, 150-151, **151**
 - editing, 153-154, **154**
 - maximizing view, 155
 - pasting, 152, **152**
 - renaming, 152, **153**
 - theme folder for, 151, **151** - font selection, WebArt Designer, 100, **100**
- G**
- Gallery view, Web perspective, 25
 - get and set attribute methods, servlets, servlet proxies and JSP Model II in, 262, 279
 - GIF settings, WebArt Designer, 111-112, **111**
- H**
- hanging view of pages in, 65-66, **66**
 - HATS, 1
 - HEAD region in template, 77-78, 771, 126-127, **126, 142, 142**
 - hiding views in, 344-346, **345**
 - host connection, 351-355, **352-355**
 - business logic attached to host, 459-501. *See also* business logic on host
 - compiling code on, 393-406
 - Commands Log for, 401-402, **401, 402**
 - Compile selection for, 396, **396**
 - error log or list in, 398-400, **398-400**
 - EVFEVENT file in, 398-400, **398-400**

- host connection, compiling code on, *continued*
 making host connection for, 393-396,
 393-396
 selecting code for, 397-398, **397**
debugging on, 407-425
 breakpoint setting in, 421-422, **421, 422**
 Call program (CALL) wizard in, 414, **414**
 configuration for, 407-409, **408, 409**
 ending the program in, 424-425, **424, 425**
 entering parameters for, 414-415, **415**
 How to Start pane for, 410-411, **410**
 launching the program in, 417-419, **417,**
 418
 Monitor and inspection view for, 419-420,
 419, 420
 Prompt for, 411-412, **411**
 Submit Job (SBMJOB) wizard for,
 412-413, **413, 416-417, 416**
 user ID and password for, 412-413, **412**
 watch breakpoint setting in, 421-422,
 421-424
library list for, 362-368, **362-368**
making host connection for, 393-396,
 393-396
HOSTS files, WDSCHOST in, 351, 363, **364**
HTML, 31-42, **31, 144**
 Attributes view in, 39
 BODY tag for, 36
 Design mode for, 39-40, **40**
 editing, 25
 Model fields in, 34
 MySite tab (your project) in, 41, **41**
 naming, 32-33, **33**
 navigation box in, 32, **32**
 New HTML File wizard for, 34, **35, 62, 62,**
 63
 Page Designer for, 36-37, **36**
 Preview mode for, 38, **38**
 saving changes in, 41-42, **42**
 scripting languages and, 195
 Source mode for, 37, **37**
 tag manipulation in, 36, 127-128, **128**
 text entry in, 40, **40**
 type of page selection for, 33-34, **34**
- HTTP server
 application installation and, 574-575, **574,**
 575
 Express server creation and, 560, **561**
 servlets, servlet proxies and JSP Model II in,
 262, 279
- |
iEdit perspective, 349, **349**
 database creation and, 463-464, **463**
Image Designer, 91-113
 opening WebArt Designer for, 94-96, **94-96**
 step-by-step checklist for, 92-93
 WebArt Designer
 adding text to logo in, 97-104, **97-104**
 color of text in, 103-104, **103**
 finished logo in, 104, **104**
 font selection in, 100, **100**
 GIF settings for, 111-112, **111**
 image galleries in, 96
 logo selection in, 95
 navigating to workspace from, 107-108,
 108
 positioning text in text box, 101-102, **101,**
 102
 Preview mode in, 112-113, **112, 113**
 properties for text in, 102-103, **102**
 saving changes in, 105-113, **108-113**
 text box tool in, 101, **101**
 text tool in, 99, **99**
 toolbar in, 96
 WebArt Files, 106-107
 zoom level, magnifying glass tool in,
 97-98, **97, 98**
image galleries, WebArt Designer, 96
Import wizard, JAR file import and, 445-447,
 446
imports, 10
Increase Font Size tool, 132-133, **133**
index page, 68-69, **68, 89, 89**
 changing, 295-300, **296-300**
 Web Deployment Descriptors and, 295
 WebSphere Test Environment (WTE) and,
 191, **191**

- Inspection pane, debugging and, 321
- Install Location page, upgrading WDSC and, 543, **544**
- installing MySite. *See* MySite application installation
- instance variables, servlets, servlet proxies and JSP Model II in, 281
- InSteps explained, 6
- invocation tags, 145-146
- INZCM program for records to CUSTMAST file, 469, **469**
- IP address and ports, Express server creation and, 561, **562**, **563**
- iSeries Debugger in, 335
- iSeries Projects, 335-336, 435
- iSeries setup, 331-376
- Commands Log view in, 360, **360**, **361**
 - extensions in, 335-336
 - CODE and VisualAge for RPG (VARPG), 336, 437-438, **437**, **438**
 - iSeries Debugger in, 335
 - iSeries Projects in, 335-336, 335
 - Remote System Explore (RSE) in, 335, 337-343. *See also* Remote System Explorer (RSE)
 - Web Tooling in, 336
 - WebFacing in, 336, 439
 - iSeries projects for, 435
 - JTOOpen and, 331
 - Remote System Explorer (RSE)
 - host connection in, 351-355, **352**-**355**
 - library creation in, 356-361, **357**-**361**
 - library list for connection in, 362-368, **362**-**368**
 - Properties setting for WDSCHOST in, 364
 - source file and member creation in, 369-376, **370**-**376**
 - Subsystems option in, 364-365, **365**, **366**
 - step-by-step checklist for, 332-334
 - user profiles in, 351-355, **353**-**355**
 - WDSCHOST for, 351-355, **355**, 363, **364**
 - item object, navigation site parts and, 148
- J**
- J2EE, 6, 8
- WebSphere Test Environment (WTE) and, 179
- JAR file import, 441-457
- checking imported file in, 450, **451**
 - File System Import wizard for, 446-447, **447**
 - Import wizard for, 445-447, **446**
 - importing procedure for, 443-451, **444**-**451**
 - JTOOpen toolbox for, 441
 - lib folder selection for, 447-449, **448**
 - progress of import tracked in, 449-450, **450**
 - Run As menu for, 456-457, **456**
 - step-by-step checklist for, 442
 - TestCONCAT to test toolbox in, 452-457, **452**-**457**
 - Web perspective for, 443-444, **444**
- Java, 1
- adding Java to applications, 198-209
 - JTOOpen, 331, 441
 - Java editors for Beans, 198
 - Java Source object, Beans for dynamic Web sites and, 199-200, **200**
 - JavaServer Faces (JSF), 1, 50, 577
 - JavaServer Pages (JSPs), 1, 6, 43-59, 195. *See also* JSP Model II, 255
 - Beans in, 225-254
 - adding Bean to JSP for, 234-247, **235**-**247**
 - attributes for Beans in, 239-240, **239**, **240**
 - classes for, dragging and dropping, 237-239, **237**, **238**
 - code entry for, 241-242, **241**, **242**
 - code review for, 252-254, **252**-**253**
 - data for, dummy/default, 248-250, **248**-**250**
 - default values for Bean in, 238
 - Design mode for, 235-236, **235**, **236**, 243-244, **244**
 - moving, 231-232, **232**
 - naming Beans in, 238-239
 - Preview mode for, 242-243, **243**
 - Project Navigator for, 236, **236**
 - renaming JSP for, 227-233, **229**-**233**
 - running, 247, **247**

- JavaServer Pages (JSPs), Beans in, *continued*
 saving changes in, 244-245
 scriptlets in, 244, **244**
 server selection for, 245-247, **245**, **246**,
 247
 servlet for, 234
 session scope in, 238
 Source view for, 240, **240**
 step-by-step checklist for, 225-226
 testing, 250-252, **251**
 useBean for, 234, 241
 code entry in, 53-57, **53-57**
Create a Page wizard for, 45-46, **46**
editing, 25
moving, 231-232, **232**
naming, 43, **43**, 45, **45**, 47, **47**, 227-228, **228**
Page Designer for, 47, **48**
Palette to create page in, 49-59
 code entry in, 53-57, **53-57**
 default text in, 51, **51**
 Expression widget in, 55-56, **55**, **56**
 JavaServer Pages drawer in, 49, **50**
 Scriptlet widget in, 51-52, **52**
 Scriptlet widget in, 56, **56**
 text entry in, 54-55, **54**, **55**
 viewing source code in, 58-59, **58**
 widgets in, 51-53, **51**, **52**, **53**
Project Navigator in, 48, **48**
renaming, 227-233, **229-233**
saving changes in, 59
servlets, servlet proxies and JSP Model II in,
 259. *See also* JSP Model II
toolbar to add page as Child, 44-45, **44**
jLpx editor, 376, 381-392, **381**
 adding lines in, 385-386, **385**, **386**
 advanced editing features for, 433-434
 color coding of parsed text in, 382-383
 compile option in, 390-391, **390**, **391**
 copy and paste code in, 384-385, **384**, **385**
 error correction in, 390-391, **390**, **391**
 heading for, context sensitivity in, 382, **382**
 line command in, 383-384
 prompter in, 385-386, **385**, **386**
 Save Conflict dialog in, 389, **389**
SEU commands and, 383-384, **383**
syntax checker in, 388
verification levels in, 387-388, **387**, **388**
JSP Model II, 7-8, **8**, 255-300
 absolute links and, 291-294, **291-292**
 adding classes in, 270-272, **271**, **272**
 applications and uses for, 258-260
 architectures of, 259
 code entry for, 274
 code review for, 278-283, **278-282**
 Common Gateway Interface (CGI) vs., 259
 constructors in, 281
 CustList class for, 275, **275**
 CustListProxy for, **273**
 encapsulation and superclasses in, 280
 GET and POST requests in, 282
 get and set attribute methods in, 262, 279
 HTTP session objects and, 262, 279
 index pages for, changing, 295-300, **296-300**
 instance variables in, 281
 JavaServer Pages (JSPs) in, 259
 links to style sheets and, 284-294, **285-289**
 mapping servlets and, 293-294
 naming, 269-270
 New/Package for, 268, **269**, **270**
 package definition in, 280
 programming for, 259
 Refresh tool, 288, 289, **289**
 relative links and, 287-288, 291-294, **291-292**
 removing test data from JSP in preparation
 for servlet proxy, 263-267, **264-267**
 running the servlet in, 275-277, **276**, **277**
 saving changes in, 274-275, **274**
 sequence of servlet actions in, 258-259
 servlet creation, 268-277
 servlet proxies in, 255, 261-262
 servlets in, 258-259, 261
 Source mode in, 296-297, **297**
 state in, 261-262
 step-by-step checklist for, 256-257
 style sheets and, 503-520. *See also* style
 sheets, 503
 URLs and, links to, 291-294, **291-292**
 Web Deployment Descriptors and, 295

JTOpen, 11, 331, 441
 jlopen_4_1_3, 11
 JUnit testing, 2
 JVM, 194

L

language support. *See* multilanguage development
 lasso method to group pages, 70-72, **70, 71, 72**
 launching server, WebSphere Test Environment (WTE) and, 187, **187**
 library creation, 356-361, **357-361**
 Create Library (CRLIB) wizard for, 357-361, **358**
 database creation and, 471-472, **471, 472**
 library list modification and, 362-368, **362-368**
 source file and member creation in, 369-376, **370-376**
 LINK tags, 127
 links
 absolute, 291-294, **291-292**
 relative, 287-288, 291-294, **291-292**
 to style sheets, 284-294, **285-289**
 URLs and, 291-294, **291-292**

Log pane in Remote System Explorer (RSE), 341
 Log view, database creation and, 472, **473**
 logo selection, WebArt Designer, 95
 LPEX editors, 376, 433

M

magnifying glass tool, WebArt Designer, 97-98, **97, 98**
 main menu bar, 24
 mapping process, templates, 76-78, **77, 78**
 mapping servlets, 293-294
 Master.css, 506-509, **507, 520, 520**
 maximizing view, 155
 memory requirements for WDSC, 2
 WebSphere Test Environment (WTE) and, 179
 messages, WebSphere Test Environment (WTE) and, 189-190, **189, 190**

META tags, 127
 Model fields, HTML page and, 34
 Model-View-Controller (MVC) interface, JSP
 Model II in, 268
 Monitor and inspection view, debugging on host and, 419-420, **419, 420**
 movies, 11
 moving pages around, 64-65, **65, 87-88, 87, 88**
 multilanguage development, 9
 MySite application installation, 567-576
 administration interface selection for, 569
 deployment options for, 571, **571**
 EAR file location for, 570-571, **570**
 HTML page and, 41, **41**
 HTTP server selection for, 574-575, **574, 575**
 installation of application for, 572, **573**
 running successfully, **576**
 server selection for, 569, **569, 570**
 starting the server for, 573-574, **573, 574**
 step-by-step checklist for, 568
 uploading EAR file for, 569
 URL entered for, 575
 verification screen for, 572, **572**
 virtual hosts selection for, 571, **571**
 WDSHOST for, 569

N

namespace, Beans for dynamic Web sites and, 200-201, **202**
 naming pages, 43, **43, 45, 45, 47, 47**
 naming templates, 120
 naming the new perspective, 350, **350**
 navigation box, HTML page and, 32, **32**
 navigation labels, 61, **61**
 navigation site parts, 139-144, **140, 142-144**
 invocation tags in, 145-146
 item object in, 148
 node object in, 148
 OBJECTS site part in, 147-148
 site parts in, 146-148
 sitenav object in, 147-148
 TAGS site part in, 146-147
 varStatus object in, 148

navigation widget, 85, 149-162
navtabImg, navtabImgSel, invocation tags in, 145-146
New HTML File wizard, 34, **35**, 62, **62, 63**
New Java Class wizard, 203, **203, 204**
New Java Package wizard, 200, **201**
node object, navigation site parts and, 148
noneditable portions of page, grayed text, 124-125, 138
normal mode, WebSphere Test Environment (WTE) and, 179, 181-193

O

OBJECTS site part, 147-148
opening page for WDSC, 15
outline pane
 debugging, 321
 Remote System Explorer (RSE), 341
 Web perspective, 25

P

Package Explorer, 483-484, **483, 484**
 style sheets and, 506, **506**
Page Designer, 36-37, **36**
 crosshatching on page and, 122-123, **123**, 138
 HTML page and, 36-37, **36**
 JSP pages, 47, **48**
 templates and, 118
pages, scrolling up/down, 158-159, **158, 159**
Palette, 49-59
 code entry in, 53-57, **53-57**
 default text in, 51, **51**
 Expression widget in, 55-56, **55, 56**
 JavaServer Pages drawer in, 49, **50**
 Scriptlet widget in, 51-52, **52**
 Scriptlet widget in, 56, **56**
 text entry in, 54-55, **54, 55**
 viewing source code in, 58-59, **58**
widgets in, 51-53, **51, 52, 53**
 Web perspective, 25
password, 359, **359**, 371, **371**, 412-413, **412**
pasting a file, 152, **152**
perspectives, 20-22, **20, 21, 22**, 24

closing views in, 346
creating, 342-350
Data perspective, 431-432, **432**
fast views in, 342, 343, **343**, 346-348, **347**
hiding views in, 344-346, **345**
iEdit perspective created in, 349, **349**
naming the new perspective, 350, **350**
Package Explorer view in, 483-484, **483, 484**
slide out views in, 344, **344**
PHP scripting language, 195
physical file creation, for database, 467, **467**
ports, Express server creation and, 561, **562, 563**
preference setting, 428-430, **428, 429**
prerequisites for WDSC, 2-4

Preview mode, 38, **38**
 Beans in JSPs and, 242-243, **243**
 HTML page and, 38, **38**
 templates, 82-84, **82, 83, 84**, 136, **136, 137**
 WebArt Designer, 112-113, **112, 113**
primitive variables, 325
Project Navigator, 24-25, 48, **48**
 Beans for dynamic Web sites and, 199, **199**
 Beans in JSPs and, 236, **236**
prompter, JAR file import and, 385-386, **385, 386**
properties for text, WebArt Designer, 102-103, **102**
Properties pane in Remote System Explorer (RSE), 341
Properties setting for WDSCHOST, 364
protected mode, templates, 138
publishing Web site to server, WebSphere Test Environment (WTE) and, 187, **187**

Q

Quick Edit view, 25

R

refactoring, 523-525, **524**
Refresh tool, 288, 289, **289**
relationship of various WDSC products, 12-13, **12**
relative links, 287-288, 291-294, **291-292**
Remote System Explore (RSE), 335, 337-343

- creating a perspective in, 342-350
 editor pane in, 341
 host connection in, 351-355, **352-355**
 library creation in, 356-361, **357-361**
 library list for connection in, 362-368, **362-368**
 log pane in, 341
 opening, 337-339, **339**
 outline pane in, 341
 perspective for, 340-341, **340**, 340
 closing views in, 346
 fast views in, 342, 343, **343**, 346-348, **347**
 hiding views in, 344-346, **345**
 iEdit perspective created in, 349, **349**
 naming the new perspective, 350, **350**
 sizing views in, 347-349, **347-349**
 slide out views in, 344, **344**
 properties pane in, 341
 Remote Systems view pane in, 341
 source file and member creation in, 369-376, **370-376**
 Subsystems option in, 364-365, **365**, **366**
 Web perspective, 24
 workbench for, **339**
- renaming files, 152, **153**
 resizing views, 188, **189**
 Resume tool, debugging and, 328, **328**
 rolling down a page, 158-159, **158**, **159**
 root, variable root, 324, **324**
 RPG program creation, for database, 470-471, **470**, **471**
 Run As menu, JAR file import and, 456-457, **456**
 Run on Server, WebSphere Test Environment (WTE) and, 182-183, **183**
- S**
- Sample Page Templates, 74
 Save Conflict dialog, jLpex RPG editor and, 389, **389**
 saving changes, 41-42, **42**, 59, 66-67, **66**, **67**, 88-89, 881, 157, 159
 asterisk to indicate pending changes, 42
 Beans for dynamic Web sites and, 207, **207**
 CSS Designer and, 174-175, **175**
- templates, 135-136, **135**, **136**
 WebArt Designer, 105-113, **108-113**
 WebArt File, 106-107
 scripting languages, 195
 Scriptlet widget, Palette, 51-52, **52**, 56, **56**
 scriptlets, in Beans, 244, **244**
 scrolling down a page, 158-159, **158**, **159**
 server selection
 application installation and, 569, **569**, **570**
 Beans in JSPs and, 245-247, **245**, **246**, **247**
 debugging and, 308-310, **308**, **309**, **310**
 Express server for, 555-566
 iSeries setup, host connection in, 351-355, **352-355**
 WebSphere Test Environment (WTE) and, 184-185, **184**
- servlet proxies, 255, 261-262
 servlets, 6, 195, 482-501. *See also* business logic on host
 Beans in JSPs and, 234
 business logic on host and, 482-501. *See also* business logic on host, 482
 CustListProxy.java for, 486-489, **486**, **487-489**, 501
 data is received from host using, 494-495, **494**
 editing and error correction in, 490-491, **490**, **491**
 fast view for, 484-485, **485**
 launching, Run on Server, 492-494, **492**, **493**
 mapping, 293-294
 Package Explorer view for, 483-484, **483**, **484**
 servlets, servlet proxies and JSP Model II in, 258-259, 261
 Throws clause added to, 491-492, **491**, **492**, 498
 session scope, Beans in JSPs and, 238
 Set Selector dialog, CSS Designer and, 170, **170**
- SideSteps explained, 6
 site parts, 146-148
 sitenav object, 147-148
 sizing views, 347-349, **347-349**
 slide out views in, 344, **344**
 Snippets view, 25

- Source Entry Utility (SEU), 16
jLpex RPG editor and, 383-384, **383**
source file and member creation, 369-376, **370-376**
for database creation, 464-466, **464, 465, 466**, 468-469, **468**
for business logic, 477-478, **477, 478**
Source mode, 37, **37**
 HTML page and, 37, **37**
 servlets, servlet proxies and JSP Model II in, 296-297, **297**
 templates, 124-125
Source view, Beans in JSPs and, 240, **240**
spec specification, invocation tags, 145
SQL, 2
start, end, separator, invocation tags in, 146
state, servlets in JSP Model II, 261-262
Status pane, 25
step-by-step debugging mode, 318-319, **318**, 328-329, **329**
step-into debugging, 317
string variables, 325
Struts, 577
style sheets, 138, 503-520
 buttons added to, 514-515, **514**
 code review for, 516-520, **516-520**
 editing/modifying code in, 509-511, **510, 511**
 links to, 284-294, **285-289**
 Master.css in, 506-509, **507, 520, 520**
 new style sheet shown for, **507-509**
 Package Explorer view for, 506, **506**
 page showing modifications, 513-514, **513**, 514
 running application and, 511-512, **512**
 step-by-step checklist for, 504
 table style in, 518
 templates, 138
styles, 165-177. *See also* CSS Designer; style sheets
 Add Style wizard in, 171-172, **171**
 adding new, 165-177, **167-177**
 saving changes in, 174-175, **175**
 selecting, 167-169, **168**
 text layout settings in, 172-174, **172, 173**
viewing changes in, 175-177, **175, 176, 177**
Styles view, 25
Submit Job (SBMJOB) wizard, 412-413, **413**, 416-417, **416**
Subsystems option, 364-365, **365, 366**
superclasses, 280
synchronization, Beans for dynamic Web sites and, 222-223
syntax checker, 1, 388
- T**
- table style, 518
tags, HTML, 36, 127-128, **128**
TAGS site part, 146-147
target, invocation tags in, 146
targetlevel, invocation tags in, 145
templates, 68-84, 115-162
 Apply Page Template wizard for, 73-75, **73**, 74, **75**
 applying a template, 119-120
 applying the selected template, 79, **79**
 applying to one page at a time, 69-70, 701
 BODY region in, 77, 78, 781, 127, 142, **142**
 code entry in, 242
 color selection for, 133-134, **133, 134**
 crosshatching on page and, 122-123, **123, 138**
 Design mode for, 122-123, **122**, 131, **131**
 editable portions in, 124-125, **125**
 HEAD region in, 77-78, **77**, 126-127, **126**, 142, **142**
 HTML code in, 144
 Increase Font Size tool in, 132-133, **133**
 lasso method to group pages for, 70-72, **70**, 71, **72**
 mapping process for, 76-78, **77, 78**
 modifying, 129-138, **129-138**
 naming, 120
 navigation site parts in, 139-144, **140**, 142-144
 invocation tags in, 145-146
 item object in, 148
 node object in, 148
 OBJECTS site part in, 147-148
 site parts in, 146-148

- sitenav object in, 147-148
 TAGS site part in, 146-147
 varStatus object in, 148
 navigation widget customization in, 149-162
 noneditable portions in, grayed text, 124-125,
 124
 opening, 131
 Page Designer and, template aware nature of,
 118
 Preview mode for, 82-84, **82, 83, 84**, 136,
 136, 137
 protected mode in, 138
 Sample Page Templates in, 74
 saving updates/ changes in, 81-84, **81, 82**,
 135-136, **135, 136**
 selecting available templates for, 75-76, **75**,
 76
 site part changes, 161, **162**
 Source mode for, 124-125
 step-by-step checklist for, 116-117
 style sheets and, 138
 User-Defined Page Templates in, 74, 120
 verifying action in, 80, **80, 81**
 wizards for, caution in use of, 161
 TestCONCAT class, **454**
 JAR file import and, 452-457, **452-457**
 TestCustomerList class, 223-224, **223-224**
 text box tool, WebArt Designer, 101, **101**
 text entry, 40, **40**
 HTML page and, 40, **40**
 Palette, **54-55, 54, 55**
 text layout settings, CSS Designer and, 172-174,
 172, 173
 text tool, WebArt Designer, 99, **99**
 theme folders, 151, **151**
 Throws clause, 491-492, **491, 492**, 498
 Thumbnails view, Web perspective, 25
 toolbars, 24
 to add page as Child, 44-45, **44, 61, 61**
 Web Site Designer, 30
 WebArt Designer, 96
 tree view of pages, 65, **65**
 TreeMap structure, Beans for dynamic Web
 sites and, 222
- U**
- UML editors, 2
 Update Manager, 537, **537**
 upgrading WDSC, 535-549
 approving changes in, 546, **546**
 Feature Install dialog for, 540-541, **541**
 Feature License dialog for, 541, **542**
 Feature Verification screen for, 544, **545**
 finding available updates, 538-540, **538-540**
 Install Location page for, 543, **544**
 optional features selection in, 542-543, **543**
 restarting computer to effect changes, **549**
 selecting updates to apply, 540-541, **540, 541**
 starting the installation/upgrade process,
 545-546, 545, 546
 starting WDSC for, 537, **537**
 step-by-step checklist for, 536
 successful install/upgrade performed, **548, 549**
 Summary screen for, 546, **546**
 Update Manager for, 537, **537**
 URLs, links to, 291-294, **291-292**
 useBean, 234, 241
 User Actions, 403-406, **404, 405**
 user ID, 359, **359**, 371, **371**, 412-413, **412**
 user profiles, 351-355, **353-355**
 User-Defined Page Templates, 74, 120
- V**
- variables
 debugging, inspecting and changing,
 322-329, 322-329
 primitives, 325
 root, variable root, 324, **324**
 setting value for, 326-327, **326**
 strings, 325
 values for, 325, **325**
 varStatus object, navigation site parts and, 148
 verification levels, jLpex RPG editor and,
 387-388, **387, 388**
 viewing source code, Palette, 58-59, **58**
 views
 case sensitivity of, 36
 closing, 346

Views, *continued*

- Eclipse technique, one view on page, 121-122, **121**
 - fast views, 342, 343, **343**, 346-348, **347**
 - hiding, 344-346, **345**
 - maximizing view, 155
 - resizing views in, 188, **189**
 - sizing, 342, 343, **343**, 347-349, **347-349**
 - slide out views in, 344, **344**
- VisualAge for Java (VAJ), 198
- VisualAge for RPG (VARPG), 336, 437-438, **438**

W

- WAR files, 2, 530-532, **530**, **531**, **532**. *See also* deployment
- watch breakpoint setting, for debugging, 421-422, **421-424**
- WDSHOST file, 351-355, **355**, 363, **364**
 - application installation and, 569
 - Express server and, 557
 - Properties setting for, 364
- WDSCLIB, Checkpoints and, 551-554
- Web Browser
 - debugging and, 327-328, **328**
 - WebSphere Test Environment (WTE) and, 189, **190**
- Web Deployment Descriptors, 295
- Web perspective, 20-22, **20**, **21**, **22**, 23-25
 - Attributes view in, 25
 - Cascading Style Sheets (CSS) in, 25
 - editor pane in, 25
 - fast views in, 24
 - features of, 23-25
 - Gallery view in, 25
 - JAR file import and, 443-444, **444**
 - main menu bar of, 24
 - opening, 20-22, **20**, **21**, **22**
 - Outline view in, 25
 - Palette pane in, 25
 - perspective bar of, 24
 - Project Navigator view in, 24-25
 - Quick Edit view in, 25
 - Remote Systems Explorer in, 24
- Snippets view in, 25
- status pane in, 25
- Styles view in, 25
- Thumbnails view in, 25
- tool bar of, 24
- Web Site Designer, 15-89
 - add page as Child in, 44-45, **44**, 61, **61**
 - add/create a Web project to, 26-27, **26**, **27**
 - Change Layout Orientation tool in, 66, **66**
 - configuring, 29-30, **29**, **30**
 - Create a Page wizard for, 45-46, **46**
 - enterprise application project/EAR files in, 27
 - hanging view of pages in, 65-66, **66**
 - HTML page creation in, 31-42, **31**
 - Attributes view in, 39
 - BODY tag for, 36
 - Design mode for, 39-40, **40**
 - Model fields in, 34
 - MySite tab (your project) in, 41, **41**
 - naming, 32-33, **33**
 - navigation box in, 32, **32**
 - New HTML File wizard for, 34, **35**, 62, **62**, **63**
 - Page Designer for, 36-37, **36**
 - Preview mode for, 38, **38**
 - saving changes in, 41-42, **42**
 - Source mode for, 37, **37**
 - tag manipulation in, 36
 - text entry in, 40, **40**
 - type of page selection for, 33-34, **34**
 - index page in, 68-69, **68**, 89, **89**
 - JavaServer Pages (JSPs) created in, 43-59
 - Create a Page wizard for, 45-46, **46**
 - naming, 43, **43**, 45, **45**, 47, **47**
 - Page Designer for, 47, **48**
 - Palette to create page in, 49-59
 - Project Navigator in, 48, **48**
 - saving changes in, 59
 - toolbar to add page as Child, 44-45, **44**
 - moving pages around in, 64-65, **65**, 87-88, **87**, **88**
 - naming pages in, 43, **43**, 45, **45**, 47, **47**
 - navigation labels in, 61, **61**
 - navigation widgets for, 85

-
- opening, 28-30, **28**, **29**, 227-228, **228**
 - Page Designer for, 36-37, **36**, 47, **48**
 - Palette to create page in, 49-59
 - Project Navigator in, 48, **48**
 - rearranging Web site, 60-67
 - saving changes in, 41-42, **42**, 59, 66-67, **66**, **67**, 88-89, **88**
 - step-by-step checklist for, 16-19
 - templates for, 68-84
 - Apply Page Template wizard for, 73-75, **73**, **74**, **75**
 - applying the selected template, 79, **79**
 - applying to one page at a time, 69-70, 701
 - BODY region in, 77, 78, **78**
 - HEAD region in, 77-78, **77**
 - lasso method to group pages for, 70-72, **70**, **71**, **72**
 - mapping process for, 76-78, **77**, **78**
 - Preview mode for, 82-84, **82**, **83**, **84**
 - Sample Page Templates in, 74
 - saving updates/changes, 81-84, **81**, **82**
 - selecting available templates for, 75-76, **75**, **76**
 - User-Defined Page Templates in, 74
 - verifying action in, 80, **80**, **81**
 - toolbar in, 30
 - toolbar to add page as Child, 44-45, **44**, 61, **61**
 - tree view of pages in, 65, **65**
 - Web perspective, 23-25
 - Attributes view in, 25
 - Cascading Style Sheets (CSS) in, 25
 - editor pane in, 25
 - fast views in, 24
 - features of, 23-25
 - Gallery view in, 25
 - main menu bar of, 24
 - opening, 20-22, **20**, **21**, **22**
 - Outline view in, 25
 - Palette pane in, 25
 - perspective bar of, 24
 - Project Navigator view in, 24-25
 - Quick Edit view in, 25
 - Remote Systems Explorer in, 24
 - Snippets view in, 25
 - status pane in, 25
 - Styles view in, 25
 - Thumbnails view in, 25
 - tool bar of, 24
 - Web site development, 6-7, 6
 - Web site testing, 7
 - Web Tooling, 336
 - WebArt Designer, 94-96, **94**-**96**
 - adding text to logo in, 97-104, **97**-**104**
 - color of text in, 103-104, **103**
 - Edit Navigation Label in, 86-87, **86**, **87**
 - finished logo in, 104, **104**
 - font selection in, 100, **100**
 - GIF settings for, 111-112, **111**
 - image galleries in, 96
 - navigating to workspace from, 107-108, **108**
 - opening, 94-96, **94**-**96**
 - positioning text in text box, 101-102, **101**, **102**
 - Preview mode in, 112-113, **112**, **113**
 - properties for text in, 102-103, **102**
 - saving changes in, 105-113, **108**-**113**
 - text box tool in, 101, **101**
 - text tool in, 99, **99**
 - toolbar in, 96
 - WebArt Files, 106-107
 - zoom level, magnifying glass tool in, 97-98, **97**, **98**, **97**
 - WebArt Files, 106-107, 106
 - WebFacing, 1, 336, 439, 577
 - WebSphere Studio Application Developer (WSAD) in, 12
 - WebSphere Studio Site Developer (WSSD), 12
 - WebSphere Development Studio Client (WDSC), 1, 12-13
 - applications for, 1
 - capabilities of, 1
 - client/server, 3
 - installation, 3-4, **4**
 - opening page, 15
 - prerequisites for, 2-4
 - relationship of various products in, 12-13, **12**
 - upgrading, 3, 535-549. *See also* upgrading WDSC
 - version 5.1.2, 577

WDSC, *continued*

- WDSC Advanced Edition (WDSC/AE), 12
- WebSphere Studio Application Developer (WSAD) in, 12
- WebSphere Studio Site Developer (WSSD) in, 12
 - workspace for, default, 4
- WebSphere Test Environment (WTE), 2, 7, 8, 179-194
 - breakpoints in, 194
 - computer and memory requirements for, 179
 - console view in, 187-188, **188**
 - debug mode in, 179, 180, 194
 - Express Test Environment in, 185, **185**
 - index page in, 191, **191**
 - J2EE and, 179
 - launching server, 187, **187**
 - loading test environment in, 185, **186**
 - messages in, 189-190, **189, 190**
 - new server creation in, 185, **186**, 187
- normal mode in, 179, 181-193
- opening, Run on Server, 182-183, **183**
- publishing Web site to server, 187, **187**
- resizing views in, 188, **189**
- server selection for, 184-185, **184**
- step-by-step checklist for, 180
- Web Browser tab in, 189, **190**
- widgets, Palette, 51-53, **51, 52, 53**
- workspace for WDSC, default, 4
 - Checkpoints and, 554
- writing business logic, 476-481. *See* business logic on host

X

- XML, 1

Z

- zoom level, magnifying glass tool, WebArt Designer, 97-98, **97, 98**