

Index

- ABORT option, RESTORE utility and, 252
- access methods, optimization and, 190, 195
- access plans, 189–190
 - db2exfmt graph of, 217, **217**
 - Visual Explain graph of, 212, **212**
- Activity Monitor, 289, 351–357, **351**
 - details reported by, 356, **357**
 - example of, database slow-down, 355–356, **356**
 - filters for, 353, **354**
 - launching, 351, **351**
 - locks and, 423–426, **423–426**
 - monitoring task selection for, 352–353, **353**
 - recommendations from, 356, **357**
 - setting up, 352, **352, 355**
- ADD XMLSCHEMA DOCUMENT, 49
- administration notification log, 486–488, **487, 488**
- Advanced Access Control Feature, DB2 products offering, 6
- agent-level memory, 386, 388, **388**
- AGENTID
 - application snapshots and, 316–324, **317–323**
 - lock contention and, 424–426, **424–426**
- agents
 - idle agent pool in, 392
 - Process Model and, 388–389, **389**
- AIX, i, 251, 451. *See also* operating system (OS)
 - performance
 - iostat utility and, 468–469, **469**
 - monitoring performance of, 464–469, **465–467, 469**
 - system logs for, 489–490
- alarms, exception-based monitoring and, 290
- allocation of memory . *See* Memory Model; Self Tuning Memory Manager
- ALLOW NO ACCESS option, LOAD utility and, 281
- ALLOW READ ACCESS option, LOAD utility and, 282–283
- ALLOW REVERSE SCAN clause, 161, 200
- ALTER BUFFERPOOL, 168–169
- ALTER TABLE, 12, 19
- American National Standards Institute (ANSI), 57
- annotated tree nodes, 35
- Apache, 30
- Apache Software Foundation, 30
- APPEND ON, 161
- application control blocks, Process Model and, 391
- application development, 12, 14–16
 - Developer Workbench and, 12, 15–16
 - integrated development environment (IDE) and, 15
 - Java Database Connectivity (JDBC) and, 12, 16
 - .NET integration and, 12, 14–15
- application groups, Process Model and, 391
- application-level monitor switches, 293–296
- applications
 - problem determination/troubleshooting and, 474–475
 - snapshots of, 313–316, **314–316**
 - snapshots of, on AGENTID, 316–324, **317–323**
- architecture of DB2 9 and XML, 33–35, **34**
- AS/400, i
- associative entity, 149–150
- Asynchronous Pages Read per Request (APPR), 177–178, 183, 185, 186, 437–438

- Asynchronous Read Milliseconds (ARMS), 180, 182–183, 436
 - Asynchronous Read Percentage (ARP), 178–179, 183, 184, 185
 - Asynchronous Read Ratio (ARR), 439–440
 - Asynchronous Write Milliseconds (AWMS), 438–439
 - attribute nodes, 42, 44*t*
 - attributes, XML, 28, 52, **52**
 - autoconfiguration, 524
 - autonomics. *See* self-management (autonomics)
 - Average Queue Length (AQL), 462–464, **463**
- B**
- backup and recovery, 12, 20, 225. *See also* BACKUP utility
 - Backup Services API (XBSA) and, 254
 - BACKUP utility for, 242–247
 - LOAD utility and, NONRECOVERABLE option for, 277
 - RECOVER utility in, 247–250
 - RESTORE utility in, 250–261
 - backup compression, 3
 - Backup Services API (XBSA), 254
 - BACKUP utility, 242–247. *See also* backup and recovery
 - authorities needed to run, 242
 - BUFFER buffer-size option in, 245
 - COMPRESS option in, 246
 - connecting to database for, 243
 - DATABASE database-alias option for, 243
 - example of, 247
 - EXCLUDE LOGS option in, 246
 - FAT file systems and, 244
 - INCLUDE LOGS option in, 246
 - libraries and, 245
 - LOAD library-name option in, 245
 - OPEN num-sessions SESSIONS option in, 244
 - options for, 243–247
 - PARALLELISM n option in, 245
 - RESTORE utility and, 250
 - TABLESPACE tablespace-name option for, 243
 - target directory/device for backups from, 244–245
 - Tivoli Storage Manager (TSM) and, 243
 - TO dir/dev option in, 244–245
 - USE TSM option for, 243
 - UTIL_IMPACT_PRIORITY option in, 245–246
 - Windows and, 244
 - WITH num-buffers BUFFERS option in, 245
 - WITHOUT PROMPTING option in, 247
 - Berkeley DB, 29
 - Berners-Lee, Tim, 24
 - BINARY, 14
 - Java Database Connectivity (JDBC) and, 16
 - block-based buffer pools, 184, 186. *See also* buffer pools
 - Boyce-Codd normal form (BCNF), 150, 154–155
 - breakout strategy, table space, 163
 - breakpoints, in stored procedures, 85, **85**, **88**, **88**
 - BUFFER buffer-size option
 - BACKUP utility and, 245
 - RESTORE utility and, 258, 260
 - buffer pools, 163, 165–186, 426–444
 - altering, with ALTER BUFFERPOOL, 168–169
 - Asynchronous Pages Read per Request (APPR) in, 177–178, 183, 185, 186, 437–438
 - Asynchronous Read Milliseconds (ARMS) in, 180, 182–183, 436
 - Asynchronous Read Percentage (ARP) in, 178–179, 183, 184, 185
 - Asynchronous Read Ratio (ARR) and, 439–440
 - Asynchronous Write Milliseconds (AWMS) and, 438–439
 - BACKUP utility and, 245
 - block-based, 184, 186
 - BLOCKSIZE in, 168
 - Combined Hit Ratio (CBHR) and, 434–435
 - Control Center to provide information on, 181
 - CPU resources and, 166, 186
 - creating, 166–168
 - Data Hit Ratio (DHR) and, 436
 - DB2 initial creation of, 169
 - DEFERRED option in, 168
 - design of, 163
 - dropping, with DROP BUFFERPOOL, 169
 - event monitoring and, 374
 - EXTENTSIZE of, 168, 185, 186
 - FLUSH command and, 171
 - I/O strategy and, 167–168, 171–172, 179–181, 182–183, 184, 185–186
 - Index Hit Ratio (IHR) and, 435
 - indexes and, 165
 - LOAD utility and, 278–279
 - logical reads and, 165
 - materialized query tables and, 182, 184
 - monitoring performance of, 159–181, 430, 431–433*t*
 - Asynchronous Pages Read per Request (APPR) in, 177–178, 183, 185, 186, 437–438
 - Asynchronous Read Milliseconds (ARMS) in, 180, 182–183, 436
 - Asynchronous Read Percentage (ARP) in, 178–179, 183, 184, 185

- Asynchronous Read Ratio (ARR) and, 439–440
 Asynchronous Write Milliseconds (AWMS) and, 438–439
 efficiency/effectiveness determination in, 172–181
 event monitors for, 171–172
 GET MONITOR SWITCHES in, 170
 Index Hit Ratio (IHR) in, 175–176, 186
 monitor switches in, 170
 Overall Hit Ratio (OHR) in, 176, 186
 Overall Read Milliseconds (ORMS) in, 179–180, 182–183
 Physical Pages Read per Minute (PRPM) in, 176–177, 183, 186
 prefetch effectiveness in, and PREFETCHSIZE, 177–178
 snapshot commands for, using GET SNAPSHOT, 170–171, 173, **173–174**
 Synchronous Read Percentage (SRP) in, 178–179, 183, 184, 185
 Synchronous Read Milliseconds (SRMS) in, 180, 182–183
 table space snapshot in, **174–175**
 UPDATE MONITOR SWITCHES in, 170
 NUMBLOCKPAGES in, 168
 online transaction processing (OLTP) and, 165, 183–186
 optimization and, 165
 optimum assignment of, 184–185
 overall read milliseconds (ORMS) and, 439
 page cleaners for, 442–444
 dirty page steal cleaner triggers for, 443
 no victim buffer available in, 443–444
 Pages Added per Day (PPD) rate for, 183
 performance and tuning of, 426–444. *See also* monitoring of
 Physical Pages Read Per Minute (PPRPM) and, 438
 physical reads and, 165
 prefetch effectiveness in, and PREFETCHSIZE, 177–178, 186, 444
 Process Model and, 390
 RESTORE utility and, BUFFER buffer-size option for, 258, 260
 RESTORE utility and, WITH num-buffers BUFFERS option for, 258, 260
 Self Tuning Memory Manager and, 394, 395–396, **395, 396**
 size of, 166, 168, 185–186
 snapshots of, 306–307, **306–307**, 427, **427–430**
 speed of memory access and, 165–166
 Synchronous Read Milliseconds (SRMS) and, 437
 Synchronous Write Milliseconds (SWMS) and, 440–442, **440–441**
 table activity determination and, 181–182
 table space activity determination and, 182–183
 table space assignment to, 183–184
 tuning of, 163, 165–186
 Bufferpool Synchronous/Asynchronous I/O Manager, 390
 business entities, in logical design, 141, 142, 142*t*
 business intelligence (BI), 5
 business model, logical design, 140–142, **141**
 business rules, 144
- ## C
- C language, 26
 Call Level Interface (CLI), 14
 callout script (db2cos), 499
 candidate key, logical design and, 146
 cardinality, 147
 Cartesian products, optimization and, 197
 cascade delete, 146
 catalog tables, event monitoring and, SYSCAT view, 378–379
 Cell Editor, XML, 109–114, **109–114**
 Cerf, Vint, 24
 CERN laboratory, 24
 character large objects. *See* CLOBs
 characteristic entity, 148–149
 Chen, P.P., 144
 child nodes, XML, 27, 52
 classes of optimization, 194–199
 CLIENT option, LOAD utility and, 269
 client-server structure, Process Model and, 388–390
 CLOBs, 31
 Cloudscape, 6
 clustering indexes, 236
 clustering, multidimensional (MDC) indexes and, 162
 COBOL, 26
 Codd, E.F., i, 148, 150
 code, problem determination/troubleshooting and, 475–476
 columns, XML, 32
 Cell Editor for, 109–114, **109–114**
 INCLUDE. *See* INCLUDE columns
 inserting XML document into, 109–114, **109–114**
 RUNSTATS and, 223
 Combined Hit Ratio (CBHR), 434–435
 Command Line Processor (CLP)
 size limit for, 14
 snapshots from, 291

- comment nodes, 43, 44*t*
 - COMMIT, 374
 - Common Language Routine (CLR), 14–15
 - COMPLETE XMLSCHEMA, 49
 - COMPRESS attribute and LOAD utility, 268
 - COMPRESS option, BACKUP utility and, 246
 - compression, 225–226, 261–265. *See also* backup compression; INSPECT; row compression
 - BACKUP utility and, COMPRESS option in, 246
 - INSPECT and, 225, 261–265
 - Lempel-Ziv, 17
 - REORG and, 265
 - RESTORE utility and, COMPRESSION LIBRARY option for, 253
 - ROWCOMPESTIMATE option in, 262
 - schemas and, 263
 - table spaces and, 263
 - tables and, 263
 - COMPRESSION LIBRARY option, RESTORE utility and, 253
 - COMPRLIB name option
 - RESTORE utility and, 260
 - RECOVER utility and, 249
 - COMPROPTS option
 - RECOVERY utility and, 249
 - RESTORE utility and, 260
 - Computer Associates, 140
 - concentrator. *See* Connection Concentrator
 - conceptual model, logical design, 142, **142**
 - Connect Unlimited Edition for zSeries, 6
 - Connection Concentrator, DB2 products offering, 3, 5
 - connection pooling, Java Database Connectivity (JDBC) and, 16
 - Connection Properties, Developer Workbench and, 66–68, **67**, **68**, **69**
 - connection reuse, Java Database Connectivity (JDBC) and, 16
 - connectivity
 - event monitoring and, 374
 - problem determination/troubleshooting and, 473–474
 - trusted connections and, 14
 - constraints, 156
 - logical design and, 144
 - contention, lock, 423–426, **423–426**
 - CONTINUE option, RESTORE utility and, 252
 - CONTROL, 234, 261
 - Control Center, DB2
 - Activity Monitor launched from, 351–357, **351**
 - browsing XML documents using, 44, **44**
 - buffer pools and, 181
 - exception-based monitoring and, 290
 - list application command launched from, 331, **332**
 - native XML data store and, 13
 - Visual Explain and, 208–214, **209–214**
 - coordinator agents, Process Model and, 391
 - COPY NO option, LOAD utility and, 276
 - copy of DB2, 522
 - COPY using db2move, 233
 - COPY YES option, LOAD utility and, 277
 - CPU
 - buffer pools and, 166, 186
 - high utilization of, monitoring performance of, 458, **452**, **453**, **455–458**
 - CPU_PARALLELISM option, LOAD utility and, 279
 - CREATE, 133
 - CREATE DATABASE, RESTRICT option for, 20
 - CREATE EVENT MONITOR, 375–378
 - CREATE INDEX, 205–207
 - CREATE TABLE, 334
 - PARTITION BY RANGE clause for, 201–202, **202**
 - CURRENT EXPLAIN MODE register, 214
 - cursors, LOAD utility and, load from, 286–288
 - customer relationship management (CRM), 5, 197, 199
- ## D
- DAD. *See* Document Access Definition
 - DADX. *See* Document Access Definition Extension
 - Data Access Definition (DAD) files, 31
 - DATA BUFFER....option, LOAD utility and, 278
 - Data Definition Language (DDL), 160–161
 - Data Development Project wizard, Developer Workbench and, 71, **71**
 - Data Event Publisher, WebSphere, 8
 - Data Explorer, Developer Workbench and, 70
 - Data Hit Ratio (DHR), 436
 - data interchange using XML, 30, 33
 - data load time
 - LOAD utility and, 18
 - performance issues and, 12, 18
 - SOURCEUSEREXIT and, 18
 - Data Model, XPath (XDM), 13, 37, 39, 41–45, 48, 51
 - nodes in, 41–45, 43–44*t*
 - sequences in, 41
 - Data perspective view, Data icon, in Developer Workbench, 65, **65**, 70, **70** 95
 - Data Protection Services (DPS), 390
 - Data Specifier, XML (XDS), 226, 229
 - data type, XML. *See* XML data type
 - Data Type Definition (DTD), 29
 - Developer Workbench and, 96
 - data warehousing, 8

- DATABASE 2, *i*
- database administration, 12, 19
- database administrator (DBA), 1
- DATABASE database-alias option
- BACKUP utility and, 243
 - RECOVERY utility and, 248
- Database Enterprise Developer Edition, 6
- database event monitor, 374
- Database Management Services (DMS), 390
- Database Manager, *i*
- db2pd utility and, 364, 364–367*t*
 - snapshots of, 296–299, **297–298**
- Database Monitor Table, REORG and, 240
- Database Partitioning Feature (DPF), 17
- DB2 products offering, 5, 6
 - db2cos for, 499
 - Self Tuning Memory Manager and, 398
- database shared memory. *See* database-level memory
- database snapshots, 299–305, **299–304**
- DATABASE source-database-alias option, RESTORE and, 252
- database-level memory, 386, 387–388, **388**, 413–447
- Design Advisor and, 418
 - Health Center and, 418, **418**
 - logs for, 444–446, **445**, 445–447*t*
 - Self Tuning Memory Manager and, 394
 - snapshots of, 413, **413–417**
 - sort overflow errors and, 418–419, **418**
 - sort performance and, 413–419, **413–417**
- databases, XML-only, 29–30
- DB2 for Common Servers, *i*
- DB2 history and development, *i*
- DB2 hybrid architecture. *See* hybrid architecture, DB2
- db2 list utilities, REORG and, 240
- DB2 Storage Model. *See* Storage Model, DB2
- DB2 Universal Database. *See* Universal Database, DB2
- DB2_COPY_NAME variable, 522
- DB2_ENABLE_AUTOCONFIG_DEFAULT, 524
- DB2_FORCE_FCM_BP variable, 521
- DB2_LARGE_PAGE_MEM variable, 522
- DB2_LGPAGE_BP variable, 521
- DB2_MAX_LOB_BLOCK_SIZE, 524
- DB2_MEM_TUNING_RANGE variable, 522
- DB2_OPT_MAX_TEMP_SIZE, 523–524
- DB2_PINNED_BP variable, 522
- DB2_SCATTERED_IO variable, 521
- DB2Connection.deregisterDB2XMLObject, 49
- DB2Connection.registerDB2XMLSchema, 49
- db2cos, 499
- db2diag tool, 476, 477–486
- command parameters for, 478, **478**
 - First Failure Data Capture (FFDC) format in, 483
 - invoking/starting, 478
 - log file for, 481–484, **482**, 482*t*, **483**, **485**
 - Notepad to view output of, 480, **480**
 - output from, 479–480, **479**, **480**
 - SQL Communications Area (SQLCA) and, 484–486, **485**
 - system logs for, 489–490
 - uses for, 477
- db2exfmt explain facility, 208
- access plan graph in, 217, **217**
 - CURRENT EXPLAIN MODE register and, 214
 - Design Advisor and, 219–220, 219–220*t*
 - explain table creation in, using EXPLAIN.DDL, 218–220
 - operator details from, 218, **218**
 - options for, 215, 215*t*
 - output from, 215–218, **216**, **217**
 - parameters and package information from, 216, **216**
- db2expln explain facility, 208
- db2-fn/sqlquery function, 41, 54–55
- db2-fn/xmlcolumn, 41, 54–55
- db2inspf tool, INSPECT utility and, 264
- db2list history, REORG and, 239
- db2look command, 232–233
- db2move utility, 233
- RESTORE utility and, 251
- db2mtrk command, 371, 421. *See also* Memory Tracker
- db2pd tool, 21, 182, 289, 358–371
- authorities needed to run, 359
 - Database Manager level information from, 364, 364–367*t*
 - default setting for, 359, **360**
 - examples of, 363–371
 - Fast Communication Manager (FCM) buffer and, 358
 - locks and, 358, 368–371, **368–371**, 420
 - operating system level information from, 363, **364**, 468
 - options for, 359, 360, 361–363*t*
 - output from, 359
 - problem determination/troubleshooting and, 497, **497**
 - REORG and, to monitor, 240
 - running, 359
 - transaction-level information from, 367–371, **367–371**
- db2pdcfg, 497–498, **498**
- DB2RCMD_LEGACY_MODE variable, 522–523
- db2sample_XML, 49
- db2support. *See* Support, DB2
- db2trc (trace) utility, 21, 490–492
- db2xprrt tool, 495, **495**, **496**

- DBADM, 234, 261, 268, 375
- DBPATH ON target-directory option, RESTORE utility and, 256
- DBWLINUXAIO variable, 521
- dbXML Core, 30
- DCOM. *See* Distributed Component Object Module
- deadlocks
 - detection of, 422
 - event monitoring and, 374–375
- DECFLOAT, 14
 - Java Database Connectivity (JDBC) and, 16
- decomposing XML documents, 31
- DEFERRED option
 - buffer pools and, 168
 - LOAD utility and, 281
- DELETE, 133, 137
 - cascade, 146
 - deletion anomalies and, 155
- deletion anomalies, 155
- denormalization, 159–161
 - forward engineering and, 160–161
 - reverse engineering and, 160
- Derby, in Developer Workbench, 59
- Derby Java, in Developer Workbench, 16
- DESCRIBE statement, SQL administrative routines and convenience views, 334, **334**
- Design Advisor, 221
 - database-level memory and, 418
 - db2exfmt and, 219–220, 219–220*t*
 - optimization and, 200, 221
- design, logical. *See* logical design
- design, physical. *See* physical design
- determinants, logical design and, 146
- Developer Workbench, DB2, 7, 59–122, 133
 - application development enhancements and, 12, 15–16
 - connecting to database with, 63, **63**, 66–68, **67**, **68**, **69**, 72, **73**
 - Connection Properties in, 66–68, **67**, **68**, **69**
 - Data Development Project wizard in, 71, **71**
 - Data Explorer in, 70
 - Data perspective view in, Data icon, 65, **65**, 70, **70**, 95
 - Database Explorer in, 66
 - Development Center and, migrating projects to, 16
 - Eclipse and, 59
 - help panel in, 64, **64**
 - integrated development environment (IDE) and, 15
 - Java Development Kit (JDK) in, 73, **73**
 - launching, 60, **60**
 - naming the project, 72, **72**
 - native XML data store and, 13
 - new project created in, 74, **74**
 - opening the workbench in, workbench icon, 65, **65**
 - platforms supported by, 59
 - project creation in, 70–74, **71**
 - Schema Repository (XSR) and, 49
 - SQL and, 15, 59
 - SQL/XML and, 59
 - SQLJ and, 133
 - startup, 62, **62**
 - stored procedure (SQL) creation in, 59, 74–93, 133
 - breakpoints in, for debugging, 85, **85**, 88, **88**
 - column selection for, 79, **79**
 - conditions for query selected in, 80, **80**
 - Construct an SQL Statement box in, 78, **78**
 - creating, 74, **74**
 - debugging, 85–89, **86**
 - deploying, 83–84, **83**, **84**
 - exporting, 90–93, **90–93**
 - input parameters added to, 82, **82**
 - input variables for debugging of, 87, **87**
 - language for, 75, **75**
 - naming, 74, **75**
 - running the query using, 81, **81**
 - SQL statements import/create for, 76–77, **76**, **77**
 - step-into in, for debugging, 89, **89**
 - table selection for, 78, **78**
 - topology view in, 95–96, **96**
 - user defined functions and, 59, 133
 - user ID and password for, 69, **69**
 - uses/applications for, 15–16
 - Welcome tab for, 61
 - Workspace Launcher, workspace setup on, 60–61, **61**
 - workspace switching in, 94–95, **94**, **95**
 - XML and, 96–114
 - Cell Editor for, 109–114, **109–114**
 - Data Type Definition (DTD) in, 96
 - document generation from schema in, 106–109, **106–109**
 - Editor Design window in, 109, **109**
 - element name and type in, 100–101, **100**, **101**
 - elements added to schema in, 99, **99**, 102, **102**
 - Graph view for, 102, **103**
 - inserting document into XML column using, 109–114, **109–114**
 - Navigator view in, 106, **106**
 - registering schemas for, 104–106, **104–106**
 - root element selection in, 107–108, **107**
 - schema creation in, 97–98, **97**, **98**
 - Schema Editor, schema in, 96–98, **98**
 - Source view for, 102, **102**

- validating the document in, 112–113, **112**, **113**, **114**
 - XQuery and, 15, 59, 114–122, 133
 - adding representative XML documents to, 118, **118**
 - document selection for, 117, **117**
 - drag and drop SKU node in, 119, **119**
 - For Logic (FLWOR) grid in, 120, **120**, **121**
 - logical statements added to, 120, **120**, **121**
 - naming the query in, 115, **115**
 - operators added to, 120, **121**
 - representative documents for, 116, **116**, 117–118, **117**, **118**
 - reviewing results of, 122, **122**
 - table and column selection for, 116, **117**
 - viewing the query, in Source tab, 121, **121**
 - XQuery Builder in, 114, **114**, 118, **119**
 - developers, 3
 - Database Enterprise Developer Edition for, 6
 - Development Center, 15, 16, 59. *See* Developer Workbench
 - DFT_QUERYOPT parameter, 194–199. *See also* optimization, optimizer
 - dirty page steal cleaner triggers, 443
 - Discovery Kit CD for DB2, 2
 - DISK_PARALLELISM option, LOAD utility and, 279
 - dispatcher, Process Model and, 391
 - DISTINCT, 161, 418
 - Distributed Component Object Module (DCOM), Service Oriented Architecture (SOA) and, 124
 - distributed systems, i
 - DNS. *See* Domain Name Service
 - Document Access Definition (DAD) files, 135
 - Document Access Definition Extension (DADX), 134–136, **136**, 137–138, **137**
 - document nodes, 42, 43*t*
 - Document Type Definition (DTD), 25–26, 48
 - db2look command and, 232–233
 - documents, XML, 27, **27**
 - inserting into an XML column, 109–114, **109–114**
 - validation of, 112–113, **112**, **113**, **114**
 - Domain Name Services (DNS), 129
 - Domain/key normal form (DK/NF), 150, 156–157
 - domains, 156
 - Dr. Watson, 493
 - Driver for JDBC, 14
 - DROP BUFFERPOOL, 169
 - dumps, problem determination/troubleshooting and, 492–493
 - dynamic SQL snapshot, 324–326, **324–326**
- ## E
- Eclipse, 13, 15, 59. *See also* Developer Workbench
 - editions of DB2, 1–9
 - Editor Design window, Developer Workbench and, 109, **109**
 - electronic data interchange (EDI) and XML, 30, 33
 - element nodes, 42, 44*t*
 - elementary key normal form (EKNF), 150
 - elements, XML, 27–28, 52, **52**
 - adding to schema, using Developer Workbench, 99, 102, **102**
 - naming, using Developer Workbench, 100–101, **100**, **101**
 - type of, using Developer Workbench, 100–101, **100**, **101**
 - Embarcadero Technologies, 140
 - END OF LOGS option, RECOVERY utility and, 248
 - enhancements to DB2, 11–21
 - application development, 12, 14–16
 - backup and recovery, 12, 20
 - installation and fix pack, 12, 19–20
 - manageability, 12, 18–19
 - native XML data store support in, 12, 13
 - performance and scalability, 12, 17–18
 - problem determination/troubleshooting, 12, 21
 - security, 12, 20
 - Enron, 139
 - enterprise resource planning (ERP), 5, 197, 199
 - Enterprise Server Edition (ESE), DB2, 4, 5–6
 - entities, 145. *See also* logical design
 - associative, 149
 - characteristic, 148–149
 - logical design and, 145
 - entity-relationship (ER) diagrams, 142, **142**, 144. *See also* logical design
 - environment variables, new in DB2, 521–524
 - ER/Studio, 140
 - error handling, 21. *See also* problem determination and troubleshooting
 - db2pd commands in, 21
 - db2diag.log and, 476
 - db2trc (trace) command in, 21
 - Support site in, 476, **476**, 500–505, **500**, 501–503*t*
 - ERwin, 140
 - escalation, lock, 421
 - event analyzer, event monitoring and, 381–382, **382**
 - event monitoring, 289, 373–382
 - buffer pools and, 171–172
 - creating, using CREATE EVENT MONITOR, 375–378
 - event analyzer for, 381–382, **382**

- event monitoring, *continued*
 - event condition options for, WHERE clause and, 376–377
 - locks and, 378
 - options for, 376
 - output from, event monitor tables for, 374, 377
 - output from, WRITE TO option for, 377
 - partitions and, 378
 - scope options for, 378
 - snapshots and, 374
 - starting and stopping, with SET EVENT MONITOR, 376
 - table options for, 378 for, 379–381
 - types of, 374–375
 - WITH DETAILS option and, 375
 - Event Viewer tool, administration notification log in, 486–488, **487**, **488**
 - exception-based monitoring, 289, 290–291
 - Control Center and, 290
 - Health Center and, 290
 - health indicators and, 290
 - warnings or alarms in, 290
 - EXCLUDE LOGS option, BACKUP utility and, 246
 - explain facilities
 - CURRENT EXPLAIN MODE register and, 214
 - db2exfmt facility for, 208, 214–220, 215*t*, **216**, **217**, **218**
 - db2expln facility for, 208
 - Design Advisor and, 219–220, 219–220*t*
 - EXPLAIN.DDL and, 218–220
 - selectivity and, 213–214, **213**
 - timer on cost elements and, 207
 - Visual Explain for, 208–214. *See also* Visual Explain
 - EXPLAIN.DDL, 218–220, 218
 - EXPORT, 230–233
 - example of, 231–232
 - MODIFIED BY option for, 230, 231
 - options for, 230
 - SQL and, 231–232
 - XML TO xml-path option for, 230
 - XMLFILE filename option for, 230
 - XMLQUERY function in, 232
 - XMLSAVESCHEMA option for, 230, 231
 - XQuery and, 231–232, 231
 - XQuery Data Model (QDM) instances for, 230, 231
 - EXPORT using db2move, 233
 - exporting data, Developer Workbench and, 15
 - Express C edition, DB2, 2, 2*t*
 - Express edition, DB2, 2–3
 - expressions, XQuery, components of, 40–41
 - Extender, XML, 32
 - Extensible Markup Language. *See* XML
 - Extensible Stylesheet Language Transformation (XSLT), 29
 - XPath and, 41
 - XQuery and, 41
 - EXTENTSIZE, 185, 186
 - Extract, Transform, and Load (ETL) tools, 267–268. *See also* LOAD utility
- ## F
- Fast Communication Manager (FCM) buffer, 358
 - FAT file systems, BACKUP utility and, 244
 - federated servers, WebSphere Federation Server for, 8
 - Federation Server, WebSphere, 8
 - FETCH_PARALELLISM option, LOAD utility and, 280
 - File-name option, INSPECT utility and, 263
 - Financial Information eXchange XML (FIXML) standard, 30
 - First Failure Data Capture (FFDC) format, 483, 489, 491
 - first in, first out (FIFO) queues, 444
 - first normal form (1NF), 150, 151–152
 - fix packs, 12, 19–20
 - FLUSH, 171
 - FLUSH PACKAGE CACHE DYNAMIC, 194
 - FLWOR expressions, 138. *See also* For Logic FOR, 138
 - For Logic (FLWOR) grid, in Developer Workbench, 120, **120**, **121**
 - foreign key, in logical design, 146
 - forward engineering, 160–161
 - frequency statistics, 222
 - FROM directory/device option, RESTORE utility and, 254–255
 - FROM filename....option, LOAD utility and, 270
 - functional dependencies, 145–146
- ## G
- GENERATE SCRIPT script option, RESTORE utility and, 259
 - Geodetic Management Feature, DB2 products offering, 6
 - GET MONITOR SWITCHES, 170
 - GET SNAPSHOT, 170–171, 296–316
 - Gnu GPL, 453
 - Google, 474
 - Governor, DB2, 3, 5
 - Graph view, in Developer Workbench, 102, **103**
 - greedy joins, optimization and, 195, 196
 - green pages, UDDI, 130, 131*t*
 - Griffiths, Nigel, 465

GROUP BY, 161, 418
Gunning, Phil, ii

H

hash joins, performance and tuning of, 419
Health Center/Health Monitor, 289, 335–351, **336**, 488
 configuring settings for, using Launchpad, 338, **338**
 database-level memory and, sort performance and, 418, **418**
 enabling, 337–338
 examples of, 345–350, **345–350**
 exception-based monitoring and, 290
 health beacons in, 337
 health indicators, 339, 340–342, **340**
 home panel for, 336, **337**
 Instance Settings for, 339, **339**
 locks and, 420
 Memory Visualizer and, 350, **350**
 monitoring, 338
 object selection for, 341–343, **341**, **342**, **343**
 problem determination/troubleshooting and, 488
 sort overflow example using, 345–350, **345–350**
 threshold settings for, 339, **340**, 342–343, 344, **344**
health indicators, 290, 339, 340–342, **340**
Healthcare Insurance Portability and Accountability (HIPAA), 139
help, in Developer Workbench, 64, **64**
hierarchical organization of elements in XML, 27, 34, 52, **52**
High Availability Disaster Recovery (HADR)
 DB2 products offering, 4
 DB2 products offering, 3, 5
 Self Tuning Memory Manager and, 408–409
High Availability Feature, in DB2 products offering, 4
High Water Mark (HWM), 420–421, **420**
history and development of XML, 23–26
HISTORY FILE option, RESTORE utility and, 253
history files
 RECOVERY utility and, USING HISTORY FILE option for, 249
 REORG and, 239
 RESTORE utility and, HISTORY FILE option for, 253
 RESTORE utility and, REPLACE HISTORY FILE option for, 258
 snapshots of, storage of, 291
Homogeneous Federation Feature, DB2 products offering, 3, 4, 5
HP, 251
HP-UX, i

HTML. *See* Hypertext Markup Language
HTTP. *See* Hypertext Transfer Protocol
HTTPS. *See* secure HTTP
hybrid architecture, DB2, 45–49, **46**
 components of, 46, **46**
 optimizer extensions in, 47–48
 pureXML and, 45, 46
 query compiler in, 47–48, **47**
 Query Graph Model (QGMX) and, 47
 SQL and, 46
 XPath and, 46
 XQuery and, 46
 XQuery and, 47
hybrid databases/data servers, 11
Hypertext Markup Language (HTML), 24–26
Hypertext Transfer Protocol (HTTP), 126, 129

I

I/O flow and buffer pools, 167–168, 171–172, 179–186
i5/OS, i
 Developer Workbench and, 59
idle agent pool, Process Model and, 392
IMPORT, 226–229, 233
 Data Specifier, XML (XDS) and, 226, 229
 example of, 228–229
 LOAD utility and, 267
 XML FROM path in, 226
 XMLPARSE and, 226, 228
 XMLVALIDATE and, 226–228
IMPORT using db2move, 233
INCLUDE columns, 161
 Design Advisor and, 221
 optimization and, 200
INCLUDE LOGS option, BACKUP utility and, 246
INCREMENTAL option, RESTORE utility and, 254
independent software vendors (ISVs), 2, 3
Index Hit Ratio (IHR), 175–176, 186, 435
INDEX index-name option, REORG and, 236
index-sargable predicates, 200–201
indexes, 161–162
 ALLOW REVERSE SCAN clause and, 200
 buffer pools and, 165
 clustering, 236
 CREATE INDEX for, 205–207
 creating, 161–162
 Design Advisor and, 221
 Index Hit Ratio (IHR) in, 175–176, 186, 435
 index-sargable predicates and, 200–201, 200
 LOAD utility and, 287–288

indexes, *continued*

LOAD utility and, INDEXING MODE option for, 280

multidimensional clustering (MDC), 162

optimization and, 200

Process Model and, 390

region. *See* region indexes

REORG and, 239

REORG and, INDEXES ALL FOR TABLE option in, 234–235

REORG INDEXES command and, 238

REORGanizing data in, 233–242. *See also* REORG utility

REORGCHK command and, 238

RUNSTATS and, 222, 223

SQL and, 161

XML, 11, 204–207

 creating, using CREATE INDEX, 205–207

INDEXES ALL FOR TABLE option, REORG and, 234–235

INDEXING MODE option, LOAD utility and, 280–281

INDEXSCAN option, REORG and, 237–238

Information Center, 471–472, **472**

Information Engineering (IE) notation, 158

information management products, 7–8

Information Management System (IMS), 29

information sources, online, 507–508

Informix, 358

Informix Dynamic Server (IDS) Enterprise Edition, 6, 8

Informix Extended Parallel Server, 8

INPLACE option, REORG and, 236–237

INSERT, 137

 insertion anomalies and, 155

 LOAD utility and, 267, 274

Insert-column option, LOAD utility and, 275

insertion anomalies, 155

INSPECT, 225, 261–265. *See also* compression

 authorities needed to use, 261

 compression using, ROWCOMPESTIMATE option in, 262–263

 db2inspf tool and, 264

 example of, 265–265, **264**

 File-name option in, 263

 KEEP option in, 263

 REORG and, 265

 RESULTS option in, 263

 row compression and, 265

 SCHEMA option in, 263

 TABLE NAME option in, 263

 TBSPACEID n OBJECT ID n option in, 263

installation, 12, 19–20

instance-level memory, 386, 387, **387**, 409–412

 piped and nonpiped sorts in, 412

 post threshold sorts and, 409

 shared sorts and, 409–412

 snapshot monitor for, 409, **410–411**

instance-level monitor switches, 293

instances, XML, 27

integrated development environment (IDE), 15

Integrated Exchange Format (IXF), 270

International Standards Organization (ISO) and SGML, 24

Internet and XML, 24

Internet Engineering Task Force (IETF), 129

INTO option, LOAD utility and, 275

INTO target-database-alias option, RESTORE utility and, 257

iostat utility, 468–469, **469**

IXF. *See* Integrated Exchange Format

J

Java, 26

 Developer Workbench and, 15, 16

Java Call Control (JCC) trace, 490

Java Database Connectivity (JDBC), 16

 application development enhancements and, 12, 16

 Driver for JDBC and, 14

 trace in, 490

 trusted connections and, 14

Java Development Kit (JDK), Developer Workbench and, 73, **73**

joins

 greedy, 195, 196

 hash, performance impact of, 419

 nested loop, 195

 optimization and, 190, 195, 196, 200

 star, 195

K

Kahn, Bob, 24

KEEP option, INSPECT utility and, 263

keys

 candidate, 146

 foreign, 146

 logical design and, 146

 primary, 146

L

label-based access control (LBAC), 20

large objects. *See* LOBs

- large-record identifiers, performance issues and, 12, 18
- legacy systems, 522
- Lempel-Ziv compression, 17
- LET, 138
- libraries
 - BACKUP utility and, 245
 - RECOVERY utility and, COMPRLIB option for, 249
 - RESTORE utility and, COMPRESSION LIBRARY option for, 253
 - RESTORE utility and, LOAD shared-library option for, 255
- licensing, 3–4
- limits, for SQL and XQuery, 509–519, 510–519
- Linux, i, 1, 451. *See also* operating system (OS)
 - performance
 - db2cos for, 499
 - db2diag tool and, 477–486
 - db2pd utility and, 359
 - Developer Workbench and, 15, 59
 - iostat utility and, 468–469, **469**
 - monitoring performance of, 464–469, **465–467, 469**
 - Linux, UNIX, Windows (LUW) offerings, 1
 - list application command, Command Center launch for, 331, **332**
 - list prefetch, optimization and, 195
 - LOAD library-name option, BACKUP utility and, 245
 - LOAD shared-library option, RESTORE utility and, 255
 - LOAD using db2move, 233
 - LOAD utility, 18, 267–288
 - ALLOW NO ACCESS option for, 281
 - ALLOW READ ACCESS option for, 282–283
 - authorities needed to use, 268–269
 - buffer pools and, 278–279
 - CLIENT option for, 269
 - COMPRESS attribute and, 268
 - COPY NO option for, 276
 - COPY YES option for, 277
 - CPU_PARALLELISM option for, 279
 - DATA BUFFER...option for, 278
 - DEFERRED option for, 281
 - DISK_PARALLELISM option for, 279
 - examples of, 285–286
 - Extract, Transform, and Load (ETL) tools and, 267–268
 - FETCH_PARALLELISM option for, 280
 - FROM filename...option for, 270
 - IN PROGRESS and, 281
 - indexes and, 287–288
 - INDEXING MODE option for, 280–281
 - INSERT option for, 274
 - Insert-column option for, 275
 - INTO option for, 275
 - IXF files and, 270
 - load from cursor capabilities of, 286–288
 - LOBS FROM...option for, 271
 - LOCK WITH FORCE option for, 284–285
 - MESSAGES option for, 273
 - METHOD option for, 271–272
 - MODIFIED BY option for, 271
 - monitoring status of, SNAP_UTIL_PROGRESS and, 269
 - NONRECOVERABLE option for, 277
 - NORANGEEXC option for, 275
 - NOURNIQUEEXC option for, 276
 - OF filetype option for, 270
 - options for, 269–285
 - parallelism and, 279–280
 - REPLACE option for, 274
 - RESTART option for, 274
 - ROWCOUNT option for, 273
 - RUNSTATS and, 276
 - SAVECOUNT n option for, 272–273
 - security labels and, 269
 - SELECT and, 276
 - SET INTEGRITY command and, 281
 - SET INTEGRITY PENDING CASCADE option for, 283–284
 - SORT BUFFER option for, 278–279
 - SOURCEUSEREXITexecutable option for, 285
 - STATISTICS NO option for, 276
 - STATISTICS USE PROFILE option for, 276
 - tables and, 287–288
 - TEMPFILES PATH option for, 274
 - temporary files and, 274
 - TERMINATE option for, 275
 - Tivoli Storage Manager (TSM) and, 277
 - WARNINGCOUNT option for, 273
 - WITHOUT PROMPTING option for, 278
- LOBS, 524
 - Java Database Connectivity (JDBC) and, 16
 - LOAD utility and, LOBS FROM...option for, 271
 - LOBS FROM...option, LOAD utility and, 271
 - LOCK WITH FORCE option, LOAD utility and, 284–285
- locks
 - Activity Monitor and, 423–426, **423–426**
 - AGENTID and, 424–426, **424–426**
 - contention issues, resolving using Activity Monitor, 423–426, **423–426**
 - db2mtrk utility and, 421
 - db2pd utility and, 358, 368–371, **368–371, 420**
 - deadlock detection and, 422

Locks, *continued*

- escalations of, 421
- event monitoring and, 374–375, 378
- exclusive, escalation of, 422
- Health Monitor and, 420
- high water mark (HWM) for, 420–421, **420**
- LOAD utility and, LOCK WITH FORCE option for, 284–285
- maxlocks parameter setting and, 421
- Memory Tracker and, 420, **420**
- performance and tuning of, 420–426
- Process Model and, 390
- REORG and, 241
- Self Tuning Memory Manager and, 394
- snapshots of, 309–313, **310–313**
- log files, db2diag tool and, 481–484, **482, 482t, 483, 485**
- logical design, 139–159. *See also* physical design
 - associative entity in, 149–150
 - business entities defined in, 141, 142, 142*t*
 - business model in, 140–142
 - business rules defined in, 144
 - candidate key in, 146
 - cardinality in, 147
 - characteristic entity in, 148–149
 - completed output of, 158–159
 - conceptual model in, 142, **142**
 - constraints in, 144, 156
 - Data Definition Language (DDL), 160–161
 - deletion anomalies and, 155
 - determinants in, 146
 - domains in, 156
 - entities in, 145
 - entity-relationship (ER) diagrams in, 142, **142**, 144
 - foreign key in, 146
 - functional dependencies in, 145–146
 - Information Engineering (IE) notation in, 158
 - keys in, 146
 - logical model in, 143–144, **143**
 - mandatory relationships in, 144
 - many-to-many relationships in, 148, **148**
 - modeling tools for, 140, 158
 - normalization, 144–145, 150–157
 - Boyce-Codd normal form (BCNF) in, 150, 154–155
 - deletion anomalies and, 155
 - Domain/key normal form (DK/NF) in, 150, 156–157
 - elementary key normal form (EKNF) in, 150
 - first normal form (1NF) in, 150, 151–152
 - insertion anomalies and, 155
 - project-join normal form (PJNF) in, 150
 - second normal form (2NF) in, 150, 152–154
 - themes in, 153–154, 153
 - third normal form (3NF) in, 150, 154
 - one-to-many relationships in, 147–148, **148**
 - one-to-one relationships in, 147, **147**
 - optional relationships in, 144
 - primary key in, 146
 - relational database management systems (RDBMS) and, 141
 - relations in, 145
 - relationships defined in, 143–150, **143**
 - Unified Modeling Language (UML) for, 158
- logical reads, buffer pools and, 165
- logs
 - administration notification, 486–488, **487, 488**
 - BACKUP utility and, EXCLUDE LOGS option in, 246
 - BACKUP utility and, INCLUDE LOGS option in, 246
 - database monitoring, 444–446, **445, 445–447t**
 - Dr. Watson for, 493
 - Event Viewer tool and, 486–488, **487, 488**
 - First Failure Data Capture (FFDC) format in, 483, 489, 491
 - monitoring data in, 444–446, **445, 445–447t**
 - performance and tuning of, 444–446, **445, 445–447t**
 - RECOVERY utility and, OVERFLOW LOG PATH option for, 249
 - RESTORE utility and, 250
 - LOGTARGET directory option for, 257
 - LOGS option for, 254
 - NEWLOGPATH option for, 258
 - Self Tuning Memory Manager and, 398, **398–408**
 - snapshot data in, 444–446, **445, 445–447t**
 - system, 489–490
- LOGS option, RESTORE utility and, 254
- LOGTARGET directory option, RESTORE utility and, 257
- looping, hash join, 419

M

- maintenance policies, 12, 19
- manageability enhancements, 12, 18–19
 - ALTER TABLE for, 12, 19
 - database administration and, 12, 19
 - maintenance policies and, 12, 19
- mandatory relationships, 144
- many-to-many relationships, 148, **148**
- MarkLogic Server, 29
- Materialized Query Tables (MQT)

- buffer pools and, 182, 184
- DB2 products offering, 6
- Design Advisor and, 221
- optimization and, 196
- performance issues and, 12, 17–18
- memory
 - Self Tuning Memory Manager (STMM) and, 19
 - speed of access and buffer pools to, 165–166
- Memory Model, DB2, 386–382, **386**
 - agent-level, 386, 388, **388**
 - allocation of storage in DB2, 386–392, **386**
 - database-level, 386, 387–388, **388**
 - instance-level, 386, 387, **387**
 - private memory in, 388, **388**
 - Self Tuning Memory Manager (STMM) and, 388, 392–409. *See also* Self Tuning Memory Manager
 - shared memory, database, 387–388, **388**
- Memory Tracker, 289, 371–373
 - db2mtrk command to initiate, 371
 - locks and, 420, **420**
 - output from, **372–373**, 373
- Memory Visualizer, 289, 350, **350**
- MESSAGES option, LOAD utility and, 273
- METHOD option, LOAD utility and, 271–272
- Microsoft SQL Server, 8
- MIGRATE utility, 265–267
 - TERMINATE command and, 266
- migration
 - MIGRATE utility and, 265–267
 - RESTORE utility and, 251
- modeling tools, logical design and, 140, 158
- MODIFIED BY option
 - EXPORT and, 230, 231
 - LOAD utility and, 271
- monitor switches, 292–206, **292**, **294**, **296**
 - Activity Monitor and, 355
 - application-level, 293–296
 - buffer pools and, 170
 - enabling, using UPDATE MONITOR SWITCHES, 294
 - instance-level, 293
 - resetting, using RESET MONITOR, 295–296, **296**
 - status of, 294, **294**
 - UPDATE DATABASE CONFIGURATION and, 293
 - valid, 294–295
- monitoring, 289–383
 - Activity Monitor, 289, 351–357, **351**
 - details reported by, 356, **357**
 - example of, database slow-down, 355–356, **356**
 - filters for, 353, **354**
 - launching, 351, **351**
 - monitoring task selection for, 352–353, **353**
 - recommendations from, 356, **357**
 - setting up, 352, **352**, **355**
 - snapshot monitor switches and, 355
- AIX operating system performance, 464–469, **465–467**, **469**
- buffer pools and, 430, 431–433*t*
- database performance, logs for, 444–446, **445–447t**
- db2pd utility for, 289, 358–371
 - authorities needed to run, 359
 - Database Manager level information from, 364, 364–367*t*
 - default setting for, 359, **360**
 - examples of, 363–371
 - Fast Communication Manager (FCM) buffer and, 358
 - locks and, 358, 368–371, **368–371**
 - operating system level information from, 363, **364**
 - options for, 359, 360, 361–363*t*
 - output from, 359
 - running, 359
 - transaction-level information from, 367–371, **367–371**
 - UNIX/Linux systems and, 359
- event, 289, 373–382
 - authorities needed to run, 375
 - catalog tables for, SYSCAT view, 378–379
 - creating, using CREATE EVENT MONITOR, 375–378
 - event analyzer for, 381–382, **382**
 - event condition options for, WHERE clause and, 376–377
 - locks and, 378
 - options for, 376
 - output from, event monitor tables for, 374, 377, 379
 - output from, WRITE TO option for, 377
 - partitions and, 378
 - scope options for, 378
 - snapshots and, 374
 - starting and stopping, with SET EVENT MONITOR, 376
 - table options for, 378, 379–381
 - types of, 374–375
 - WITH DETAILS option and, 375
 - write-to-table, 379–381
- exception-based, 289, 290–291
- Health Center and Health Monitor, 289, 335–351, **336**. *See also* Health Center/Health Monitor
 - configuring settings for, using Launchpad, 338, **338**
 - enabling, 337–338

- monitoring, *continued*
 - examples of, 345–350, **345–350**
 - health beacons in, 337
 - health indicators in, 339, 340–342, **340**
 - home panel for, 336, **337**
 - Instance Settings for, 339, **339**
 - Memory Visualizer and, 350, **350**
 - monitoring, 338
 - object selection for, 341–343, **341, 342, 343**
 - sort overflow example using, 345–350, **345–350**
 - threshold settings for, 339, **340**, 342–343, 344, **344**
 - Linux operating system performance, 464–469, **465–467, 469**
 - logs for, 444–446, **445**, 445–447*t*
 - Memory Tracker for, 289, 371–373
 - db2mtrk command to initiate, 371
 - output from, **372–373, 373**
 - Memory Visualizer for, 289, 350, **350**
 - online, 289, 290
 - operating system (OS), 449–470
 - AIX, 464–469, **465–467, 469**
 - average queue length (AQL) and, 462–464, **463**
 - db2pd utility and, 468
 - high CPU and disk utilization in, 450–458, **452, 453, 455–458**
 - iostat utility and, 468–469, **469**
 - Linux, 464–469, **465–467, 469**
 - methodology for, 450
 - Multi Router Traffic Grouper (MRTG) and, 453
 - SQL gone wild and, 459–464, **459–463**
 - Visual Explain of, 460, **461**
 - performance, tuning and, 385–386
 - snapshot, 289, 291–335. *See also* snapshot monitoring
 - SQL administrative routines and convenience views vs., 327–335, 327–329*t*
 - SQL administrative routines and convenience views vs., 327–335, 327–329*t*
 - default monitor switch enabling for, 333, **333**
 - DESCRIBE statement for, 334, **334**
 - how often to use, 329–330
 - list applications command and, 331, **332**
 - SYSIBMADM schema for, 329
 - SYSIBMADM.SNAPSTMT view in Control Center of, 330–331
 - SQL, 459–464, **459–463**
 - table spaces and, 430, 431–433*t*
 - warnings or alarms in, 290
 - Multi Router Traffic Grouper (MRTG), 453
 - multidimensional clustering (MDC) indexes, 162
 - multidimensional clustering (MDC) tables, 3, 6
 - Design Advisor and, 221
 - REORG and, 236
 - MVS, i
- ## N
- namespace nodes, 42, 44*t*
 - namespaces, XML, 28–29, 52, **53**
 - native XML data store, 12, 35, **35**, 50–54, **50**
 - Control Center, 13
 - Developer Workbench and, 13
 - region indexes in, 54
 - regions for subtrees/nodes, 54
 - size of XML documents and, 51
 - SQL queries and, 13
 - StringID assignment in, 52–53, **53**
 - XPath Data Model (XDM) and, 13, 51
 - XQuery language and, 13
 - Navigator view, Developer Workbench and, 106, **106**
 - nested loop joins, 195
 - Net Search Extender, 6
 - .NET
 - application development/integration with, 12, 14–15
 - Common Language Routine (CLR) and, 14–15
 - Data Provider for, 14, 15
 - NEWLOGPATH directory option, RESTORE utility and, 258
 - no victim buffer available, 443–444
 - nodes, XML, 27, 35, 52, **52**
 - Data Model, XPath (XDM) and, 41–45, 43–44*t*
 - region indexes for, 54
 - regions for, 54
 - NONRECOVERABLE option, LOAD utility and, 277
 - NORANGEEXC option, LOAD utility and, 275
 - normalization, 150. *See also* logical design
 - Boyce-Codd normal form (BCNF) in, 150, 154–155
 - deletion anomalies and, 155
 - denormalization and, 159–161
 - Domain/key normal form (DK/NF) in, 150, 156–157
 - elementary key normal form (EKNF) in, 150
 - first normal form (1NF) in, 150, 151–152
 - insertion anomalies and, 155
 - logical design and, 144–145, 150–157.
 - project-join normal form (PJNF) in, 150
 - second normal form (2NF) in, 150, 152–154
 - themes in, 153–154
 - third normal form (3NF) in, 150, 154
 - Notepad to view db2diag output, 480, **480**
 - NOURNIQUEEXC option, LOAD utility and, 276

O

- OASIS Consortium, 30
- Oetiker, Tobi, 453
- OF filetype option, LOAD utility and, 270
- ON path-list option, RESTORE utility and, 246–257
- one-to-many relationships, 147–148, **148**
- one-to-one relationships in, 147, **147**
- online analytical processing (OLAP), optimization
 - of, 196
- online DB2 information sources, 507–508
- online monitoring, 289, 290
- ONLINE option, RESTORE utility and, 253
- online reorganization. *See* reorganization, online, 3
- online transaction processing (OLTP), 3, 5, 163, 197, 199, 464
 - asynchronous read ratio (ARR) and, 439–440
 - buffer pools and, 165, 183–186
 - Process Model and, 391
 - sort overflow errors and, 418–419, **418**
 - XML and, 31
- OnStat utility, 358. *See also* db2pd utility
- Open Database Connectivity (ODBC), trace in, 490
- OPEN num-sessions SESSIONS option
 - BACKUP utility and, 244
 - RESTORE utility and, 254
- Operating System Services (OSS), Process Model and, 390
- operating systems (OS) performance, 449–470
 - AIX, 464–469, **465–467, 469**
 - average queue length (AQL) and, 462–464, **463**
 - db2pd utility and, 363, **364, 468**
 - high CPU and disk utilization in, 450–458, **452, 453, 455–458**
 - iostat utility and, 468–469, **469**
 - Linux, 464–469, **465–467, 469**
 - monitoring methodology for, 450
 - Multi Router Traffic Grouper (MRTG) and, 453
 - SQL gone wild and, 459–464, **459–463**
- optimization, optimizer, 47–48, 189–224
 - access methods and, 190, 195
 - access plans and, 189–190
 - ALLOW REVERSE SCAN clause and, 200
 - BI/DW environments and, 199
 - buffer pools and, 165
 - Cartesian products and, 197
 - changing configuration parameters and, using FLUSH PACKAGE CACHE DYNAMIC for, 194
 - classes of, 194–199
 - customer relationship management (CRM) and, 197, 199
 - Design Advisor and, 200, 221
 - DFT_QUERYOPT parameter in, 194–199
 - BI/DW environments and, 199
 - greedy joins and, 195, 196
 - optimization class 0 in, 194–195
 - optimization class 1 in, 195
 - optimization class 2 in, 195
 - optimization class 3 in, 196–197
 - optimization class 5 in, 197
 - optimization class 7 in, 198
 - optimization class 9 in, 198
 - production environments and, 199
 - QUERYOPT bind option and, 198
 - recommendations for class selection in, 198–199
 - SCM environments and, 199
 - SET CURRENT QUERY OPTIMIZATION and, 198
 - trial-and-error process in, 199
 - enterprise resource planning (ERP) and, 197, 199
 - explain facilities and, 207–220. *See also* Visual Explain
 - flushing the package cache and, using FLUSH PACKAGE CACHE DYNAMIC for, 194
 - greedy joins and, 195, 196
 - INCLUDE columns and, 200
 - index-sargable predicates in, 200–201, 200*t*
 - indexes and, 200
 - inputs to, 192, 192–193*t*
 - join techniques and, 190, 195, 196, 200
 - list prefetch and, 195
 - materialized query tables (MQT) and, 196
 - online analytical processing (OLAP) and, 196
 - online transaction processing (OLTP) and, 197, 199
 - ORDER BY and, 200
 - partition elimination and, 201–204, **202**
 - Performance Optimization Feature, 3, 4
 - predicates and, 199–201, 200*t*
 - PREPARE in, 192
 - program preparation for, 190–194
 - QUERYOPT bind option and, 198
 - range delimited predicates in, 200–201, 200*t*
 - registry variables and, 193
 - residual predicates in, 200–201, 200*t*
 - RUNSTATS and, 194, 221–224
 - SELECT and, 199
 - selectivity and, 213–214, **213**
 - Self Tuning Memory Manager and, 392–393
 - SET CURRENT QUERY OPTIMIZATION and, 198
 - SQL and, active and dynamic, 191
 - SQL/XML compiler and, 189, 190, 191–194, **191**

- optimization, optimizer, *continued*
 - SQL/XML predicate coding best practices for, 199–201
 - star joins and, 195
 - star schemas and, 197
 - statistics used in, SYSSTAT catalog views for, 193–194
 - Storage Optimization Feature, 3, 6
 - SYSCAT.SYSPACKAGES for, 190
 - Visual Explain and, 203–204, **203**, **204**
 - XML indexes and, 204–207
 - XQuery and, 189, 199–201
 - z/OS and, 196
- optional relationships, 144
- Oracle, 8
- ORDER BY, 138, 161, 200, 418
- Organization Europeenne pour la Recherche Nucleaire (CERN), 24
- OS/2, i, 1
- Overall Hit Ratio (OHR), 176, 186
- Overall Read Milliseconds (ORMS), 179–180, 182–183, 439
- OVERFLOW LOG PATH option for, 249
- overflow
 - hash join, 419
 - sort, 418–419, **418**
- P**
- package cache
 - RUNSTATS and, 224
 - Self Tuning Memory Manager and, 394
- page cleaners
 - buffer pools and, 442–444
 - dirty page steal cleaner triggers for, 443
 - no victim buffer available in, 443–444
- Pages Added per Day (PPD) rate, 183
- parallelism, 3
 - LOAD utility and, 279–280
- PARALLELISM n option
 - BACKUP utility and, 245
 - RESTORE utility and, 259, 260
- parent nodes, XML, 27, 52
- parsing XML documents, 31
 - XMLPARSE and, 226, 228
- PARTITION BY RANGE clause, 201–202, **202**
- partitioning, 17. *See also* table partitioning
 - Database Partitioning Feature (DPF) and, 17
 - Design Advisor and, 221
 - elimination of, 201–204, **202**
 - enabling, using PARTITION BY RANGE clause for, 201–202, **202**
 - event monitoring and, 378
 - utilities and, 226
 - Visual Explain and, 203–204, **203**, **204**
- password, Developer Workbench and, 69, **69**
- patroller. *See* Query Patroller
- performance, 12, 17–18, 385–448
 - Activity Monitor, locks and, 423–426, **423–426**
 - Asynchronous Pages Read per Request (APPR) in, 177–178, 183, 185, 186, 437–438
 - Asynchronous Read Milliseconds (ARMS) in, 180, 182–183, 436
 - Asynchronous Read Percentage (ARP) in, 178–179, 183, 184, 185
 - Asynchronous Read Ratio (ARR) and, 439–440
 - Asynchronous Write Milliseconds (AWMS) and, 438–439
- buffer pool, 426–444
 - Asynchronous Pages Read Per Request (APPR) and, 437–438
 - Asynchronous Read Milliseconds (ARMS) and, 436
 - Asynchronous Read Ratio (ARR) and, 439–440
 - Asynchronous Write Milliseconds (AWMS) and, 438–439
 - Combined Hit Ratio (CBHR) and, 434–435
 - Data Hit Ratio (DHR) and, 436
 - Index Hit Ratio (IHR) and, 435
 - monitoring elements for, 430, 431–433*t*
 - Overall Read Milliseconds (ORMS) and, 439
 - page cleaners for, 442–444
 - Physical Pages Read Per Minute (PPRPM) and, 438
 - prefetch and, 444
 - snapshot of, 427, **427–430**
 - Synchronous Read Milliseconds (SRMS) and, 437
 - Synchronous Write Milliseconds (SWMS) and, 440–442, **440–441**
- data load in, 12, 18
- Database Partitioning Feature (DPF) and, 17
- database-level memory, 387–388, **388**, 413–447
 - logs for, 444–446, **445**, 445–447*t*
 - Design Advisor and, 418
 - Health Center and, 418, **418**
 - snapshots of, 413, **413–417**
 - sort overflow errors and, 418–419, **418**
 - sort performance and, 413–419, **413–417**
- hash joins and, 419
- Index Hit Ratio (IHR) in, 175–176, 186
- instance-level memory, 386, 387, **387**, 409–412

- piped and nonpipid sorts in, 412
 - post threshold sorts and, 409
 - shared sorts and, 409–412
 - snapshot monitor for, 409, **410–411**
 - sorts and, 409–412
- large record identifiers in, 12, 18
- Lempel-Ziv compression and, 17
- locks, 420–426
 - AGENTID and, 424–426, **424–426**
 - contention issues, resolving using Activity Monitor, 423–426, **423–426**
 - deadlock detection and, 422
 - escalations of, 421
 - exclusive lock escalation and, 422
 - High Water Mark (HWM) for, 420–421, **420**
 - logs, snapshots, and, 444–446, **445**, 445–447*t*
 - materialized query tables in, 12, 17–18
 - Memory Model and, 386–392, **386**
 - agent-level, 386, 388, **388**
 - allocation of storage in DB2, 386–382, **386**
 - database-level, 386, 387–388, **388**
 - instance-level, 386, 387, **387**
 - private memory in, 388, **388**
 - Self Tuning Memory Manager (STMM) and, 388, 392–409. *See also* Self Tuning Memory Manager
 - shared memory, database, 387–388, **388**
 - monitor switches and, 295
 - monitoring and, 385–386
 - operating system. *See* monitoring, operating systems; operating systems
 - Overall Hit Ratio (OHR) in, 176, 186
 - Overall Read Milliseconds (ORMS) in, 179–180, 182–183
 - Pages Added per Day (PPD) rate for, 183
 - Physical Pages Read per Minute (PRPM) in, 176–177, 183, 186
 - prefetch effectiveness in, and PREFETCHSIZE, 177–178, 444
 - problem determination/troubleshooting and, 474–475
 - Process Model and, 388–392, **389**
 - agents in, 388–389, **389**
 - application control blocks and, 391
 - application groups and, 391
 - buffer pools and, 390
 - Bufferpool Synchronous/Asynchronous I/O Manager and, 390
 - client-server structure of, 388–390
 - coordinator agents in, 391
 - Data Protection Services (DPS) and, 390
 - Database Management Services (DMS) and, 390
 - dispatcher in, 391
 - idle agent pool in, 392
 - indexes and, 390
 - locks and, 390
 - online transaction processing (OLTP) and, 391
 - Operating System Services (OSS) and, 390
 - Relational Data Services (RDS) and, 390
 - transaction flow within, 390
 - row compression in, 12, 17
 - Self Tuning Memory Manager (STMM), 386, 388, 392–409
 - algorithms used by, 392–393
 - allocation of memory by, 392
 - buffer pools and, 394, 395–396, **395**, **396**
 - Database Partitioning Feature and, 398
 - database shared memory and, 394
 - default setting for, 394
 - enabling, 393–394, **393**
 - heaps amenable to tuning by, 394
 - High Availability Disaster Recovery (HADR) configuration and, 408–409
 - locks and, 394
 - log for, 398, **398–408**
 - memory amenable to allocation by, 393
 - optimization and, 392–393
 - package cache and, 394
 - sorts and, 394
 - time required for tuning when using, 393
 - tuning modes in, 396–408
 - tuning process using, 392
 - sorts and, 409–412
 - statistical views in, 12, 18
 - Synchronous Read Percentage (SRP) in, 178–179, 183, 184, 185
 - Synchronous Read Milliseconds (SRMS) in, 180, 182–183
 - table partitioning in, 12, 17
 - table spaces and, 430, 431–433*t*
 - tools used in, 385
- Performance Optimization Feature, 3, 4
- Personal Edition, DB2, 4–5
- PHP Data Object (PDO), 2
- PHP5, 2
- physical design, 159–163. *See also* logical design
 - buffer pool strategy in, 163
 - Data Definition Language (DDL) and, 160–161
 - denormalization, 159, 161–162
 - forward engineering and, 160–161
 - reverse engineering and, 160
 - index creation in, 161–162
 - space requirements of, 162–163

- physical design, *continued*
 - table creation in, 162–163
 - table space creation in, 162–163
 - breakout strategy for, 163
- Physical Pages Read per Minute (PRPM), 176–177, 183, 186, 438
- physical reads, buffer pools and, 165
- pipelined and nonpipelined sorts, instance-level memory, 412
- PowerDesigner, 140
- predicates and
 - index-sargable, 200–201, 200*t*
 - optimization and, 199–201, 200*t*
 - range delimited, 200–201, 200*t*
 - residual, 200–201, 200*t*
- prefetch and
 - buffer pools and, PREFETCHSIZE, 177–178, 444
 - performance and tuning of, 444
- PREPARE, 192
- primary key, logical design and, 146
- private memory, 388, **388**
- Problem Analysis and Environment Collection tool, 500
- problem determination/troubleshooting, 12, 21, 471–506
 - administration notification log for, 486–488, **487**, **488**
 - aids for, 477–500
 - categories of, 472
 - code, 475–476
 - connectivity, 473–474
 - db2cos for, 499
 - db2diag tool, 476, 477–486
 - command parameters for, 478, **478**
 - First Failure Data Capture (FFDC) format in, 483
 - invoking/starting, 478
 - log file for, 481–484, **482**, 482*t*, **483**, **485**
 - Notepad to view output of, 480, **480**
 - output from, 479–480, **479**, **480**
 - SQL Communications Area (SQLCA) and, 484–486, **485**
 - system logs for, 489–490
 - uses for, 477
 - db2pd tool for, 497, **497**
 - db2pdcfg for, 497–498, **498**
 - db2support. *See* Support site
 - db2xprt tool for, 495, **495**, **496**
 - Dr. Watson for, 493
 - dumps for, 492–493
 - Event Viewer tool for, administration notification log in, 486–488, **487**, **488**
 - First Failure Data Capture (FFDC) format in, 483, 489, 491
 - Health Monitor and, 488
 - Information Center and, 471–472, **472**
 - performance and application, 474
 - Problem Analysis and Environment Collection tool for, 500
 - problem management request (PMR) and, 497
 - RUNSTATS and, 474–475
 - SQLCODES and, 497–498
 - stack traces in, 497, **497**
 - Support site in, 476, **476**, 500–505, **500**, 501–503*t*
 - system logs for, 489–490
 - trace, CLI for, 490
 - trace, db2trc utility for, 490–492
 - traps for, 494
- Problem Management Request (PMR), 497
- Process Model, 388–392
 - agents in, 388–389, **389**
 - application control blocks and, 391
 - application groups and, 391
 - buffer pools and, 390
 - Bufferpool Synchronous/Asynchronous I/O Manager and, 390
 - client-server structure of, 388–390
 - coordinator agents in, 391
 - Data Protection Services (DPS) and, 390
 - Database Management Services (DMS) and, 390
 - dispatcher, 391
 - idle agent pool in, 392
 - indexes and, 390
 - locks and, 390
 - online transaction processing (OLTP) and, 391
 - Operating System Services (OSS) and, 390
 - Relational Data Services (RDS) and, 390
 - transaction flow within, 390
- processing instruction nodes, 43, 44*t*
- product overview, DB2, 1–9. *See also* enhancements to DB2
 - Database Enterprise Developer Edition in, 6
 - DB2 Developer Workbench in, 7
 - DB2 Enterprise Server Edition (ESE) in, 4–6
 - DB2 Express C, 2, 2*t*
 - DB2 Express, 2–3
 - DB2 Personal Edition in, 4–5
 - DB2 Workgroup Server Edition (WSE) in, 3–4, 6
 - Discovery Kit CD for, 2
 - editions available in, 1
 - information management products, WebSphere, and, 7–8
 - licensing details for, 3–4
 - PHP Data Object (PDO) and, 2
 - Ruby on Rails in, 2
 - Starter Toolkit for, 2
 - XML support across all editions in, 1

- production environments, optimization and, 199
- Project-Join Normal Form (PJNF), 150
- projects, in Developer Workbench, 70–74, **71**
- prolog, XQuery queries, 39–41, **40**
- protocols, for Service Oriented Architecture (SOA), 124
- pureXML, ii, 45, 46
- DB2 products offering, 4, 5, 6
 - Service Oriented Architecture (SOA) and, 123
- ## Q
- Q-Replication, 8
- quantile statistics, 222
- queries. *See also* XQuery
- SQL only, 55, 56–57
 - SQL/XML, 55, 57
 - user defined functions (UDFs) in, 56
 - XQuery. *See* XQuery
- query body, XQuery queries, 39–41, **40**
- query compiler, 47–48, **47**
- Query Graph Model (QGMX), 47
- query parallelism, DB2 products offering, 3, 6
- Query Patroller (QP), DB2 products offering, 3
- QUERYOPT bind option, optimization and, 198
- ## R
- range delimited predicates, 200–201, 200*t*
- Rational Application Developer, 140
- Rational Software Architect (RSA), 158
- real-time insight, DB2 products offering, 6
- REBIND, REORG and, 238
- REBUILD WITH option, RESTORE utility and, 252–253
- RECOVER utility, 247–250
- authorities required for, 247–248
 - COMPRLIB option for, 249
 - COMPROPTS option for, 249
 - DATABASE database-alias option for, 248
 - END OF LOGS option for, 248
 - examples of, 250
 - logs and, copying, 249
 - options for, 248–250, 248
 - OVERFLOW LOG PATH option for, 249
 - RESTART option for, 250
 - TO isotime option for, 248
 - USING HISTORY FILE option for, 249
- recovery. *See* backup and recovery
- REDIRECT option, RESTORE utility and, 259
- region indexes, 54
- REGISTER XMLSCHEMA, 49
- registering XML schemas, using Developer Workbench, 104–106, **104–106**
- registry variables, optimization and, 193
- Relational Data Services (RDS), Process Model and, 390
- relational data vs. XML, 26–29
- relational database management systems (RDBMs), i–ii
- hybrid DB2 architecture and, 45–49, **46**
 - logical design and, 141
 - XML and, 31–33
- relations, logical design and, 145
- relationships. *See also* logical design
- cardinality in, 147
 - logical model, 143–150, **143**
 - mandatory, 144
 - many-to-many, 148, **148**
 - one-to-many, 147–148, **148**
 - one-to-one, 147, **147**
 - optional, 144
- Remote Command Service, DB2, 523
- Remote Procedure Call (RPC), Service Oriented Architecture (SOA) and, 124
- REOPT bind option, RUNSTATS and, 223
- REORG utility, 233–242
- authorities needed to run, 234
 - compression and, 265
 - Database Monitor Table and, 240
 - db2 list utilities for, 240
 - db2list history to view, 239
 - db2pd tool to monitor, 240
 - examples of, 241–242, 241
 - free space designated for, using PCTFREE value, 239
 - history files for, 239
 - indexes and, 234–235, 239
 - clustering, 236
 - INDEXES ALL FOR TABLE option in, 234–235
 - INDEXSCAN option in, 237–238
 - locking for, S-locks and, 241
 - multidimensional clustering (MDC) tables and, 236
 - online vs. offline, 234
 - performance and, 239
 - REBIND and, 238
 - recovery history file to receive output from, 239
 - REORG INDEXES command and, 238
 - REORG TABLE command and, 238
 - REORGCHK and, 238, 239
 - restarting stopped, 241
 - RUNSTATS and, 238
 - snapshots to monitor, 240
 - stopping, 241
 - tables and, 235–238
 - INDEX index-name option for, 236

- REORG utility, tables and, *continued*
 - INDEXSCAN option in, 237–238
 - INPLACE option for, 236–237
 - TABLE table-name option for, 235–236
 - USE tablespace-name option in, 237
 - tips and techniques for using, 239–241
 - unsuccessful use of, 239
- REORG INDEXES command, 238
- REORG TABLE command, 238
- reorganization, online, DB2 products offering, 2–4
- REORGCHK command, 238, 239
- REPLACE EXISTING option, RESTORE utility and, 258–259
- REPLACE HISTORY FILE option, RESTORE utility and, 258
- REPLACE option, LOAD utility and, 274
- replication, 8
- Replication Server, WebSphere, 8
- RESET MONITOR, 295–296, **296**
- residual predicates, 200–201, 200t
- RESTART option
 - LOAD utility and, 274
 - RECOVERY utility and, 250
- RESTORE utility, 247, 250–261
 - ABORT option for, 252
 - authorities needed to use, 251
 - BACKUP and, 250
 - backup image location for, 254–255
 - between-system restores and, 251
 - BUFFER buffer-size option for, 258, 260
 - COMPRESSION LIBRARY option for, 253
 - COMPRLIB name option for, 260
 - COMPROPTS string option for, 260
 - CONTINUE option for, 252
 - DATABASE source-database-alias option for, 252
 - db2move utility and, 251
 - DBPATH ON target-directory option for, 256
 - disc space required for, 257
 - examples of, 260–261
 - FROM directory/device option for, 254–255
 - GENERATE SCRIPT script option for, 259
 - HISTORY FILE option for, 253
 - INCREMENTAL option for, 254
 - INTO target-database-alias option for, 257
 - LOAD shared-library option for, 255
 - logs and, 250, 254, 257, 258
 - LOGS option for, 254
 - LOGTARGET directory option for, 257
 - migrating data and, 251
 - NEWLOGPATH directory option for, 258
 - ON path-list option for, 246–257, 256
 - ONLINE option for, 253
 - OPEN num-sessions SESSIONS option for, 254
 - options for, 242–260
 - PARALLELISM n option for, 259, 260
 - REBUILD WITH option for, 252–253
 - REDIRECT option for, 259
 - REPLACE EXISTING option for, 258–259
 - REPLACE HISTORY FILE option for, 258
 - RESTORE DATABASE and, 259
 - roll-forward recovery and, 251, 261
 - ROLLFORWARD and, 259
 - SET TABLESPACE CONTAINERS and, 259
 - table spaces and, 252–253
 - TABLESPACE option for, 253
 - TAKEN AT date-time option for, 255–256
 - target directory location for, 256
 - Tivoli Storage Manager (TSM) and, 254
 - TO target-directory option for, 256
 - USE TSM option for, 254
 - USE XBSA option for, 254
 - WITH num-buffers BUFFERS option for, 258, 260
 - WITHOUT PROMPTING option for, 259, 260
 - WITHOUT ROLLING FORWARD option for, 259
- RESTORE DATABASE, RESTORE utility and, 259
- RESTRICT option (CREATE DATABASE), 20
- RESULTS option, INSPECT utility and, 263
- RETURN, 138
- RETURN DATA UNTIL, Java Database Connectivity (JDBC) and, 16
- reverse engineering, 160
- reverse scan of index, ALLOW REVERSE SCAN clause and, 200
- roll-forward recovery, RESTORE utility and, 251
- ROLLBACK, 374
- ROLLFORWARD, 247
 - RESTORE utility and, 259
- root element, selecting, for Developer Workbench, 107–108, **107**
- root nodes, XML, 27, 52, **52**
- row compression, 225–228, 265
 - DB2 products offering, 3, 5, 6
 - performance issues and, 12, 17
 - ROWCOMPESTIMATE option in, 262
- ROWCOMPESTIMATE option, INSPECT utility and, 262
- ROWCOUNT option, LOAD utility and, 273
- RPC. *See* Remote Procedure Call
- Ruby on Rails, DB2, 2
- rules of XML usage, 27–28

- RUNSTATS, 221–224, 474–475
 columns and, 223
 DETAILED INDEXES STATISTICS option for, 222
 frequency statistics with, 222
 indexes and, 222, 223
 LOAD utility and, 276
 optimization and, 194
 options for, 222
 package cache and, 224
 quantile statistics with, 222
 REOPT bind option and, 223
 REORG and, 238
 SQL environments and, 223
 tables and, 222, 223
 when to run, 223
 WITH DISTRIBUTION option for, 222
- S**
- Sarbanes-Oxley Act, 139
- SAVECOUNT n option, LOAD utility and, 272–273
- schemas, XML, 25, 30, 48–49
 adding elements to, using Developer Workbench, 99, **99**, 102, **102**
 compression and, 263
 db2look command and, 232–233
 Developer Workbench and, 96
 document generation from schema, 106–109
 element name and type in, using Developer Workbench, 100–101, **100**, **101**
 INSPECT utility and, SCHEMA option in, 263
 registering schemas, using Developer Workbench, 104–106, **104–106**
 root element selection in, using Developer Workbench, 107–108, **107**
 star, 197
 XMLSAVESCHEMA option and, 230, 231
- Schema Editor, Developer Workbench and, 96–98, **98**
- SCHEMA option, INSPECT utility and, 263
- Schema Repository, XML (XSR), 26, 48–49, 48
 db2look command and, 232–233
- SCM environments, optimization and, 199
- SECADM, 20
- second normal form (2NF), 150, 152–154
- secure HTTP (HTTPS), 126
- Secure Sockets Layer (SSL), Java Database Connectivity (JDBC) and, 16
- security, 12, 20
 label-based access control (LBAC) and, 20
 security labels, LOAD utility and, 269
 Sedna, 29
- segment violations, 494. *See also* traps
- SELECT, 133
 LOAD utility and, 276
 optimization and, 199
- selectivity, 213–214, **213**
- Self Tuning Memory Manager (STMM), 19, 386, 388, 392–409
 algorithms used by, 392–393
 allocation of memory by, 392
 buffer pools and, 394, 395–396, **395**, **396**
 Database Partitioning Feature and, 398
 database shared memory and, 394
 default setting for, 394
 enabling, 393–394, **393**
 heaps amenable to tuning by, 394
 High Availability Disaster Recovery (HADR)
 configuration and, 408–409
 locks and, 394
 log for, 398, **398–408**
 memory amenable to allocation by, 393
 optimization and, 392–393
 package cache and, 394
 sorts and, 394
 time required for tuning when using, 393
 tuning modes in, 396–408
 tuning process using, 392
- self-management (autonomics), 2
- Service Oriented Architecture (SOA), 123–138
 architecture of, 124–125, **124**
 DB2 integration with, 133–136, **134**
 description of, 123
 Distributed Component Object Module (DCOM), 124
 Document Access Definition (DAD) files and, 135
 Document Access Definition Extension (DADX)
 in, 134–136, **136**, 137–138, **137**
 FLWOR expressions and, 138
 Hypertext Transfer Protocol (HTTP) and, 126
 protocols for, 124
 pureXML and, 123
 Remote Procedure Call (RPC) and, 124
 secure HTTP (HTTPS) and, 126
 Service Oriented Architecture Protocol (SOAP)
 and, 124, 125, 126
 Simple Mail Transfer Protocol (SMTP) and, 126
 Universal Description, Discovery, and Integration (UDDI) and, 128–132, **129**
 Web Object Runtime Framework (WORF) and,
 133, 134–136, **135**
 Web services and, 124, **124**, **125**, 125, 126–132
 Web Services Description Language (WSDL) and,
 124, 125, 126–128, **127**, **128**, 133

- Service Oriented Architecture Protocol (SOAP)
 - Service Oriented Architecture (SOA) and, 124, 125, 126
 - UDDI and, 131, **131**
- SET CURRENT QUERY OPTIMIZATION, 198
- SET EVENT MONITOR, 376
- SET INTEGRITY, LOAD utility and, 281
- SET INTEGRITY PENDING CASCADE option,
 - LOAD utility and, 283–284
- SET TABLESPACE CONTAINERS, RESTORE utility and, 259
- SGML, 24–26
- shared memory, database, 387–388, **388**
- shredding XML documents, 31
- side tables, 32
- Simple Mail Transfer Protocol (SMTP), 126
- Simple Network Management Protocol (SNMP), 464
- size of XML documents, 51
- small and medium businesses (SMBs), 3
- SMS. *See* System Managed Spaces
- SMTP. *See* Simple Mail Transfer Protocol
- SNAP_UTIL_PROGRESS, 269
- snapshot monitoring, 289, 291–335
 - AGENTID and, 316–324, **317–323**
 - application, 313–316, **314–316**
 - on AGENTID, 316–324, **317–323**
 - buffer pool and, GET SNAPSHOT, 170–171, 173, **173–174**, 306–307, **306–307**, 427, **427–430**
 - classic type, using GET SNAPSHOT, 296–316
 - Command Line Processor (CLP) to generate, 291
 - Database Manager, 296–299, **297–298**
 - database, 299–305, **299–304**
 - database-level memory and, 413, **413–417**
 - dynamic SQL, 324–326, **324–326**
 - event monitoring and, 374. *See also* event monitoring
 - GET SNAPSHOT, 296–316
 - history files for storing, 291
 - instance-level memory and, shared sorts, 409, **410–411**
 - lock, 309–313, **310–313**
 - logs for, 444–446, **445**, 445–447*t*
 - monitor switches in, 292–296, **292**, **294**, **296**
 - application-level, 293–296
 - enabling, using UPDATE MONITOR SWITCHES, 294
 - instance-level, 293
 - overhead, performance impact of, 295
 - resetting, using RESET MONITOR, 295–296, **296**
 - status of, 294, **294**
 - valid, 294–295
 - REORG and, 240
 - SQL administrative routines and convenience views vs., 327–335, 327–329*t*
 - default monitor switch enabling for, 333, **333**
 - DESCRIBE statement for, 334, **334**
 - how often to use, 329–330
 - list applications command and, 331, **332**
 - SYSIBMADM schema for, 329
 - SYSIBMADM.SNAPSTMT view in Control Center of, 330–
 - SQL facilities for, 291
 - starting/generating, 291
 - table, 308–309, **308–309**
 - UPDATE DATABASE CONFIGURATION and, 293
 - SOAP. *See* Service Oriented Architecture Protocol
 - Solaris, i
 - SORT BUFFER option, LOAD utility and, 278–279
 - sorts
 - database-level memory and, 413–419, **413–417**
 - Health Center/Health Monitor and, example using, 345–350, **345–350**, 418, **418**
 - performance and tuning of, 409–412
 - piped and nonpipd, 412
 - post threshold, 409
 - Self Tuning Memory Manager and, 394
 - sort overflow errors and, 418–419, **418**
 - Source view, in Developer Workbench, 102, **102**, 121, **121**
 - SOURCEUSEREXIT, 18
 - LOAD utility and, 285
 - Spatial Extender, 6
 - speed of memory access, buffer pools and, 165–166
 - SQL, i, 7, 8, 11, 37
 - administrative routines and convenience views, vs.
 - snapshot monitoring, 327–335, 327–329*t*
 - Communications Area (SQLCA) and, 484–486, **485**
 - Developer Workbench and, 15, 16, 59, 74–93. *See also* Developer Workbench, stored procedure creation in
 - event monitoring and, 374
 - EXPORT and, 231–232
 - hybrid architecture, DB2 and, 46
 - indexes and, 161
 - limits for, 509–519, 510–519*t*
 - monitoring, 459–464, **459–463**
 - native XML data store and, 13
 - optimization and, in active and dynamic states, 191
 - queries using, 55, 56–57
 - queries using XML and, 55, 57
 - query compiler in, 47–48, **47**
 - RUNSTATS and, 223
 - size limit for statements using CLP and, 14
 - snapshots of, 291, 324–326, **324–326**

- sort overflow errors and, 418–419, **418**
 - SQL/XML standard, 55–57
 - SQLCODES and, 497–498
 - Visual Explain and, 460, **461**
 - Web Object Runtime Framework (WORF) and, 134–136, **135**
 - Web services and, 133
 - XML and, 31–32, 33, 34
 - XQuery and, 41, 56
 - SQL Communications Area (SQLCA), problem determination/troubleshooting and, 484–486, **485**
 - SQL/400, *i*
 - SQL/XML, 55–57
 - Developer Workbench and, 59
 - optimization and, 189, 190, 191–194, **191**
 - optimization and, predicate coding best practices for, 199–201
 - SQLCA. *See* SQL Communications Area (SQLCA)
 - SQLCODE, 497–498
 - Java Database Connectivity (JDBC) and, 16
 - SQL, 7, 14
 - Developer Workbench and, 15, 133
 - trusted connections and, 14
 - SSLCONNECTION, Java Database Connectivity (JDBC) and, 16
 - stack trace, 497, **497**. *See also* db2pd tool
 - Standard Generalized Markup Language (SGML), 24–26
 - star joins, 195
 - star schemas, 197
 - Starter Toolkit for DB2, 2
 - statistical views, performance issues and, 12, 18
 - statistics. *See also* RUNSTATS
 - frequency, 222
 - quantile, 222
 - RUNSTATS and, 221–224
 - STATISTICS NO option, LOAD utility and, 276
 - STATISTICS USE PROFILE option, LOAD utility, 276
 - step-into, for debugging, 89, **89**
 - Stinger, 358
 - STMM. *See* Self Tuning Memory Manager (STMM)
 - storage
 - RESTORE utility and, 257
 - space requirements of, 162–163
 - Storage Model, DB2, 50
 - Storage Optimization Feature, DB2 products offering, 3, 6
 - storage. *See* native XML data store
 - stored procedures, in Developer Workbench, 16, 59, 74–93, 133
 - breakpoints in, for debugging, 85, **85**, 88, **88**
 - column selection for, 79, **79**
 - conditions for query selected in, 80, **80**
 - Construct an SQL Statement box in, 78, **78**
 - creating, 74, **74**
 - debugging, 85–89, **86**
 - deploying, 83–84, **83**, **84**
 - exporting, 90–93, **90–93**
 - input parameters added to, 82, **82**
 - input variables for debugging of, 87, **87**
 - language for, 75, **75**
 - naming, 74, **75**
 - running the query using, 81, **81**
 - SQL statements import/create for, 76–77, **76**, **77**
 - step-into in, for debugging, 89, **89**
 - table selection for, 78, **78**
 - string manipulation, TRIM function in, 14
 - StringID, assignment of, 52–53, **53**
 - Structured Query Language. *See* SQL
 - Sun Microsystems, 251
 - supply chain management (CM), 5
 - Support, DB2, 476, **476**, 500–505, **500**, 501–503*t*. *See also* problem determination/troubleshooting
 - Swing, 59. *See also* Development Center; Developer Workbench
 - Sybase, 140
 - Sybase Adaptive Server Enterprises, 8
 - Sybase SQL, 8
 - Synchronous Read Milliseconds (SRMS), 437
 - Synchronous Read Percentage (SRP), 178–179, 183, 184, 185
 - Synchronous Write Milliseconds (SWMS), 440–442
 - Synchronous Read Milliseconds (SRMS), 180, 182–183
 - SYSADM, 234, 242, 247, 251, 261, 265, 268, 359, 375
 - SYSCAT
 - event monitoring and, 378–379
 - optimization and, 190
 - SYSCTRL, 234, 242, 247, 251, 261
 - SYSMAINT, 234, 242, 247, 251, 261
 - SYSPROC.XSR_ADDSCHEMADOC, 49
 - SYSPROC.XSR_COMPLETE, 49
 - SYSPROC.XSR_REGISTER, 49
 - SYSTAT catalog and optimization, 193–194
 - System Automation for Multiplatforms (SAMP), 3, 5
 - system logs, 489–490
 - System Managed Spaces (SMS), 185
- T**
- TABLE NAME option, INSPECT utility and, 263
 - table partitioning. *See also* partitioning
 - DB2 products offering, 6
 - performance issues and, 12, 17

- table spaces, 162–163
 - BACKUP utility and, PARALLELISM *n* option, 245
 - BACKUP utility and, TABLESPACE
 - tablespace-name option for, 243
 - breakout strategy for, 163
 - buffer pools and, 182–184
 - compression and, 263
 - creating, 162–163
 - event monitoring and, 374
 - INSPECT utility and, TBSPACEID *n* OBJECT ID
 - n* option in, 263
 - monitoring, 430, 431–433*t*
 - Pages Added per Day (PPD) rate for, 183
 - performance and tuning of, 430, 431–433*t*
 - RESTORE utility and, 252–253
 - snapshot of, **174–175**
 - space requirements of, 162–163
 - System Managed Spaces (SMS) and, 185
 - TEMPSPACE, 185
- TABLE table-name option, REORG and, 235–236
- tables, 162–163
 - buffer pools and, 181–182
 - compression and, 263
 - CREATE TABLE, 201–202, **202**
 - creating, 162–163
 - db2pd command and, 182
 - event monitoring and, 374, 378, 379–381
 - INSPECT utility and, TABLE NAME option in, 263
 - LOAD utility and, 287–288
 - materialized query (MQT). *See* materialized query tables
 - partition elimination and, 201–204, **202**
 - partition enabling, using PARTITION BY RANGE
 - clause for, 201–202, **202**
 - REORG and, 233–242. *See also* REORG utility
 - INDEX index-name option for, 236
 - INDEXSCAN option in, 237–238
 - INPLACE option for, 236–237
 - options for, 235–238
 - REORG TABLE command and, 238
 - TABLE table-name option for, 235–236
 - USE tablespace-name option in, 237
 - RUNSTATS and, 222, 223
 - side. *See* side tables
 - snapshots of, 308–309, **308–309**
 - space requirements of, 162–163
 - temporary, 523–524
 - Visual Explain and partitioning in, 203–204, **203, 204**
- TABLESPACE option, RESTORE utility and, 253
- TABLESPACE tablespace-name option, BACKUP utility and, 243
- tags, in XML and HTML, 25
- TAKEN AT date-time option, RESTORE utility and, 255–256
- TBSPACEID *n* OBJECT ID *n* option, INSPECT utility and, 263
- TEMPFILES PATH option, LOAD utility and, 274
- temporary files, 523–524
 - LOAD utility and, 274
- TEMPSPACE, 185
- Teradata, 8
- TERMINATE
 - LOAD utility and, 275
 - MIGRATE utility and, 266
- text nodes, 42, 44*t*
- themes, in normalization, 153–154
- third normal form (3NF), 150, 154
- threshold settings, using Health Center/Health Monitor, 339, **340**, 342–343, 344, **344**
- Timber, 29
- time
 - RECOVERY utility and, setting, 248
 - RESTORE utility and, TAKEN AT date-time option for, 255–256
- timeron cost elements and, 207
- Tivoli, 3, 5
- Tivoli Storage Manager (TSM), 243
 - LOAD utility and, 277
 - RESTORE utility and, 254
- TO dir/dev option, BACKUP utility and, 244–245
- TO isotime option, RECOVERY utility and, 248
- TO target-directory option, RESTORE utility and, 256
- topology view, Developer Workbench and, 95–96, **96**
- trace, 21
 - CLI version of, 490
 - db2trc utility for, 490–492
 - stack type, 497, **497**
- transaction processing
 - db2pd utility and, 367–371, **367–371**
 - event monitoring and, 374
- traps, 494–496
 - db2xprt tool for, 495, **495, 496**
 - problem determination/troubleshooting and, 494
- tree data structure organization in XML, 27, 34, 52, **52**
- TRIM, 14
- troubleshooting. *See* problem determination/troubleshooting
- trusted connections, 14
- tuning buffer pools. *See* buffer pools
- tuning the database, Self Tuning Memory Manager (STMM) in, 19

U

UDDI. *See* Universal Description, Discovery, and Integration

UML. *See* Unified Modeling Language

Unified Modeling Language (UML), 158

Uniform Resource Identifiers (URIs), XQuery and, 40

Universal Database, DB2, i, 31

Universal Description, Discovery, and Integration (UDDI), 128–132, **129**

- green pages of, 130, 131*t*
- protocols of, 129
- service description for, 131, **131–132**
- Service Oriented Architecture Protocol (SOAP), 131, **131**
- Web service discovery using, 130, **130**
- white pages of, 130, 131*t*
- yellow pages of, 130, 131*t*

University of Michigan, 29

UNIX, 1

- db2cos for, 499
- db2diag tool and, 477–486
- db2pd utility and, 359
- Developer Workbench and, 15, 59
- dumps for, 492–493
- iostat utility and, 468–469, **469**
- system logs for, 489–490
- trace tools and, 491
- traps for, 494

UPDATE, 133, 137

UPDATE DATABASE CONFIGURATION, 293

UPDATE MONITOR SWITCHES, 170, 294

USE tablespace-name option, REORG and, 237

USE TSM option

- BACKUP utility and, 243
- RESTORE utility and, 254

USE XBSA option, RESTORE utility and, 254

user-defined functions (UDFs)

- Developer Workbench and, 59, 133
- querying using, 56

user ID, for Developer Workbench, 69, **69**

USING HISTORY FILE option, RECOVERY utility and, 249

UTIL_IMPACT_PRIORITY option, BACKUP utility and, 245–246

utilities, 225–288

- BACKUP as, 242–247
- db2look command as, 232–233
- db2move command as, 233
- EXPORT as, 230–233
- IMPORT as, 226–229
- INSPECT as, 261–265

- LOAD as, 267–288. *See also* LOAD utility
- MIGRATE as, 265–267
- monitoring status of, SNAP_UTIL_PROGRESS and, 269
- partitioned databases and, 226
- RECOVER as, 247–250
- REORG as, 233–242. *See also* REORG utility
- RESTORE as, 250–261

V

validating an XML document, 112–113, **112, 113, 114**

validation

- db2look command and, 232–233
- XMLVALIDATE and, 226–228

VARBINARY, 14

- Java Database Connectivity (JDBC) and, 16

VARCHAR HASHED, 206

views, statistical. *See* statistical views

Visual Explain, 207, 208–220

- access plan displayed in, 212, **212**
- Developer Workbench and, 15
- explain table creation in, 211, **211**
- launching, from Control Center, 208, **209, 210**
- operating system performance and, 460, **461**
- operator details in, 213, **213**
- partitioning and, 203–204, **203, 204**
- selectivity report from, 213–214, **213**
- SQL and, 460, **461**
- timeron cost elements and, 207
- tutorial (online) for, 214

W

WARNINGCOUNT option, LOAD utility and, 273

warnings, exception-based monitoring and, 290

Web browsers, HTML and, 24–25

Web Object Runtime Framework (WORF), 133, 134–136, **135**

Web servers, HTML and, 24–25

Web Service Definition Language (WSDL), 158

Web services, 124, 126–132

- architecture for, 124, **124, 125**
- consuming or invoking of, 133
- DB2 integration with, 133–136, **134**
- discovery architecture for, using UDDI, 130, **130**
- Document Access Definition (DAD) files and, 135
- Document Access Definition Extension (DADX)
 - in, 134–136, **136, 137–138, 137**
- Domain Name Service (DNS) and, 129
- FLWOR expressions and, 138

- Web services, *continued*
- green pages for, through UDDI, 130, 131*t*
 - Hypertext Transfer Protocol (HTTP) and, 126
 - secure HTTP (HTTPS) and, 126
 - Service Oriented Architecture (SOA) and, 124, **124**, **125**, 125, 126–132
 - Service Oriented Architecture Protocol (SOAP) and, 126
 - Simple Mail Transfer Protocol (SMTP) and, 126
 - SQL statements and, 133
 - Universal Description, Discovery, and Integration (UDDI) and, 128–132, **129**
 - Web Object Runtime Framework (WORF) and, 133, 134–136, **135**
 - Web Services Description Language (WSDL) and, 126–128, **127**, **128**, 133
 - white pages for, through UDDI, 130, 131*t*
 - yellow pages for, through UDDI, 130, 131*t*
- Web Services Description Language (WSDL), 133
- elements of, 126–128, **127**, **128**
 - Service Oriented Architecture (SOA) and, 124, 125, 126–128, **127**, **128**
- Web sources of DB2 information, 507–508
- WebSphere Data Event Publisher, 8
- WebSphere Federation Server, 8
- WebSphere Replication Server, 8
- WebSphere, 7–8
- WHERE clause, 138
- event monitoring and, 376
- white pages, UDDI, 130, 131*t*
- Windows, i, 1 451. *See also* operating system (OS)
- performance
 - BACKUP utility and, 244
 - db2diag tool and, 477–486
 - db2xprt tool for, 495, **495**, **496**
 - Developer Workbench and, 15, 59
 - Dr. Watson for, 493
 - dumps for, 492–493
 - trace tools and, 491
- WITH DETAILS option, event monitoring and, 375
- WITH num-buffers BUFFERS option
- BACKUP utility and, 245
 - RESTORE utility and, 258, 260
- WITHOUT PROMPTING option
- BACKUP utility and, 247
 - LOAD utility and, 278
 - RESTORE utility and, 259, 260
- WITHOUT ROLLING FORWARD option,
- RESTORE utility and, 259
- WORF. *See* Web Object Runtime Framework
- Workgroup Server Edition (WSE), DB2, 3–4, 6
- Workload Management Feature, 3–5
- World Wide Web and XML, 24
- Worldwide Web Consortium (W3C), 24, 32, 38, 124, 129
- WRITE TO, event monitoring and, 377
- WSDL. *See* Web Services Description Language
- ## X
- XBSA. *See* Backup Services API
- XDS. *See* Data Specifier, XML
- Xindice, 29
- XMLFILE, 32
- XML, i–ii, 23–35
- annotated tree nodes in, 35
 - architecture of DB2 9 and, 33–35, **34**
 - attributes in, 28, 52, **52**
 - child/parent nodes in, 27, 52
 - column definition in, 32
 - components of, 26–29
 - Control Center to browse, 44, **44**
 - Data Access Definition (DAD) files and, 31
 - data interchange using, 30, 33
 - Data Specifier (XDS) for, 226
 - Data Type Definition (DTD) and, 29
 - data type of. *See* XML data type
 - databases composed only of, 29–30
 - DB2 9 and, 1, 32–35
 - DB2 Universal Database and, 31
 - decomposing of, 31
 - Developer Workbench and, 15, 96–114. *See also* Developer Workbench
 - Document Access Definition (DAD) files and, 135
 - Document Access Definition Extension (DADX) in, 134–136, **136**, 137–138, **137**
 - document in, 27, **27**
 - Document Type Definition (DTD) in, 25–26, 48
 - document using, 51–52, **51**, **52**
 - early support in DB2 and, 31–32
 - electronic data interchange (EDI) and, 30, 33
 - elements in, 27–28, 52, **52**
 - Extensible Stylesheet Language Transformations (XSLT) and, 29
 - Financial Information eXchange XML (FIXML) standard and, 30
 - hierarchical organization of elements in, 27, 34, 52, **52**
 - history and development of, 23–26
 - hybrid DB2 architecture and, 11, 45–49, **46**
 - Hypertext Markup Language (HTML) and, 24–26
 - indexing of, 11
 - instances of, 27
 - Internet and, 24

- Java Database Connectivity (JDBC) and, 16
 - namespaces in, 28–29, 52, **53**
 - native data store for, 12, 35, **35**, 50–54, **50**
 - native support for, 13
 - nodes in, 27, 35, 52, **52**
 - online transaction processing (OLTP) and, 31
 - parsing of, 31
 - pureXML and, ii, 45, 46
 - relational database management systems (RDBMs), 31, 32
 - relational databases and, 26–29, 31–32, 33
 - root nodes in, 27, 52, **52**
 - rules for, 27–28
 - Schema Editor in, 96–98, **98**
 - Schema Repository (XSR) in, 26, 48–49
 - schemas in, 25, 30, 48–49
 - shredding of, 31
 - side tables and, 32
 - size of documents using, 51
 - source trees to result trees, XSLT for, 29
 - SQL and SQL node mapping in, 31–34
 - Standard Generalized Markup Language (SGML) and, 24–26
 - tags in, 25
 - tree data structure organization in, 27, 34, 52, **52**
 - World Wide Web and, 24
 - XML Extender for, 31, 32
 - XPath and, 24, 29, 32, 37–41. *See also* XPath
 - XQuery and, 24, 29, 34, 37–41. *See also* XQuery
- XML data type, 11, 23, 32, 33–35
- Data Specifier (XDS) and, 226, 229
 - EXPORT command for, 230–233
 - IMPORT command for, 226–229
- XML Extender. *See* Extender, XML
- XML FROM path, IMPORT and, 226
- XML indexes. *See* indexes
- XML Schema Repository. *See* Schema Repository, XML
- XML to xml-path option, EXPORT and, 230
- XMLCLOB, 32
- XML EXISTS, 57
- XMLFILE filename option, EXPORT and, 230
- XMLPARSE, IMPORT and, 226, 228
- XMLQUERY, 57, 232
- XMLSAVESCHEMA option, EXPORT and, 230, 231
- XMLTABLE, 57
- XMLVALIDATE, IMPORT and, 226–228
- XMLVARCHAR, 32
- XPath, 23, 24, 29, 32, 37–41
- Control Center to drill down through nodes of, 44, **44**
 - Data Model (XDM) for, 39
 - Data Model (XDM) in, 13, 37, 41–45, 48
 - nodes in, 41–45, 43–44*t*
 - sequences in, 41
- Extensible Stylesheet Language Transformations (XSLT) and, 29, 41
- hybrid architecture, DB2 and, 46
- Query Graph Model (QGMX) and, 47
- specification for, from W3C, 38
- XQuery queries using, 38
- XPath Data Model. *See* Data Model, XPath
- XPath, 37–41, 37
- XQuery, ii, 7, 11, 23, 24, 29, 34, 37–41, 54–57
- adding representative XML documents to, 118, **118**
 - Data Model (QDM) instances and, 230, 231
 - DB2 methods of querying XML data in addition to, 55
 - db2-fn/sqlquery function and, 54–55
 - db2-fn/xmlcolumn function and, 54–55
 - Developer Workbench and, 15, 59, 133
 - document selection for, 117, **117**
 - drag and drop SKU node in, 119, **119**
 - EXPORT and, 231–232
 - expressions in, components of, 40–41
 - Extensible Stylesheet Language Transformation (XSLT) and, 41
 - For Logic (FLWOR) grid in, 120, **120**, **121**
 - hybrid architecture, DB2 and, 46, 47
 - limits for, 509–519, 510–519*t*
 - logical statements added to, 120, **120**, **121**
 - naming the query in, 115, **115**
 - native XML data store and, 13
 - operators added to, 120, **121**
 - optimization and, 189, 199–201
 - parser in, 48
 - queries using
 - applications and uses for, 38
 - creating, 39–41, **40**
 - prolog in, 39–41, **40**
 - query body in, 39–41, **40**
 - query compiler in, 47–48, **47**
 - Query Graph Model (QGMX) and, 47
 - representative documents for, 116, **116**, 117–118, **117**, **118**
 - returned values/sequences in, 41
 - reviewing results of, 122, **122**
 - SQL and, 41, 55–57
 - SQL/XML standard in, 55–57
 - table and column selection for, 116, **117**
 - Uniform Resource Identifiers (URIs) and, 40
 - viewing the query, in Source tab, 121, **121**
- XPath expressions in, 38
- XQuery Builder in, 114, **114**, 118, **119**

XQuery Builder, 114, **114**, 118, **119**
XQuery Data Model (QDM) instances, EXPORT and,
230, 231
XSLT. *See* Extensible Stylesheet Language
Transformation

Y

yellow pages, UDDI, 130, 131*t*

Z

z/OS, i

Developer Workbench and, 15, 59
Java Database Connectivity (JDBC) and, 16
optimization and, 196
table partitioning in, 17
trusted connections and, 14