

# INDEX

// comments, 81, 98-99

## A

abs, 140

%ABS in RPG, 138

absolute (abs) in Java, 138

abstract

classes, 360

inheritance and, 379, 380-382

interfaces and, 389

methods, 360, 418

new operator and, 381

threads and, 451

in user interface, Swing classes and, 489

Abstract Windowing Toolkit (AWT), 488

AbstractButton class, 502

accessibility of Java, 6

accessor rights (see modifiers in Java)

accessors (see getter methods)

acos, 140

ActionListener, 511-514

actionPerformed method, 402

actions associated with menus, 551

activation groups, 31, 200-201

in using RPG and Java together, 758

adapter classes, in user interface, 513

ADD, 143

Add Binding Directory Entry (ADDBNDDIRE),

84

add method

for durations, in Java, 332-334

JavaBeans and, 686

in user interface in, 492

ADD, 118-119

ADD DUR, 322, 323, 330-334, 335, 357

- addElement, vectors, 257, 262
- addition (+) operator, 118-119
- %ADDR, 185
- ALIGN, 194
- ALL, 106, 289
- ALLOC, 11, 51, 54, 185, 265, 362, 476
- allocating/deallocating memory, 11-12, 50-52, 53, 362
  - new operator in, 53-55
  - pointers, 185
  - RPG IV, 50-52
  - static initializers and, 644-645
  - synchronized keyword and, 476-481
  - variables, 201
  - vectors and, 256, 264-271
- AlphaBeans, 692
- alphaworks Web site, 692
- ALTER TABLE, 578
- alternating arrays, 255
- ALTSEQ, 192, 194
- AM\_PM, 338
- anchor tags in HTML, 13
- AND, 126-128, 147
- and (&&) operator, 126-128
- anonymous inner classes, 642-644
- append method, StringBuffer class, 309-313
- applets, 1, 5, 6, 12-19, 19, 20, 660
  - download time of, and jar files, 90-91
  - signing, 558
  - Tip Calculation applet example for, 558-561, **561**
  - in user interface, 557-561
- appletviewer, 7
- application programming interfaces (APIs)
  - call level interface (CLI) APIs in, 574-575, 579
  - Java native interface (JNI) and, 646
- applications in Java, 19-20, 38, 557-561, 660-661, **661**
- applyFormat method, 349
- args, 75, 94
- arithmetic expressions, 110-111
- arithmetic operators, 117-119
- arithmetic statements, 142
- Array class, 231
- ARRAY data type, 627
- arraycopy, 242
- arrays, 75, 187, 226, 227, 228-255, 283
  - address of, 281
  - alternating, 255
  - Array class for, 231, 283
  - arraycopy to copy, in, 242
  - binarySearch in, 253, 254
  - casting in, 242
  - clone method to copy, in Java, 242
  - comma separated elements in, 239
  - compile time, 243, 279, 283
  - compile time initialization of, 233-235
  - constructors and, 246-248, 246
  - creating or instantiating, 232-233
  - CTDATA keyword for, 234-236
  - data structures and, 229, 230
  - declaring, 230-232
  - DIM keyword for, 233, 234-235, 244-248
  - dimensions in, 231, 232, 238
  - %ELEM for length of, in RPG, 238
  - Enumeration interface and, 403-409
  - equals in, 253
  - EVAL statement and, 236-237
  - fill in, 253
  - final, 235
  - finalize method in, 246
  - %FOUND and, 252
  - FROMFILE keyword for, 236, 244-248
  - garbage collector and, 246
  - hashtables and, 229, 271-278
  - helper methods for, 252-255
  - index out of bound error in, 237, 430
  - indexing of, 109, 137, 159-163, 232, 237
  - initial values in, 235
  - instantiation of, 283
  - java.util and, 229
  - length method for size of, in Java, 237
  - LOOKUP and, 229, 252-255
  - MOVEA and, 253
  - multidimensional, 162, 229, 239-241, 283
  - multiple, 232
  - multiple occurring data structures (MODS) and, 249
  - new operator for, 232-233, 235, 242
  - null values in, 246

- object status of, in Java, 241-243
  - objects in, arrays of objects, 249-242
  - OCCUR in, 249-252
  - parameter passing and, 278
  - PERRCD keyword for, 236, 234-235, 244-248
  - pre runtime, 229, 243-248
  - Program Call Markup Language (PCML) in, 727
  - references to, 241-243
  - RPG vs. Java, 228-229
  - runtime, 243, 283
  - runtime initialization of, 236-238
  - searches in, 252-255, 252
  - size of, 231, 237, 238, 256, 283
  - sort in, 253, 254
  - SORTA in, 253
  - square brackets in, 230-231, 237
  - static, 235
  - String literals in, 235
  - tables and, 229
  - TOFILE keyword for, 236, 244-248
  - unbalanced, 248-249, 283
  - vectors and, 229
  - XFOOT for summing of, 255
  - Arrays class, 283
  - ASCII vs. EBCDIC source files, 697
  - asin, 140
  - assignment expressions, 108
  - assignment operator (=), 110, 119-120, 224
  - assignment statement, 57, 110, 113, 117, 143, 161, 216
  - asynchronous threads, 445-446, **446**, 465-476, **465**
  - atan, 140
  - atomic instructions, threads, 472
  - @AUTHOR JavaDoc keyword, 102
  - autoCommit, 620-621
  - automatic fields, 201
  - AWT, 20
- B**
- backslash character in Java directories, 665
  - base classes, 363, 678
  - base pointer data type, 206
  - BASED, 50, 51, 53, 185, 192, 194, 271
  - basing pointer data type, 182, 184, 185, 189
  - batch updates in database, 630
  - BeanInfo class for JavaBeans, 688-690
  - before and after, date compare, in Java, 334-335
  - BigDecimal, 188, 189, 212, 218, 223, 78, 417
  - BIGINT data type, 618
  - binary data type, 183, 188, 207, 223, 618
  - BINARY data type, 618
  - binary large object (BLOB), 627
  - binary operators, 108, 117, 121
  - binary search, interfaces, 399-401
  - binarySearch in arrays, 253
  - Bind Service Program (BNDSRVPGM), 31, 83
  - bindable APIs, exception handling, 425
  - binder language, 83
  - binding, 33, 202
  - binding directories, 84
  - binding in SQLJ, 633
  - BIT data type, 618
  - BITON/BITOFF, 129
  - bitwise and (&), 130-132
  - bitwise exclusive or (^), 130-132
  - bitwise negation (-), 130-132
  - bitwise operators, 126-132
  - bitwise or (|), 130-132
  - BLANK, 106
  - BLANKS in strings, 289
  - BLOCK, 568
  - block statement, 109, 111-113
  - blocks, 46, 97, 200
  - boolean, 46
  - Boolean class, wrappers and to/from, 220-221
  - boolean data type, 187, 188, 189, 206, 214-215, 223
  - BOOLEAN data type, 631
  - boolean expressions, 109, 128, 149, 154, 167, 168
  - boolean variables, 149
  - BorderLayout manager, 520, 521-523, **523**
  - borders, 498-500, **499**
  - bound properties in JavaBeans, 678, 680-683
  - BoxLayout manager, 521, 529-531, **530**, **531**
  - braces, 45, 46, 96, 109, 111-113, 148-149, 151, 167, 200
  - brackets, 48, 97, 230-231, 237

- break statement, in Java, 109, 114, 115, 144, 145, 152-154, 171-174, 179
  - built-in functions in RPG, 39
  - business objects, 416, 419
  - button component methods, 502
  - button state methods, in user interface, 507
  - Byte class, wrappers and to/from, 220-221
  - byte data type, 46, 187, 188, 189, 207, 217, 223
  - bytecode, 10-11, **10**, 32, 33, 93
- C**
- C language, 2, 11, 29
  - C specs, 30, 35, 39, 42, 43, 71, 107, 190, 191
  - CALL, 31, 35-36, 37, 71-72, 625-627
    - threads and, 445-446
    - in user interface, 488
  - call backs, 186, 187
    - interfaces and, 400-401
  - call level interface (CLI) APIs, database access, 574-575, 579
  - Callable Statement, 583, 625-627, 630
  - CALLP, 31, 36, 43-44, 56, 58, 108, 164, 185, 445-446
  - calls, 30, 33, 37-38, 93
    - calling another program from Java, 672-675
    - calling RPG procedures as RPG native methods from Java in, 754-761
    - command line parameters in Java, 72
    - command line parameters in RPG, 71-72
    - CommandCall class in, 713-714
    - encapsulation vs., 362
    - exec method in, 673
    - Java native interface (JNI) and, 645
    - Java programs, main method for, 69-71
    - javac compiler and, 675
    - to method, 37-38, 57
    - PDM options for, 675
    - procedures in RPG and, 43-44
    - program call classes in, 673
    - Program Call Markup Language (PCML) in, 673
    - ProgramCall class in, 714-722
    - QCMDEXEC command analyzer and, 673
    - RPG calling Java in, 746-757
    - static vs. dynamic, 380
    - stored procedure, 625-627
    - threads and, 445-446, 447
    - threads and, asynchronous method calls and, 448-456
      - writing to command line, in Java, 74-78
      - writing to command line, in RPG, 72-74
  - cancel method, 615
  - capacity of vectors, 257
  - capacity methods, StringBuffer class, 313
  - capacity of StringBuffer class, 310-311
  - CardLayout manager, 521
  - cascading menus, 547
  - cascading style sheets (CSS), 21
  - case conversion in strings, 303-304
  - case sensitivity in HTML, 12-13
  - case sensitivity in Java, 45, 48, 697-698
    - packages in Java and, 88
    - variable names, 105-107
  - case statement, 152-154
  - casting, 135, 224, 227, 361, 365, 371, 409-411
    - arrays and, 242
    - assignment statement and, 216
    - BigDecimal, 218
    - data types, 214-222
    - in date and time manipulation, 349-351
    - hashtables and, 272
    - interfaces and, 391-392
    - MOVE and, 216-218
    - return statement and, 220
    - vectors and, 262-263
  - CAT, 288, 291, 292
  - catalog, for stored procedures, 627
  - catch, in exception handling, 427, 428, 429, 434-442
  - category of data types in RPG, 182-183
  - CCSID, 185, 290
  - CDE/Motif look and feel GUI, 552-553, **553**
  - CDMY, 340
  - CEEHDLR and CEEHDLU APIs in exception handling, 425
  - ceil, 140
  - CHAIN, 567
  - ChangeListeners, 511-514
  - Char, 183
  - char data type, 46, 206, 217, 223, 285

- CHAR data type, 618
- %CHAR, 74, 291
- Character class, wrappers and to/from, 220-221
- character data type, 182, 183, 187, 188, 189, 206, 223, 618
- character expressions, 109
- character field length, 173
- character large object (CLOB), 627
- character varying data type, 184
- CHECK, in strings, 288, 291, 292, 305-308
- check method, 437
- checking for characters in strings, 305-308
- CHECKR, in strings, 288, 291, 305-308
- child (sub) classes, 329, 349, 360, 368, 374-379, 417, 517
- CL commands for Java and Java Transformer, 703-705
- class (static) methods, 66, 93
- class instance creation expressions, 108
- class libraries (see also packages), 7
- class loader, 90
- class variables, 65, 96, 225, 644
- classes, 10, 32, 33, 38, **38**, 44-46, **44**, 48-50, 53-61, 93, 183, 198, 412
  - abstract, 360
  - anatomy of, 108-109
  - anonymous inner, 642-644
  - base, 363
  - child, 329, 349, 360, 368, 374-379, 417, 517
  - clone method for, 402-403
  - copying, using Cloneable interface, 402-403
  - declaring, 45
  - definition of, 108
  - deprecated, 328
  - design of, 415-416
  - extending, 92, 197, 202, 301, 360, 363, 364, 366, 367, 387, 417
  - final, 301, 360
  - helper, 392, 405
  - hierarchy in, 366, **366**, 377, **377**
  - immutable, 214
  - inner, 640-642
  - JavaBeans, 678-692
  - methods defined for, 49
  - mutable, 308
  - parent, 329, 349, 360, 368, 374-379, 416, 655
  - public, 45
  - usage of, 414
- classification of data types, 182-183
- CLASSPATH setting
  - database drivers in, 587-595
  - iSeries IBM Toolbox for Java and, 711
  - Java on System i and, 702-703, 704
  - library lists vs., 89
  - in using RPG and Java together, 757, 760-761
- clear in hashtables, 272
- client applications, 6
- clone method, 242, 257, 402-403, 411, 419
- Cloneable interface, 401-403, 419
- CLOSE, in database access, 567, 578
- close method, in Java file management, 671
- CMDY, 340
- COBOL, 2, 29
- code, 38
- code samples, 763
- codepage, 185, 187, 290
- collaborative efforts, 29
- collections, in databases, 576-577
- colors, in user interface, 497-498
- columns, in databases, 576-577
- command line
  - writing to, in Java, 74-78
  - writing to, in RPG, 72-74
- command line parameters, Java, 72
- command line parameters, RPG, 71-72
- CommandCall class, 713-714
- comments, 81, 86, 142
  - Java, 97-105
  - JavaDoc, 99-105
  - keywords in JavaDoc, 102
  - nested or block, 98-99
  - RPG, 97-98
- commit, 620, 621
- COMMIT, 568, 569, 575, 578, 620
- commitment control, in JDBC, 620-621
- commitment control, in RPG, 569
- COMMON conference, 2
- common gateway interface (CGI), 17-18, 17

- Common Object Request Broker Architecture (CORBA), 467, 647, 651
- communication trail classes, 709
- COMP, strings, 288
- Comparable interface, 254
- Comparator interface, 401, 416
- compareTo, strings, 318
- comparison, 113
- compile time array, 233-235, 243, 279, 283
- compile units, 199
- compiler directives, 109
- compilers and compiling, 6, 7, 28, 52, 93, 109, 675
  - bytecode and, 10-11, **10**
  - database access and, 573
  - interfaces and, 388-389
  - Java, 33
  - RPG, 32-33
  - SQLJ and, 636
- Component class, 493
- compression, 90-91, 710
- computational expressions, 108, 109, 116, 117, 142
- concat method, 291, 293
- concatenation of strings, 135, 292-293, 309
- concatenation (+) operator, 73, 293
- concurrency, in threads, 472-474
- conditional (?:) operator, 134, 154-155, 227
- conditional expressions, 108, 113
- conditional statements, 125
- CONNECT in database access, 575
- connected jobs, in threads, 446-448
- connection context in SQLJ, 633
- Connection interface, 583, 633-634
- connection pools, for database access, 630-631
- const, 107
- CONST, 173, 193
- constants, 224, 627
  - defining, in Java, 198
  - defining, in RPG, 193
  - figurative, 106
  - interfaces and, 401
- constrained properties, 683
- constraints in database access, 624
- constructors, 78-82, 92, 93, 360, 416, 517
  - anonymous inner classes and, 643
  - arrays and, 246-248
  - exception handling and, 428, 437, 440
  - inheritance and, 360, 368
  - new operator and, 79, 437
  - static initializers as, 645
  - super keyword and, 368
  - this and, 79
- Container classes, 493
- containers, in user interface, 491, 515-543, 552, **552**
- containment, 414
- contains method, 257, 263, 265, 378
- containsKey, 273
- containsValue, 273
- context menus, 548
- continue, 109, 114, 144, 145, 173-174, 179
- contracted operators, 120
- contracts (see also interfaces), 398
- control boundary in exception handling, 423
- copy member, 83, 99, 389-409
- /COPY, 40-41, 83
- copyInto, 258
- copyValueOf, 318
- core language of Java, 3
- core packages, 661
- cos, 140
- Coulthard, Phil, 765-766
- Create Binding Directory (CRTBNDDIR), 84
- Create Bound RPG (CRTBNDRPG), 29
- Create Display File (CRTDSPF), 519
- Create Journal (CRTJRN), 569
- Create Journal Receiver (CRTJRNRCV), 569
- CREATE PROCEDURE, 627
- Create Program (CRTPGM), 28, 31, 33, 35, 83
- Create RPG Module (CRTRPGMOD), 28, 33
- Create Service Program, 33, 83
- CREATExxx, in databases, 578, 598
- CTDATA keyword, 234-236
- current date and time, 327-330
- currentTimeMillis, 323, 356
- cursor in database access, 572, 573, 599-603, 634
- customizers for JavaBeans, 678

**D**

- D spec, 39-42, 71, 191-192, 193-195
- daemon threads, 465, 480, 510
- Data Definition Language (DDL) of SQL, 577, 598
- Data Manipulation Language (DML) of SQL, 577
- data structures, 42
  - arrays and, 229, 230
  - databases, 576-577
  - defining, in Java, 198
  - defining, in RPG, 193-195
  - exception handling and (INFDS and PSDS), 424
  - multiple occurring data structures (MODS) and, 249
  - OCCUR in, 249-252
  - Program Call Markup Language (PCML) in, 725-727
  - qualified, 195
- data types, 181-223
  - BigDecimal and, 212
  - boolean, in Java, 214-215
  - casting of, 215-222, 224
  - data conversion classes iSeries Toolbox, 722
  - database access and, 617-619
  - decimal point numbers and, 209-214
  - declaring, 189-198
  - escape sequences for, 206
  - float vs. packed, 209-214
  - get method for, 617
  - half adjust and, 211, 213, 219
  - Java vs. RPG, 46, 47, 186-189, 754-756
  - JDBC, 627-628
  - literals and, 205-207
  - numeric conversion in (see also casting), 214-222
  - precision in, 212
  - primitive, 223, 225, 257, 281-282
  - ranges for numeric, 207-209
  - reference, 223, 225
  - rounding and, 211, 213
  - RPG, 182-186
  - in using RPG and Java together, mapping of, 754-756
  - scale in, 212
  - set method for, 617
  - wrappers for, in Java, 220-223, 224
- database access (see also SQL; SQLJ), 567-638
  - ALTER TABLE in, 578
  - autoCommit in, 620-621
  - batch updates in, 630
  - call level interface (CLI) APIs in, 574-575, 579
  - Callable Statement interface for, 583, 625-627, 630
  - cancel method in, 615
  - classpath settings for drivers in, 587-595
  - CLOSE, 578
  - closing everything after using, 617
  - collections in, 576-577
  - columns in, 576-577
  - commit in, 620, 621
  - COMMIT in, 569, 575, 578, 620
  - commitment control, in JDBC, 620-621
  - commitment control, in RPG, 569
  - compiler and, 573
  - CONNECT in, 575
  - connecting drivers in, 585-595
  - Connection interface for, 583
  - connection pools in, 630-631
  - constraints in, 624
  - Create Journal (CRTJRN) in, 569
  - Create Journal Receiver (CRTJRNRCV) in, 569
  - CREATExxx in, 578, 598
  - creating SQL statement objects for, 595-597
  - cursor in, 572, 573, 599-603
  - Data Definition Language (DDL) of SQL in, 577, 598
  - Data Manipulation Language (DML) of SQL in, 577
  - data structures in, 576-577
  - data types and, 617-619
  - data types in, JDBC, 627-628
  - database drivers/driver managers in, 580, 582-583, 637
  - DatabaseMetaData in, 622-623, 622
  - DatabaseMetaData interface for, 583
  - dates and times in, 329-330, 602

- database access, *continued*
  - DECLARE CURSOR, 578, 603
  - DELETE in, 571, 572, 578, 595, 598, 599, 603, 612
  - direct record access in, 568
  - disk files in, 576-577
  - Driver interface for, 583
  - DROPxxx in, 578
  - End Commitment Control (ENDCMTCTL) in, 569
  - Enterprise JavaBeans and, 631
  - %ERROR in, 568
  - exceptions, SQLException in, 589, 596, 597, 616
  - EXEC SQL and END-EXEC in, 572
  - EXECUTE IMMEDIATE in, 573
  - executeQuery in, 599
  - extenders for opcodes, in RPG, 568
  - EXTFILE, 568
  - EXTMBR, 568
  - F specs and, 567-568, 621
  - FETCH for, in RPG, 571, 573, 578
  - fields in, 576-577
  - filtering, 570, 571
  - get methods in, 619, 621, 628
  - GROUP BY clause in, 570
  - HAVING clause in, 571
  - indexes in, 576-577
  - INSERT, 572, 578, 596, 598, 599, 612
  - INSERT INTO for, 572
  - interactive vs. embedded SQL, 572-573
  - interfaces for, 630-631
  - interfaces of JDBC in, 583
  - is method in, 621-622
  - iSeries Toolbox for Java connection in, 590, **590**
  - isolation levels in, 620
  - Java Database Connectivity (JDBC), 580-581, **581**, 583-603
  - Java Naming and Directory Services (JNDS) for, 630-631
  - Java Transaction Services (JTS) in, 630-631
  - Java.sql in, 580, 583
  - JDBC 3.0, 631
  - JDBC native driver in, 581
  - JDBC net drivers in, 581
  - JDBC thin drivers in, 581
  - JDBC-ODBC bridge driver in, 581
  - keywords for, in RPG IV, 568
  - libraries in, 576-577
  - local vs. distributed SQL in, 575-576
  - LOCK TABLE, 612
  - locks, 568
  - logical files in, 576-577
  - metadata in, 576-577, 631
  - metadata in, JDBC, 621-624
  - naming conventions in, 594-595
  - null values in, 619-620
  - OPEN, 578
  - Open Database Connectivity (ODBC) and, 574, 575, 579, 580
  - optimization in, 573, 574
  - ORDER BY clause in, 570
  - PDM user defined options in, 606-614
  - physical files in, 576-577
  - positioned update and delete in, 572, 603
  - predicate or WHERE clause in, 570
  - PreparedStatement class in, 583, 596, 617, 630
  - properties for database drivers in, 591-595
  - queries in, 571, 599
  - queries, examples of, 603-605
  - reading a few rows at a time in, 614-615
  - record level, using iSeries Toolbox, 736-744
  - records in, 576-577
  - referential integrity in, 624
  - registering drivers in, 585-595
  - requirements for using SQL on System i, 579
  - result sets in, 571, 599-603
  - ResultSet in, 583, 628-629
  - ResultSetMetadata in, 583, 621-622
  - Roll Back (ROLBK) in, 569
  - rollback in, Java, 620, 621
  - ROLLBACK in, RPG, 575, 578
  - rows, columns, and tables in, 570, 576-577
  - RPG cycle in, 568
  - RPG IV, 567-568
  - Run SQL (RUNSQLCMD) in, 572
  - running SQL statements for, 597-599
  - savepoints in, 631



- schema in, 576-577
- SELECT in, 570-572, 578, 595, 596, 599, 602, 603, 612
- SET, 596
- set methods in, 597-599, 620, 626, 628
- setMaxRows method in, 615
- setMaxTimeout method in, 615
- SQL (Structured Query Language) in, 568, 569-572
- SQL embedded in Java (SQLJ) for, 631-636
- SQLWarning class in, 616
- Start Commitment Control (STRCMTCTL) in, 569
- Start Journal Physical File (STRJRNPf) in, 569
- Start SQL (STRSQL) in, 572
- Statement class in, 583, 596, 630
- static vs. dynamic SQL in, 573-574
- %STATUS in, 568
- stored procedures in, 624, 625-627
- tables in, 576-577
- terminology used in, RPG vs. SQL, 576-577
- threads and, 614-615
- triggers in, 624
- truncation warnings in, 616
- try/catch in, 596
- UPDATE in, 571, 572, 578, 595, 596, 598, 599, 603, 612
- value extraction in, using get methods, 600-603
- VALUES clause, 596
- views in, 576-577
- VisualAge RPG and, 575
- warnings in, handling, 615-624
- WebSphere Application Server and, 631
- WHERE clause, 570
- writing JDBC code, steps in, 584
- database drivers/driver managers, 580
  - classpath settings for, 587-595
  - connecting, 585-595
  - database access and, 582-583
  - properties for, 591-595
  - registering, 585-595
- database plans in SQLJ, 632
- DatabaseMetaData, 583, 622-623
- DATALINK data type, 631
- DataQueue class, 727-736,
- DATE, 322, 323, 333, 337
- Date class, 327-330, 331, 357, 602
- date data type, 182, 184, 185, 189, 206, 618
- DATE data type, 618
- dates and times, 321-357
  - add method for durations, in Java, 332-334
  - ADDDUR, 322, 323, 330-335, 357
  - AM\_PM, 338
  - applyFormat method in, 349
  - before and after methods to compare dates, in Java, 334-335
  - casting in, 349-351, 349
  - CDMY, 340
  - CMDY, 340
  - comparing dates in, 334-335
  - current, 327-330
  - currentTimeMillis method in, 323, 356
  - database storage of, 329-330, 602
  - DATE in, 322, 323, 333, 337
  - Date class in, 327-330, 331, 357
  - DATFMT in, 323, 338, 340, 357
  - DAY in, 322
  - DAY\_OF\_MONTH in, 337
  - DAY\_OF\_WEEK in, 337
  - DAY\_OF\_WEEK\_IN\_MONTH in, 337
  - DAY\_OF\_YEAR in, 337
  - DAYS in, 331, 333
  - default formatter for, 349-351
  - DMY format for, 322, 339, 344
  - DST\_OFFSET in, 338
  - duration calculation in, 322, 330-334
  - ElapsedTime class example for, 325, 334
  - epoch of computer time in, 324, 356
  - equals to compare dates, in Java, 334-335
  - ERA, 337
  - %ERROR for, 352
  - EUR, 339, 344, 345, 348
  - extracting parts of date or time in, 335-338, 357
  - EXTRCT in, 322, 323, 335-338, 357
  - formats for, 322, 338-348
  - get method for, in Java, 336-337, 338
  - getDateInstance in, 349, 357
  - getTimeInstance in, 349, 357

- dates and times, *continued*
  - getTime in, 328, 329
  - getTimeInstance in, 349, 357
  - GregorianCalendar class in, 323, 328, 329, 330, 331, 337, 357
  - HMS, 345, 348
  - HOUR in, 333, 338
  - HOUR\_OF\_DAY in, 338
  - HOURS in, 331, 333
  - IF to compare dates in, RPG, 334-335
  - isLeapYear in, 354, 357
  - ISO, 338, 339, 344, 345, 348
  - Java support for, 322-323
  - JIS, 339, 344, 345, 348
  - JUL, 339, 344
  - leap year calculations in, 354, 357
  - locales for internationalization in, 562-563
  - LONGJUL, 340
  - MDY, 339, 344
  - MILLISECOND in, 333, 338
  - MINUTE in, 333, 338
  - MINUTES in, 331, 333
  - MONTH in, 322, 333
  - MONTHS in, 331, 333
  - MSECONDS in, 331, 333
  - parse method to test dates/times, in Java, 352-353
  - quotes in, 343
  - raw time and clocks in, 323-327
  - rolling behavior of Java in, 333
  - RPG IV and enhancements to, 322
  - SECOND in, 333, 338
  - SECONDS in, 331, 333
  - separators in, 339, 343, 344
  - set method in, 338
  - SimpleDateFormat class for, 323, 340-344, 346, 349, 357
  - SimpleTimeZone, 355-357
  - special Java characters for date formatting in, 342-344
  - special Java characters for time formatting in, 347
  - SUBDUR in, 322, 323, 330-334, 335, 336, 357
  - System class and, 324
  - TEST in, 322, 323, 351-354
  - testing dates and times in, 351-354
  - TIME in, 321-323, 327-330
  - time zones in, 348, 355-356
  - TimeZone class for, 323, 355-356, 357
  - TIMFMT in, 323, 344-346, 357
  - UPDATE in, 321
  - UDAY in, 321, 322
  - MONTH in, 321, 322
  - USA, 322, 339, 344, 345, 348, 352
  - UYEAR in, 321
  - WEEK\_OF\_YEAR in, 337
  - YEAR in, 322, 333, 337
  - YEARS in, 331, 333
  - YMD in, 339, 344
  - ZONE\_OFFSET in, 338
- DATFMT, 323, 338, 340, 357
- DAY, 322
- DAY\_OF\_MONTH, 337
- DAY\_OF\_WEEK, 337
- DAY\_OF\_WEEK\_IN\_MONTH, 337
- DAY\_OF\_YEAR, 337
- DAYS, 331, 333
- DB2 Query Manager and SQL Development Kit for OS/400 (5716-ST1), 579
- DBCS characters, 185
- deadlock, 480-481, **480**, 486
- DEALLOC, 11, 265
- debuggers, 8, 73
  - Java on System i and, 705
  - printStackTrace in, 428-429
- DECIMAL data type, 618
- decimal point numbers, float vs. packed, 209-214
- decision statements, 109
- decision structures, 144, 146-171
- DECLARE CURSOR, 578, 603
- decrement (- -) operator, 121-124
- default package, 86
- default threads, 465
- DEFINE, RPG, 190-195
- DELETE, SQL, in databases, 567, 571, 572, 578, 595, 598-599, 603, 612
- delete, file management in Java, 668
- DeMorgan's rule, 128

deprecated classes, 328  
 @DEPRECATED JavaDoc keyword, 102  
 design tips for OO programming, 415-418  
 determinant loops, 156-163  
 Developer Kit for Java (JDK), 695  
 dialog boxes
 

- message and simple input, 556-557, **556**, **557**
- predefined, 553-555

 DIM keyword, in arrays, 233, 234-235, 244-248  
 direct execution (DE) objects, Java on System i, 704  
 direct record access in database access, 568  
 directories, for Java packages, 89  
 directories list in Java, 667-669  
 directory creation in Java, 669-670  
 disconnected vs. connected jobs, 446-448  
 disk files, in databases, 576-577  
 display files, in user interface, 487-488, 490, 519  
 DISTINCT data type, 627  
 Distributed Computing Environment (DCE), 647  
 distributed object, remote method invocation (RMI) in Java, 647  
 distributed SQL, 575-576  
 DIV, 118-119  
 division (/) operator, 118-119  
 DMY, 322, 339, 344  
 do, in Java, 145, 171  
 DO, in RPG, 144, 145, 155-163, 179  
 do until, Java, 165-169, 170-171  
 do while, Java, 144, 155-156  
 document object model (DOM), 21  
 DocumentListener, 511-514  
 domain names, 15  
 Domino, 1  
 dot operator, 57, 93  
 DOU, in RPG, 108, 144, 145, 164, 155-156, 170-171, 179  
 Double class, wrappers and to/from, 220-221  
 double data type, 46, 78, 187, 188, 189, 207, 223, 618  
 DOUBLE data type, 618  
 DOW, in RPG, 108, 116, 121, 144, 145, 155-156, 164, 165-169, 179  
 drive listing in Java, 669  
 Driver interface, 583

drivers for database connection, 633, 637  
 DROPxxx in database access, 578  
 DSPLY, 73  
 DST\_OFFSET, 338  
 DTAARA, 194  
 duration calculations, in date and time
 

- manipulation, 322

 dynamic link libraries (DLL), 31  
 dynamic HTML (DHTML), 21  
 dynamic loading, 33  
 dynamic SQL, 573-574

**E**

E spec, 190  
 EBCDIC, 187, 223, 697  
 eBusiness, 2, 3  
 Eclipse, 2, 8, 9, 43, 701, 744  
 ElapsedTime class example, 325  
 /%ELEM for length of arrays, in RPG, 238  
 elementAt, 258  
 elements method, 258, 272  
 else, in Java, 113, 146-151, 179  
 ELSE, in RPG, 146-151  
 ELSEIF, RPG, 150  
 embedded SQL, 572-573, 746  
 empty block, 113, 115  
 empty statements, 109, 113  
 encapsulation, 68-69, 261, 361-362, 412, 490  
 End Commitment Control (ENDCMTCTL), 569  
 ENDDO, 116, 121, 145, 156, 166  
 ENDF, 145, 147  
 ENDMON, 425  
 ENDSL, 153  
 endsWith, 318  
 ensureCapacity, 258, 313  
 Enterprise Edition JSDK (J2EE), 692  
 Enterprise JavaBeans, 1, 6, 9, 22-23, 631, 692, 696  
 ENTMOD, 35  
 entry points, for threads, 483  
 Enumeration interface, 401, 403-409, 419  
 %EOF, 425  
 epoch of computer time, 324, 356  
 EQ, 125, 147  
 equal (=) operator, 125, 227, 287  
 %EQUAL, 425

- equals method, 378, 416
  - arrays and, 253
  - date compare, in Java, 334-335
  - hashtables and, 274, 275, 283
  - overriding, 411
  - strings and, 318
  - vectors and, 263, 265
- equalsIgnoreCase, 318
- ERA, 337
- Error class, 427, 429, 430, 433, 443, 460, 471
- %ERROR
  - database access and, 568
  - in date and time manipulation, 352
  - exception handling and, 425
- ESCAPE, 422
- escape characters, 665
- escape messages, SQLJ, 434
- escape sequences, 206, 290
- EUR, 339, 344, 345, 348
- eval, 119
- EVAL, 36, 39-40, 43, 58, 108, 116-122, 138, 143, 164
  - arrays and, 236-237, 288, 298
  - strings and, 293
- EVALR, 108, 288-291
- events
  - anonymous inner classes and, 643
  - JavaBeans and, 678, 683-687, **687**
  - listeners for, 511-514
  - multicast, 687
  - unicast, 687
  - in user interface, 492, 509-514
- EVLRL, 164
- Exception class, 443
  - exception handling and, 427, 430, 433, 441
  - threads and, 460
- exceptions, 421-443
  - bindable APIs in, 425
  - CEEHDLR and CEEHDLU APIs in, 425
  - classes to use in, searching Java
    - documentation, 431-433
  - constructors and, 428, 437, 440
  - control boundary in, 423
  - data structures (INFDS and PSDS) in, 424
  - database access and, SQLException in, 589, 596-597, 616
  - ENDMON in, 425
  - %EOF for, 425
  - %EQUAL for, 425
  - Error class for, 427, 429, 430, 433, 443
  - %ERROR for, 425
  - ESCAPE in, 422
  - escape messages and, 434
  - Exception class for, 427, 430, 433, 441, 443
  - exception objects in Java, 428-431
  - file errors in, 423
  - finally block in, 442, 443
  - %FOUND for, 425
  - getMessage for, 427, 428-429, 430, 433, 443
  - GOTO and ENDSR in, 425
  - handlers for, 423
  - index out of bounds error in, 430
  - indicators of, in RPG III, 424
  - INFSR subroutine for, 424
  - integrated language environment (ILE)
    - model, 423
  - Java, 426-443
  - JavaBeans and, 683
  - Monitor Message (MONMSG) in, 422, 434, 441, 443
  - MONITOR operation for, 425-426
  - multiple, using catch statement for, 441-442
  - NOTIFY in, 422
  - ON ERROR group in, 425
  - %OPEN for, 425
  - Original Programming Model (OPM) model, 422-423
  - printStackTrace in, 428-429, 443
  - procedures and, 424, 425
  - program errors in, 423
  - PSSR subroutine for, 424
  - RPG III and, 423-424
  - RPG IV, 424-425
  - in using RPG and Java together, 761
  - RuntimeException class for, 429
  - RunTimeException in, 430
  - Send Program Message (SNDPGMMMSG) in, 422, 433, 443
  - serialization and, 654

- severity of, 429
- signature of methods in, 435
- SQLJ and, 634
- static initializers and, 645
- STATUS in, 422
- %STATUS for, 425
- System i overview of, 421-426
- threads and, 460, 464, 471
- throw operator for, 427, 433-437, 441, 443
- Throwable class for, 427, 428-431, 433, 441
- throws clause for, 427, 428, 435, 443
- try/catch block for, 427, 428, 429, 434-442, 443
- unique IDs for, 429
- verify method in, 437
- exclusive or (^) operator, 126-128
- exec method, for calls, 673
- EXEC SQL and END-EXEC, 572
- executables (exe), 31
  - calling another program from Java, 672-675
- EXECUTE IMMEDIATE, 573
- executeQuery, 599
- EXFMT, 487
- exists method, in Java file management, 668
- EXIT, 175
- exit points, 177
- exp, 140
- exponentiation (\*\*) operator, 119, 137, 142
- EXPORT, RPG, 92, 192, 194, 199
  - service programs and, 82-84
  - variables, 201-202
- export command, Java on System i, 702
- exporting, 34
- expression statement, 108, 110-111
- expressions, 57, 107, 108, 116-137, 142, 147
  - assignment, 108
  - boolean, 109, 128, 149, 154, 167, 168
  - character, 109
  - class instance creation, 108
  - computational, 108, 109, 116, 117, 142
  - conditional, 108, 113
  - fetch, 109, 116, 123, 136-137, 142
  - index array, 137
  - method call, 108, 109, 137
  - null, 109, 136-137
  - numeric, 109
    - parentheses in, 127
    - pre/post increment/decrement expression, 108
  - EXSR, 56, 445-446
  - extcheck, 8
  - extenders for opcodes, in RPG, 568
  - extending a class, 92, 197, 202, 301, 360, 363, 364, 366, 367, 387-409, 417
  - extends keyword, 367
  - extends Thread, 451-454
  - extensions for files in Java, 677
  - external access to variables, 201-202
  - EXTFILE, 568
  - EXTIND, 568
  - EXTMBR, 568
  - extracting, 357
  - EXTRCT, 322, 323, 335-338, 357

## F

  - F specs, 39, 42
    - database access and, 567-568, 621
    - in user interface, 487-488
  - factory design pattern, 382-387, 419, 489
  - Farr, George, 765-766
  - FEOD, 567
  - FETCH, in database access, 571, 578
  - fetch expressions, 109, 116, 123, 136-137, 142
  - field description classes, AS/400 Toolbox for
    - Java, 731-732
  - field reference files (FRF), 372, 382
  - fields (see variables), 35
  - fields, in databases, 576-577
  - figurative constants, 106
  - file errors, exception handling, 423
  - file listing in Java, 667-669
  - file management in Java, 664-669
    - backslash character in, 665
    - close method in, 671
    - delete in, 668
    - directory creation in, 669-670
    - drive listing in, 669
    - exists in, 668
    - extensions for files, 677
    - flat files in, create, open, write to, 670-671
    - flat files in, reading, 671-672
    - flush method in, 671

- file management in Java, *continued*
    - fully qualified names in, 669
    - getAbsolutePath in, 669
    - getName in, 669
    - getParent in, 669
    - isDirectory in, 668
    - Java on AS/400 and, 697-698
    - list method in, 668
    - listing files and directories in, 667-669
    - mkdir in, 668, 669-670
    - naming files, 677
    - readLine method in, 672
    - stream files in, 668, 670
    - system properties for, 665-667
    - working directory in, changing, 665-667
    - working directory in, finding, 664-665
  - file system, Java packages, 88
  - file transfer protocol (FTP), Java on System i,  
701, 702
  - fill method, 253
  - filtering, 570, 571
  - final
    - arrays and, 235
    - classes, 301, 360
    - inheritance and, 379, 380
    - inner classes and, 641
    - methods, 360
    - variables, 197, 198, 223, 224
  - finalize
    - arrays and, 246
    - overriding, 411
  - finally, 442-443, 464
  - firewalls, 16
  - first in first out (FIFO), 727, 728
  - firstElement, 258
  - flat files in Java, create, open, write to, 670-671
  - flat files in Java, reading, 671-672
  - Float class, wrappers and to/from, 220-221
  - float data type, 46, 78, 124, 183, 184, 187, 188,  
189, 207, 209-214, 223, 618
  - FLOAT data type, 618
  - %FLOAT, 219
  - floor, 140
  - flow of control, 36, 93, 109, 125, 143, 144,  
171-178
    - boolean data types and, 214-215
    - Java, 37-38
    - RPG, 35-36
  - FlowLayout manager, 520, 523-524, **524**
  - flush method, in Java file management, 671
  - focus, in user interface, 513
  - FocusListener, 511-514
  - fonts, 498
  - for, in Java, 113, 115, 144, 145, 155-163, 169,  
171, 179, 215
  - FOR, in RPG, 108, 164-165, 164
  - form panels, in user interface, 536-543, **540, 541**
  - formats for dates and times, 322, 338-348
  - forms, for Web pages, 17
  - %FOUND
    - arrays and, 252
    - exception handling and, 425
  - FREE and ENDFREE compiler directives, 40,  
54
  - free-format calculation, 40
  - freely distributable math library (FDLIBM), 137
  - FROMFILE keyword, 236, 244-248
  - fully qualified names in Java file management,  
669
  - functions in RPG, 39
- ## G
- garbage collection, 11-12, 54, 136, 214, 246, 465
  - GE, 125, 147
  - get and getter methods
    - for data types, 617
    - database access and, 600-603, 619, 621, 628
    - in date and time manipulation, 336-337, 338
    - hashtables and, 272
    - introspection in JavaBeans and, 687
    - JavaBeans and, 678, 680, 681, 688
    - user profiles and, 675-677
  - getAbsolutePath, 669
  - getBytes, 318
  - getChars, 318
  - getDateInstance, 349, 357
  - getDateTimeInstance, 349, 357
  - getKey, 275
  - getMessage, 427, 428-429, 430, 433, 443
  - getName, 669

getParent, 669  
 getter (see get and getter methods)  
 getTime, 328, 329  
 getTimeInstance, 349, 357  
 global variables, 38, 59, 199-200, 223, 466  
 goto, in Java, 107, 172  
 GOTO, in RPG, 144, 145, 175, 179, 425  
 graphic data type, 182, 184, 185, 206  
 GRAPHIC data type, 619  
 graphic varying data type, 184  
 graphical user interface (GUI) (see user interface design and Swing)  
 greater than (>) operator, 125  
 greater than or equal (>=) operator, 125  
 GregorianCalendar class, 323, 328, 329, 330, 331, 337, 357,  
 GridBagLayout manager, 521, 525-528, **525**, **527**, **528**  
 GridLayout manager, 520, 524-525, **525**  
 GROUP BY clause, 570  
 GT, 125, 147  
 GUI Builder, 710

## H

H spec, 35, 36, 39  
 half adjust, 211, 213, 219  
 handlers, exception, 423  
 has a relationship, 415  
 hashCode, 411  
 hashCode method, 416  
 Hashtable class, 378, 675-677  
 hashtables, 271-278, 283
 

- arrays and, 229
- casting in, 272
- clear in, 272
- containsKey in, 273
- containsValue in, 273
- elements in, 272
- equals and, 283
- equals in, 274, 275
- get method in, 272
- getKey in, 275
- isEmpty in, 272
- key value pairs and, 271-278
- keys method in, 272

LOOKUP and, 271
 

- next in, 272
- null values and, 272
- remove in, 273
- searches in, 275
- size in, 273

 hasMoreElements, 404  
 HAVING clause, 571  
 hello world
 

- Java, 75
- RPG, 73

 helper classes
 

- interfaces and, 392, 405
- iSeries Toolbox for Java and, 708-709

 helper methods, 68, 252-255  
 HIVAL, 106  
 HMS, 345, 348  
 HotJava Web browser, 5  
 HOUR, 333, 338  
 HOUR\_OF\_DAY, 338  
 HOURS, 331, 333  
 HTML classes, 709  
 hypertext markup language (HTML), 5, 2, 7, 12-22  
 hypertext transfer protocol (HTTP), 5, 15-16, 18, 22, 655

## I

I specs, 39, 190  
 IBM Distributed Debugger, 705  
 idltoJava, 8  
 if, in Java, 111, 112, 113, 115, 125, 126, 134, 144, 145, 146-151, 179  
 IF, in RPG, 58, 108, 145, 146-161, 164, 175
 

- date compare, in RPG, 334-335
- strings and compare, 288

 IGNORE/INCLUDE, 488, 568  
 images in user interface components, 505-508, **507**  
 immutable classes, 214  
 implement Runnable, 455-456  
 implementing an interface, 361, 390-391  
 import packages in Java, 86  
 IMPORT, 192, 194, 199, 201-202  
 import statement, 86, 94, 109  
 INCLUDE, 568

- include files, 11, 99
- increment (++) operator, 121-124
- increment/decrement, 108, 111, 121-24
- indentation of code, Java, 96
- index array expressions, 137
- index out of bounds error, 237, 430
- indexed properties, JavaBeans, 679
- indexes, in databases, 576-577
- indexing arrays, 109, 137, 159-163, 232, 237
- indexing vectors, 266
- indexOf
  - strings and, 291, 295-298
  - vectors and, 258
- indicator data type, 184, 189, 206, 214, 215
- indicators, in user interface, 490
- inequality ( and !=) operators, 128
- INFDS, 424, 568
- infinite loops, 160, 165, 369
- INFSR, 145, 424, 568
- inheritance, 361, 379-382, 414, 417
  - abstract and, 379, 380-382
  - constructors and, 360, 368
  - enforcing, 380-382
  - field reference files (FRF) and, 382
  - final and, 379, 380
  - inlining and, 380
  - interfaces vs., 398-399, 400-401
  - multiple, 11, 451
  - overriding methods in, 379
  - preventing, 379-380
  - in user interface components, 496-500
  - in user interface, Swing classes and, 489
- initializers, static, 644-645
- initializing variables, INZ keyword, 51, 191, 192, 193, 224
- inlining, 380
- inner classes, 640-642
  - anonymous, 642-644
- INSERT, 572, 578, 596, 598, 599, 612
- INSERT INTO, 572
- insertElementAt, 258
- instance of a class, this variable, 59-61
- instance variables, 55, 68, 93, 96, 167, 198, 201, 204, 418
  - threads and, 447, 447, 457, 466, 471, **477**
- instanceOf operator, 135, 227, 410-411
- instantiating an object, new operator, 54
- int data type, 46, 187, 188, 189, 207, 223, 618
  - /%INT, 219
- integrated development environment (EDE), 2
- INTEER data type, 618
- Integer class, wrappers and to/from, 220-221
- integer data type, 183, 184, 188, 189, 207
- integrated development environment (IDE), 8
- Integrated File System (IFS), 33
  - Java on iSeries and, 695, 697-700
- integrated language environment (ILE), 27, 29, 423
- interactive vs. embedded SQL, 572-573
- interface keyword, 389
- interfaces, 187, 226, 360, 387-409, 419
  - abstract, 389
  - call backs as, 400-401
  - casting and, 391-392
  - Cloneable, 401, 402-403
  - Comparator, 401
  - compilers and, 388-389
  - constants and, 401
  - contracts as, 398
  - copy members and, 389-409
  - database access and for, 630-631
  - Enumeration, 401, 403-409
  - extending classes and, 387-409
  - graphical user interface (GUI), 402
  - helper classes and, 392, 405
  - implementing, 361, 390-391, 398-399, 400-401
  - interface keyword in, 389
  - introspection in, 389
  - Iterator, 407
  - Java Database Connectivity (JDBC), 402, 583
  - Java-supplied examples of, 401-409
  - object reference variables and, 391
  - pointers and, 400-401
  - polymorphism and, 399
  - procedure pointers vs., 400-401
  - prototyping vs., 387-409
  - public, 389
  - reuse of code, 394-399
  - Runnable, 401



- search in, 399-401
  - service programs vs. ., 387-409, 400-401
  - signatures and, 389, 404
  - sort method and, 399-401
  - threads and, 454-456, 461, 462, 463, 485
  - in user interface, Swing classes and, 489
  - international characters, 304
  - internationalization of user interface, resource bundles, 562-566
  - Internet, 5, 12-19
  - Internet Information Server (IIS), 18
  - Internet Inter Orb protocol (IIOP), 651
  - Internet service providers (ISPs), 14-15
  - interpreters, 6, 7
  - %INTH, 219
  - introspection, 389, 688
  - INZ, 51, 191, 192, 193, 194, 195, 224, 288, 289
  - is a relationship, 415, 417
  - is method, 223, 621-622
  - isAlive, 482-483, 486
  - isDigit, 437
  - isDirectory, 668
  - isEmpty, 258, 272
  - iSeries (see System i)
  - iSeries Developer Kit for Java (JDK), 695, 697-705
  - iSeries Toolbox for Java, 5, 558, 696, 705-744
    - classpath setting for, 711
    - CommandCall class in, 713-714
    - compressed files in, 710
    - data conversion classes in, 722
    - database access and, 590, **590**
    - field description classes in, 731-732
    - functions in, 706-708
    - GUI Builder in, 711
    - help in, 744
    - helper classes in, 708-709
    - JarMaker and, 744
    - JTOpen for, 711
    - obtaining and installing, 710-711
    - Panel Definition Markup Language (PDML) in, 710
    - Program Call Markup Language (PCML) in, 710, 723-727
    - ProgramCall class in, 714-722
    - record level database access and, 736-744
    - Secure Socket Layer (SSL) connection to, 712
    - TCP/IP and, 711
    - user interface and, 710
    - visual classes in, 709
  - isLeapYear, 354, 357
  - ISO, 338, 339, 344, 345, 348
  - isolation levels, 620
  - ITER, 144, 145, 172-174, 179
  - Iterator interface, 407
  - iterators, SQLJ, 634, 635
- ## J
- J2EE, 692
  - jar files, 7, 90-91, 697
    - JarMaker and, 744
  - JarMaker, 744
  - jarsigner, 8
  - java command, 7, 37, 650, 697
  - JAVA command, 37, 746
  - Java Database Connectivity (JDBC) (see also database access), 402, 558, 580-581, **581**, 583-603
  - Java development kit (JDK), 7-10, **8**
  - Java Naming and Directory Services (JNDS), 630-631
  - Java native interface (JNI), 645-646
    - calling another program from Java, 672-675
    - in using RPG and Java together, 745
  - Java on System i, 1-25, 695-744, 695
    - case sensitivity of Java and, 697-698
    - CL commands for Java and Java Transformer in, 703-705
    - classpath settings in, 702-703, 704
    - CODE/400 and, 701
    - copying Java files to OS/400, 701
    - debugging and, 705
    - direct execution (DE) objects and, 704
    - Enterprise JavaBeans and, 696
    - file management and, 697-698
    - file transfer protocol (FTP) to copy files in, 701, 702
    - help in, 744
    - IBM Distributed Debugger for, 705

- Java on System i, *continued*
  - installing components for, 696
  - Integrated File System (IFS) and, 695, 697-700
  - iSeries Developer Kit for Java (JDK), 695, 697-705
  - iSeries Toolbox for Java and, 696, 705-744
    - classpath setting for, 711
    - CommandCall class in, 713-714
    - compressed files in, 710
    - data conversion classes in, 722
    - field description classes in, 731-732
    - functions in, 706-708
    - GUI Builder in, 710
    - help in, 744
    - helper classes in, 708-709
    - JarMaker and, 744
    - JTOpen for, 711
    - obtaining and installing, 710-711
    - Panel Definition Markup Language (PDML) in, 710
    - Program Call Markup Language (PCML) in, 710, 723-727
    - ProgramCall class in, 714-722
    - record level database access and, 736-744
    - Secure Socket Layer (SSL) connection to, 712
    - TCP/IP and, 711
    - user interface and, 710
    - using classes in, 711-712
    - visual classes in, 709
  - JavaServer Pages and, 696
  - mapped drives for, 705
  - OS/400 and 700-702
  - QShell Interpreter and, 695, 697-700, 702-703
  - RUNJAVA and, 703
  - servlets and, 696
  - UNIX programmers and, 697-700
  - VisualAge for Java and, 700, 701, 705
- Java plug ins for browsers, 561
- Java remote method invocation (RMI), 647-651
  - client side code, 648-651
  - registry in, 649-651
  - server side code, 648-651
- Java Runtime Environment (JRE), 10-11
- Java source code, 33, 93
- Java Transaction Services (JTS), 630-631
- Java Transformer, 703-705
- Java Virtual Machine (JVM), 660
  - in using RPG and Java together, 745, 756-757
  - threads and, 447, 464
- java.awt, 381, 402, 488, 493, 662
- java.beans, 662, 680-683
- java.io, 554, 670
- java.lang, 87, 138, 186, 419, 661, 662
  - Cloneable interface in, 402-403
  - exception handling and, classes for, 431-433
  - Runnable interface in, 455
  - Runtime class in, 672
  - String class and, 285
  - Throwable class in, 428-431
- java.math, 661, 662
- java.net, 663
- java.nio, 663
- java.rmi, 663
- java.security, 663
- java.sql, 583, 661
- java.sql, 580
- java.text, 340-344, 661
- java.util, 661, 663
  - Array class, 283
  - arrays and, 229
  - Date class in, 602
  - interfaces and, 401
  - Locale object in, 563
  - Properties class in, 675
  - TimeZone class in, 355
  - Vector class in, 256
- JAVA\_OBJECT data type, 627
- JavaBeans, 2, 678-692
  - add/remove methods in, 686
  - base classes and, 678
  - BeanInfo class for, 692-694
  - bound properties in, 678, 680-683
  - constrained properties in, 683
  - creation of, 690
  - customizers for, 678
  - events in, 678, 683-687, **687**

- exceptions and, 683
  - get methods for, 678, 680, 681, 688
  - indexed properties in, 679
  - introspection in, 688
  - Java.beans package in, 680-683
  - listeners and, 681-685, 687, 688
  - methods in, 678
  - multicast events in, 687
  - properties of, 678-680
  - property editors for, 678
  - serialization in, 687-688
  - set methods for, 678, 680, 681, 688
  - SmartGuides for, 691, **691**
  - sources for, 692
  - synchronized keyword and, 686
  - this in, 681
  - tools for, 690-691
  - unicast events in, 687
  - Visual Composition Editor (VCE) and, 690
  - VisualAge for Java and, 690, **690**, **691**
  - javac, 7, 33, 85, 93, 675, 697
  - javadoc, 7, 100, 142, 697
  - JavaDoc comments, 99-105
  - javah, 7
  - javap, 8, 697
  - JavaScript, 2, 20-21
  - JavaServer Pagers, 1, 2, 9, 21-22, 489, 692, 696
  - javax, 661
  - javax.accessibility, 662
  - javax.crypto, 662
  - javax.imaggio, 662
  - javax.naming, 662
  - javax.print, 663
  - javax.sound, 663
  - javax.sql, 630
  - javax.swing, 381, 402, 488, 493, 663
  - javax.transaction, 663
  - javax.xml, 664
  - JBroker, 20
  - JBuilder, 8
  - JButton, 381, 491, 494, **496**, 502, 506, 509, 514, 550, 683
  - JCheckBox, 381, 491, 494, **496**, 502, 506, 509
  - JCheckButton, 514
  - JColorChooser dialog, 553-555, **555**
  - JComboBox, 494, **496**, 503, 509, 514
  - JComponent, 381, 493
  - jdb, 7
  - JDBC native driver, 581
  - JDBC net drivers, 581
  - JDBC thin drivers, 581
  - JDBC-ODBC bridge driver, 581
  - JDesktopPane, 551
  - JDialog, 491, 515-543, **519**
  - JFileChooser dialog, 553-555
  - JFrame, 491, 515-543
  - JInternalFrame, 551
  - JIS, 339, 344, 345, 348
  - JLabel, 494, **493**, **496**, 506, 509, 543
  - JList, 494, 503, 509, 508, **508**, 514
  - jobs vs. threads, 446-448
  - join method in threads, 482, 484, 486
  - JOptionPane class, 556-557, **556**, **557**
  - JPanel, 491, 515-543 531
  - JPasswordField, 494, **496**, 502, 509, 514, 543
  - JProgressBar, 551
  - JRadioButton, 494, **496**, 502, 506, 509, 514
  - JScrollPane, 494, **496**
  - JSlider, 551
  - JSplitPane, 552
  - JTabbedPane, 521, 552
  - JTable, 551, 613, **613**
  - JTextArea, 494, **496**, 502, 509, 514
  - JTextComponent class, 502
  - JTextField, 494, **496**, 502, 509, 514, 543-545
  - JTextPane, 551, 552
  - JToolBar class, 550-551
  - JTOpen, 711
  - JTree, 551
  - JUL, 339, 344
- K**
- key/value pairs, hashtables, 271-278
  - KeyListener, 511-514
  - keys method, 272
  - keytool, 8
  - keywords, 41, 42, 51, 102, 106-107

**L**

labeled statements, 109, 114-115  
labels, Java, 114  
last in first out (LIFO), 727, 728  
lastElement, 258  
lastIndexOf, 258, 297-298  
layout managers, 492, 519-531  
LE, 125, 147  
leap year calculations, 354, 357  
LEAVE, RPG, 144, 145, 165, 171-174, 179  
LEAVSR, 177-178  
left shift (<), 130-132  
%LEN, 51, 291, 299-300  
length method, 173, 237, 291, 300  
less than (<) operator, 125  
less than or equal (<=) operator, 125  
libraries, in databases, 576-577  
library lists, 28, 89  
lifetime of variables, 200-201  
LIKE keyword, in RPG, 191  
LIKEDS, 195  
line breaks, Java, 95  
@LINK JavaDoc keyword, 102  
linked list program and vectors, 267  
Linux, 9, 705  
list component methods, 503  
list method in Java file management, 668  
listeners  
    anonymous inner classes and, 643  
    JavaBeans and, 681-685, 687, 688  
    in user interface, 511-514  
listing files and directories in Java, 667-669  
lists and vectors, 265  
ListSelectionListener, 511-514  
literals, 205-207  
    String, 235, 289  
local variables, 205  
local fields, 34  
local variables, 36, 55, 60, 63-64, 199-201, 223  
    threads and, 447, **447**, 457, 466, 471, 477  
local vs. distributed SQL, 575-576  
locales for internationalization, 562-563  
LOCK, 567  
LOCK TABLE, 612  
locking, in threads, 476-478, **477**, **479**, 476

locks, database access, 568, 612  
logarithms, 137  
logical files, 416, 576-577  
logical operators, 126-128, 147  
long, 46  
Long class, wrappers and to/from, 220-221  
long data type, 187, 188, 189, 207, 223  
LONGJUL, 340  
LONGVARBINARY data type, 618  
LONGVARCHAR data type, 618  
LONGVARGRAPHIC data type, 619  
look and feel settings for in user interface,  
    552-553, 555  
LOOKUP  
    arrays and, 229, 252-255, 252  
    hashtables and, 271, 271-278  
loop statements, 109  
loops, 112, 114, 121, 125, 144, 155-156, 179  
    determinant, 156-163  
    infinite, 160, 165, 369  
    LEAVE, 165  
    nested, 171, 175  
LOVAL, 106  
LT, 125, 147

**M**

main procedures/method, 70, 93, 94, 558  
    Java, 69-71  
    threads and, 464, 469, 483, 486  
mainline code, 36, 43  
maintenance of code, 29  
make files, 11  
mapped drives for Java on System i, 701  
marshalling, in remote method invocation (RMI)  
    in Java, 647  
Math class in Java, 137-142  
mathematical functions, 142  
max, 140  
Max, 141  
MAX\_VALUE, 223  
MDY, 339, 344  
memory management (see  
    allocation/deallocation of memory)  
menu bars and popups, 545-550, **546**  
menus

- actions associated with menus in, 551
  - shortcuts for menu items in, 550
  - Message Queue Series (MQ Series), 727
  - metadata, in databases, 576-577, 621-624, 631
  - Metal look and feel GUI, 552-553
  - method call expressions, 108, 109, 137
  - methodologies for OO programming, 413
  - methods in Java, 37, 38, 47-48, 68, 93, 108, 198, 360, 412
    - abstract, 360, 418
    - accessing, 55-58
    - calling RPG procedures as RPG native
      - methods from Java in, 757-761
    - calls to, 37-38, 57
    - class (static), 66, 93
    - constructors, 78-82
    - defining of, for class, 49
    - design of, 418
    - factory method design patterns in, 382-387
    - final, 360
    - inlining, 380
    - JavaBeans and, 678
    - naming, 47-48
    - overloading, 61, 67, 78-82, 93, 370, 377
    - overriding, 360, 361, 368, 378, 379, 381, 411
    - private, 364, 368, 378
    - protected, 360, 364, 368
    - public, 364, 378
    - same-named, 61
    - side effects of, 111
    - signature of, 70, 93, 368, 389, 404, 435, 451, 455
    - static, 65-69, 418
    - super keyword and, 360
    - threads and, asynchronous calls to, 448-456
    - in user interface components and, 496-508
  - MILLISECOND, 333, 338
  - min, 140, 141
  - MIN\_VALUE, 223
  - MINUTE, 333, 338
  - MINUTES, 331, 333
  - mkdir, in Java file management, 668, 669-670
  - Mnemonics class, 505
  - mnemonics in user interface, 504-505, **504**, **505**, 518
  - modal behavior, in user interface, 518
  - model view controller (MVC), 508-509
  - modifiers in Java (see also public; private; protected), 45, 91-92, 360, 364
    - native, 645-646, 645
    - synchronized, 473-475, 476-481
    - transient, 655
    - variables and, 197, 223
  - MODULE, 38
  - modules in RPG, 28-30, **29**, 34-35, **34**
  - modulus or remainder (percent) operator, 118-119
  - monetary values, data types, 210-214
  - Monitor Message (MONMSG), 434, 422, 441, 443
  - MONITOR operation, exception handling and, 425-426
  - MONTH, 322, 333
  - MONTHS, 331, 333
  - Motif look and feel GUI, 552-553, **553**
  - MouseListener, 511-514
  - MouseMotionListeners, 511-514
  - MOVE, 120, 143, 147, 216-218, 288
  - MOVEA, 253, 288
  - MOVEL, 288
  - MSECONDS, 331, 333
  - MULT, 118-119
  - multicast events, 687
  - multidimensional arrays, 162, 229, 238-241, 283
  - multiple arrays, 232
  - multiple inheritance, 11, 451
  - multipl occurrencece data structures (MODS), 249, 727
  - multiplication (\*) operator, 118-119
  - multithreading (see threads)
  - mutable classes, 308
  - mutators (see set and setter methods)
  - MVR, 118-119
- ## N
- named threads, 482
  - naming conventions, 96
    - database access and, 594-595, 594
    - file names, 677
    - Java, 45

- naming conventions, *continued*
    - packages in Java and, 87
    - variables, 196-197, 202
    - variables, 202
  - native modifier, 645-646
  - native2ascii, 8
  - NE, 125, 147
  - negation operator, 128, 147
  - negative numbers, Java, 187
  - nested for loop, 163
  - nested if, Java, 150-151
  - nested IF, RPG, 149-150
  - nested layout managers in (JPanel), 531-536,  
**533, 534**
  - nested loops, 171, 175
  - NETLIB, 137
  - NetScape Communications, 5
  - new operator, 53-55, 93, 111, 226
    - abstract and, 381
    - anonymous inner classes and, 642-644
    - arrays and, 232-233, 235, 242
    - constructors and, 79, 437
    - null expression and, 136
    - Statement class for SQL and, 596
    - static methods and, 67
    - static variables and, 65
    - StringBuffer class and, 309
    - strings and, 287
    - variables, 201, 205
    - vectors and, 257
  - next, 272
  - nextElement, 404
  - NOMAIN, 35, 36, 38
  - NOOPT, 192
  - not (!) operator, 126-128
  - not equal (!=) operator, 125, 227
  - NOT operator, 126-128
  - notify, in Java threads, 478-480, 481, 486
  - NOTIFY, in RPG exception handling, 422
  - Null, 106, 185, 186
  - null expressions, 109, 136-137
  - null layout managers, 521
  - null values, 226
    - arrays and, 246
    - database access and, JDBC, 619
    - hashtables and, 272
  - numeric conversion in data types (see also casting), 214-222
  - numeric data type, 182, 187, 207-209
    - ranges for, 207-209
  - NUMERIC data type, 618
  - numeric expressions, 109
- O**
- O data type, 186
  - O specs, 39, 43
  - Oak, as original name of Java, 4-5
  - Object class, 360, 365, 367, 419
  - object data type, 184
  - object factory, 383, 416, 419
  - object files, 31
  - Object Management Group (OMG), 647
  - object oriented design and analysis (OOA/D), 382-383
  - object oriented programming, 4, 359-419, 359
  - object reference operators, 227-228
  - object reference variables, 54, 57, 74, 93, 198, 361, 391
  - objects, 53, 186, 226
  - OCCUR, 52, 249-252
  - OCCURS, 194
  - OFF, 106
  - ON, 106
  - ON ERROR group, 425
  - op codes, 107, 108, 143
  - OPEN, 567, 578
  - Open Database Connectivity (ODBC), 574-575, 579, 580
  - %OPEN, 425
  - operating systems, 9-11, 22-23, 705
    - Java on System i and, OS/400, 700-702
    - packages and support, 660
    - threads and, 447
  - operators, 116-137, 142
    - arithmetic, 117-119
    - assignment, 119-120
    - bitwise, 126-128, 129-132
    - conditional, 134
    - contracted, 120
    - increment/decrement, 121-124

- logical, 126-128, 147
  - negation, 128, 147
  - object reference, 227-228
  - precedence of, 119, 134-136
  - prefix and suffix, 122
  - relational, 125-126, 147
  - shift, 130-134
  - side effects of, 123
    - as statements, 123
    - ternary, 134
    - unary, 121-124
  - optimization, in database access, 573, 574
  - or(||) operator, 126-128
  - OR, 126-128, 147
  - ORDER BY clause, 570
  - org.omg, 664
  - Original Programming Model (OPM) model,
    - exception handling, 422-423
  - OS/400 and Java, 9, 700-702
  - OTHER, 153
  - overhead of threads, 447
  - OVERLAY, 194
  - overloaded concat in strings, 293
  - overloading methods, 61, 67, 93, 370, 377
    - constructors and, 78-82
  - overloading operators, 11
  - overriding files, 28
  - overriding methods, 360, 361, 368, 378, 379, 381, 411
- P**
- P specs, 39, 185
  - pack method, 518
  - package statement, 85, 92, 109
  - packages in Java, 7, 46, 84-91, 94, 660-664
    - case sensitivity of names in, 88
    - class loaders, 90
    - CLASSPATH vs. library list in, 89
    - compression of files in, 90-91
    - default, 86
    - defining, using package statement, 85
    - directories for, 89
    - distributing, 90-91
    - file system and, 88
    - import statement for, 86
    - jar files for, 90-91
    - Java.lang as, 87
    - Javac compiler and, 85
    - naming conventions for, 87
    - qualified names of, 85
    - unnamed, 86-87
    - using, 85-87
  - packed data type, 207, 209-214, 223, 618
  - packed decimal data type, 183, 188
  - PACKEVEN, 194
  - padding in strings, 289-290, 294, 313
  - padding space between components in user interface, 531
  - %PADDR, 185
  - Panel Definition Markup Language (PDML), 710
  - @PARAM JavaDoc keyword, 102
  - parameter lists, Java, 48
  - parameter passing, 34, 35-36, 56, 94, 278-283, 414
    - arrays and, 278
    - CallableStatement class in, 625-627
    - Java native interface (JNI) and, 646
    - Java, 37-38
    - pass by reference in, 278
    - pass by reference, simulated for RPG, 281-282
    - pass by value in, 278, 279-280
    - ProgramCall class in, 714-722
    - RPG, 41, 278-281
    - serialization and, 652
    - stored procedures and, 625-627
    - swap method for, 282
  - parameter separators, 56
  - parameter variables, 60
  - parameters
    - command line, in Java, 72
    - command line, in RPG, 71-72
  - parent classes, 329, 349, 360, 368, 374-379, 416, 655
  - parentheses
    - expressions and, 127
    - operator precedence and, 134-136
  - parse method to test dates/times, in Java, 352-353

- pass by reference, 278
  - simulated for RPG, 281-282
- pass by value, 278, 279-280
- passing (see parameter passing)
- patterns, method design, 382
- PDM options
  - calls and, 675
  - database access and, 606-614
  - user profiles and, 677
- Perl, 18
- PERRCD keyword, 234-235, 236, 244-248
- persistence, 197, 652
- PGM, 38
- physical files, in databases, 576-577
- PKZIP, 90
- PLIST, 71
- pointer data type, 182, 265
- pointers, 11, 12, 50, 55, 136, 185, 187
  - interfaces and, 400-401
  - vectors and, 266
- policy files, remote method invocation (RMI) in
  - Java, 650
- policytool, 8
- polymorphism, 361, 372-379, 399
- popup menus, 548-549, **546, 549**
- portability of Java, 6, 9, 20
  - metadata and, 621-624
  - packages and, 660
- positioned iterators, SQLJ, 635
- positioned update and delete, 572, 603
- pow, 141, 142
- pre runtime arrays, 229, 243-248, 243
- pre/post increment/decrement expression, 108, 111
- precedence of operators, 119, 134-136
- precision, 212
- predicate or WHERE clause, 570
- preemptive time slicing, threads, 472, **472**
- PREFIX, 488, 568
- prefix operators, 122
- PreparedStatement class, 583, 596, 617, 630
- primary or main method in threads, 447, 454, 464, 469
- primitive data types, 47, 186, 223, 225
  - pass by reference, simulated for RPG, 281-282
  - vectors and, 257
- println, 74-78, 94
- printStackTrace, 428-429, 443
- prioritizing threads, 481-482, 486
- private, 46, 65, 92, 94, 362
  - methods, 364, 368, 378
  - variables, 197, 205, 223
- procedure interface (PI), 42
- procedure pointer data type, 182, 184, 185, 189, 206
- procedure pointers, 187, 400-401
- procedures, 30, 31, 34-36, 35, 38, 107, 141, 198, 362
  - calling RPG procedures as RPG native methods from Java in, 757-761
  - calling, 43-44
  - defining, 41-43
  - exception handling and, 424, 425
  - side effects of, 111
- profiles in SQLJ, 632
- program call classes, 673
- Program Call Markup Language (PCML), 673, 709, 723-727
  - arrays and multiple occurrence structures in, 727
  - data structures declared in, 725-727
  - DataQueue class in, 727-736
  - in using RPG and Java together, 745
- program errors, exception handling, 423
- ProgramCall class, 714-722
- properties
  - bound, 678, 680-683
  - constrained, 683
  - indexed, 679
  - JavaBeans and, 678-680
  - system, querying, 665-667
- Properties class
  - database access and, drivers, 591
  - user profiles and, 675-677
- property editors for JavaBeans, 678
- protected, 92, 94, 360, 362
  - methods, 360, 364, 368
  - variables, 197, 202, 223



prototyping, 34-35, 40-41, 11, 71, 387-409  
 proxy objects, remote method invocation (RMI)  
   in Java, 648  
 PSDS, exception handling, 424  
 PSSR, 145, 424  
 public, 45, 46, 70, 92, 94, 364  
   methods, 364, 378  
   variables, 197, 202, 204, 223  
 push buttons, 550

## Q

QCMDEXEC command analyzer and calls, 673  
 QShell Interpreter, Java on System i, 695, 697,  
   702-703  
 QUALIFIED, 195  
 qualified data structures, defining, in RPG, 195  
 qualified names, packages, 85  
 queries, 571, 599  
   examples of, 603-605  
 queues, DataQueue class, 727-736  
 quotes, 75, 76, 206  
   in date and time manipulation, 343  
   in String literals, 235  
   in strings, 72, 289, 290, 293

## R

random, 141  
 Random and random number generation, 470  
 ranges for numeric data types, 207-200  
 Rational Software, 413  
 READ, 487, 567  
 read committed, 620  
 READC keyword, 488  
 READE, 567  
 readLine method, in Java file management, 672  
 READP, 567  
 READPE, 567  
 REAL data type, 618  
 REALLOC, 11  
 RECNO, 568  
 record level database access, 736-744  
 records, in databases, 576-577  
 recursion, 34  
 REF data type, 627

reference data type, 186, 223, 225  
 reference fields, inheritance, 372  
 reference variables, 186, 187, 226  
 references, 54  
   arrays and, 241-243  
   pass by reference, 278  
 referential integrity in database, 624  
 regionMatches, 318  
 registering and connecting drivers in SQLJ, 633  
 registering programs and stored procedures, 627  
 registry, remote method invocation (RMI) in  
   Java, 649-651  
 relational operators, 125-126, 147  
 relationships, 413, 414-415, 417  
 releasing a thread, 478  
 remote method invocation (RMI), 467, 647-651,  
   655  
 remote procedure calls (RPC), 647  
 remove, 273, 686  
 removeAllElements, 258  
 removeElement, 258, 263, 265  
 removeElementAt, 258  
 RENAME, 488, 568  
 repeatable read, 620  
 replace method, 291, 301  
 %REPLACE, 291  
 report writer classes, 710  
 reserved keywords, Java, 106-107  
 resource bundles, internationalization, 562-566  
 result sets, 571, 599-603  
 ResultSet class, 628-629  
 ResultSet interface, 583  
 ResultSetMetadata, 583, 621-622  
 resume method, in threads, 482, 486  
 return method, in Java, 48, 144, 145, 176-178,  
   179, 220  
 RETURN, in RPG, 108, 144, 145, 164,  
   176-178, 179  
 return values, 34  
 @RETURN JavaDoc keyword, 102  
 reuse of code, 82-91  
   interfaces and, 394-399  
   packages in Java, 84-91, 660  
   service programs for, 82-84  
   in user interface, 490

reverse method, in StringBuffer class, 310  
right shift (>), 130-132  
rint, 141  
rmic, 8  
rmid, 8  
rmirestiry, 8  
rollback, in Java, 620, 621  
ROLLBACK, in RPG, 569, 575, 578  
round, 141  
ROUND\_DOWN/ROUND\_HALF\_UP, 213  
rounding, 211, 213  
rows, columns, and tables, 570, 576-577  
RPG and Java, 2, 3, 745-761  
    activation groups and, 758  
    calling Java from, 746-757  
    calling RPG procedures as RPG native  
        methods from Java in, 757-761  
    classpath settings and, 757, 760-761  
    data types and, mapping of, 754-756  
    embedded SQL and, 746  
    exceptions and, 761  
    JAVA command for, 746  
    Java native interface (JNI) and, 745  
    Java Virtual Machine (JVM) and, 745,  
        756-757  
    Program Call Markup Language (PCML)  
        and, 745  
    RPG calling Java in, 746-757  
    service programs and, 758  
    threading and, 745-746  
RPG cycle in database access, 568  
RPG II vs. RPG IV, 28-31  
RPG III, 27, 423-424, 423  
RPG IV, 2, 27, 28, 646  
    vs. RPG III, 28-31  
RPG program anatomy, 107-108  
RPG vs. Java, 23-24, 32-38  
run method, in threads, 401, 452-454, 457, 459,  
    460, 465, 469, 485  
Run SQL (RUNSQLCMD), 572  
RUNJAVA command, 646, 703  
Runnable interface, 401, 454-456, 461, 462,  
    463, 485  
runtime array initialization, 236-238  
runtime arrays, 243, 283

Runtime class, calling another program from  
    Java, 672-675  
RuntimeException class, 429, 430

## S

sandbox, 19, 558  
savepoints, database access, 631  
scale, 212  
SCAN and %SCAN, 288, 291, 296-298, 296  
schema, in databases, 576-577  
scope of variables, 199-200  
SDA, in user interface, 489  
searches  
    arrays and, 252-255  
    hashtables and, 275  
    interfaces and, 399-401  
    substrings within strings, 296-298  
SECOND, 333, 338  
SECONDS, 331, 333  
Secure Socket Layer (SSL) connection, AS/400  
    Toolbox for Java, 712  
security, 12, 16, 19, 558  
security classes, 710  
@SEE JavaDoc keyword, 102  
SELECT, in RPG, 151-154  
SELECT, in SQL, 144, 145, 179, 570, 571, 572,  
    578, 595, 596, 599, 602, 603, 612, 634  
semicolon as Java statement delimiter, 97, 108,  
    111, 149, 235  
Send Program Message (SNDPGMMSG), 422,  
    433, 443  
separators  
    in date and time manipulation, 339, 343, 344  
    parameters, 56  
Serializable interface, 652  
serializable isolation level, 620  
serialization, 651-656  
    JavaBeans and, 687-688  
serialver, 8  
@SERIALxx JavaDoc keyword, 102  
server applications, 6  
service programs, 7, 30, 31-33, 32, 82-84, 99  
    binder language and, 83  
    binding, 83  
    binding directories and, 84

- code reuse using, 82-84
- EXPORT and, 82-84
- interfaces and vs. `..`, 387-409
- Java native interface (JNI) and, 646
- in using RPG and Java together, 758
- vectors and, 265
- service threads, 465
- servlet classes, 710
- servlets, 1, 5, 6, 18, 20, 489, 660, 692, 696
- SET, 596
- set and setter methods, 50, 94
  - data types and, 617
  - database access and, 597-599, 620, 626, 628
  - in date and time manipulation, 338
  - introspection in JavaBeans and, 687
  - JavaBeans and, 678, 680, 681, 688
  - user profiles and, 675-677
  - variables, 202
- setDisplayedMnemonic, 501
- setElementAt, 258
- SETGT, 567
- setHorizontal/VerticalTextPosition, 501
- setHorizontalAlignment/setVerticalAlignment, 501
- setIcon, 501, 506
- setLabelFor, 501
- SETLL, 567
- setMaxRows method, 615
- setMaxTimeout method, 615
- setMnemonic, 501, 504-505
- SETON, 145
- setPriority, for threads, 481-482
- setSize, 258
- setText/getText, 501
- setVisible, 515
- severity of exception, 429
- SFILE keyword, 488
- shift operators, 130-134
- Short class, wrappers and to/from, 220-221
- short data type, 46, 187, 188, 189, 207, 217, 223, 618
- shortcuts for menu items, 550
- side effects of method/procedures, 111
- side effects of operators, 123
- signatures, 70, 93, 368, 435, 451
  - hasMoreElements, 404
  - interfaces and, 389, 404
  - nextElement, 404
  - threads and, 455
- signing applets, 19, 558
- SimpleDateFormat class, 323, 340-344, 346, 349, 357
- SimpleTimeZone, 355-357
- sin, 141
- @SINCE JavaDoc keyword, 102
- size method, 258, 273
- sleep method, threads, 459, 460, 486
- SLNO keyword, 488
- SMALLINT data type, 618
- Smalltalk, 11
- SmartGuides, for JavaBeans, 691, **691**
- sort method
  - arrays and, 253, 254
  - interfaces and, 399-401
- SORTA, 253
- source entry utility (SEU), 33
- source members, 39
- spawning threads, asynchronous method calls, 448-456
- SQL (see also database access; Java Database Connectivity; SQLJ), 568, 569-572
  - creating statement objects for, 595-597
  - Data Definition Language (DDL) of SQL in, 577, 598
  - Data Manipulation Language (DML) of SQL in, 577
  - embedded SQL and, 746
  - interactive vs. embedded SQL, 572-573
  - local vs. distributed SQL in, 575-576
  - PreparedStatement class for SQL in, 596
  - running statements in, 597-599
  - SQL embedded in Java (SQLJ) for, 631-636
  - Statement class for SQL in, 596
  - static vs. dynamic SQL in, 573-574
  - warnings in, handling, 615-624
- SQL embedded in Java (SQLJ), 631-636
  - binding in, 633
  - connection context in, 633
  - Connection object in, 633, 634
  - cursors for, 634

- SQL embedded in Java (SQLJ), *continued*
  - database plans in, 632
  - exceptions and try/catch blocks in, 634
  - iterators in, 634, 635
  - positioned iterators in, 635
  - preparing and compiling, 636
  - profiles in, 632
  - registering and connecting drivers in, 633
  - SELECT statement in, 634
  - translators in, 632
  - updatable iterators in, 635
  - writing, 633-636
- SQLWarning class, 616
- sqrt in Java, 139, 141
- SQRT in RPG, 139
- square root, 137
- standalone fields, 39-40, 42, 190, 192, 193
- standalone statements, 109, 111
- Standard Edition JSDK, 692
- standard output, 74
- Start Commitment Control (STRCMTCTL), 569
- Start Journal Physical File (STRJRNPF), 569
- start method, in threads, 451-454, **452**, **455**, 459, 483, 485
- Start SQL (STRSQL), 572
- startsWith, 318
- Statement class for SQL, 583, 596, 630
- statements, 107, 108, 110-115, 123, 142, 143
- static, 61-69, 70, 93, 94, 418
  - arrays and, 235
  - helper methods and, 68
  - initializers, 644-645
  - Java variables as, 63-65
  - methods, 65-69, 93, 418
  - RPG variables as, 62-63
  - variables, 197, 198, 202, 204, 205, 223, 644
- STATIC, 192, 194
- static final variables, 197
- static variables, 224
- static vs. dynamic SQL, 573-574
- STATIC, 63-64
- STATUS, exception handling, 422
- %STATUS, 425, 568
- stop method, for threads, 459-462, 464, 468, 471, 486
- stopping a thread, 457-464
- stored procedures
  - database access and, 624, 625-627
  - Java native interface (JNI) and, 646
  - registering a program as, 627
- stream files, 668, 670
- String class, 70, 214, 223, 254, 285, 287, 416, 417
  - methods of, 317-318
  - sorting in, 254
  - StringBuffer class for, 308-312
  - StringTokenizer class for, 316-317
  - substrings, 246
  - vectors and, 257
- string data type, 206, 618, 619
- StringBuffer class, 308-312
  - append method in, 309-310, 313
  - capacity methods in, 313
  - concatenation in, 309
  - in date and time manipulation example, 326-327
  - ensureCapacity in, 313
  - instantiation of, 309
  - new operator and, 309
  - reverse method and, 310
- strings, 173, 187, 283, 285-319
  - ALL in, 289
  - append method and StringBuffer class, 309-310, 313
  - assigning literals in, 289
  - BLANKS in, 289
  - capacity in, 310-311
  - case conversion in, 303-304
  - CAT in, 288, 291, 292
  - char data type and, 285
  - %CHAR in, 291
  - CHECK in, 288, 291, 292, 305-308
  - checking for characters in, 305-308
  - CHECKR in, 288, 291, 305-308
  - codepages and CCSIDs in, 290
  - COMP in, 288
  - compareTo in, 318
  - concat in, 286, 291, 293
  - concatenation (+) operator in, 293
  - concatenation in, 286, 292-293, 309
  - copyValueOf, 318

- embedded quotes in, 290
- endsWith in, 318
- equality in, 287
- equals in, 287, 318
- equalsIgnoreCase in, 318
- escape sequences for, 290
- EVAL and EVALR for, 288-291, 293, 298
- getBytes in, 318
- getChars in, 318
- IF to compare, in RPG, 288
- indexOf in, 291, 295-296, 297-298
- initialization of, 289, 287, 293
- instantiation of, in Java, 286
- international characters in, 304
- INZ for, 288, 289
- Java, 286-288
- lastIndexOf in, 297-298
- %LEN in, 291, 299-300, 299
- length determination in, 299-300
- length method in, 291, 300
- length of, 173
- MOVE/MOVEA/MOVE in, 288
- new operator for, 287
- overloaded concat in, 293
- padding in, 289-290, 294, 313
- quotes in, 72, 289, 293
- regionMatches in, 318
- replace method in, 291, 301
- %REPLACE, 291
- reverse method and StringBuffer class in, 310
- RPG, 288-291
- SCAN and %SCAN in, 288, 291, 296-298
- searching for substrings in, 296-298
- size of, 289-290
- startsWith in, 318
- String class for, 285, 287, 317-318
- StringBuffer class for, 308-312
- SUBST and %SUBST in, 288, 291, 294-296
- substring method in, 291, 294-296
- substringing in, 294-296
- toCharArray in, 318
- tokenized strings and StringTokenizer class for, 316-317
- toLowerCase and toUpperCase in, 304, 318
- translating characters in, 300-303
- trim method for, 291, 298-299, 315
- %TRIM for, 291, 298-299
- %TRIML and %TRIMR in, 291, 299, 312
- trimming blanks from, 298-299, 312-316
- trimr and triml in Java for, 312-316
- truncating in, 289-290, 313
- %UCS2 function in, 290-291
- Unicode in, 290-291, 300, 304
- valueOf in, 291, 318
- VARYING keyword in, 290, 294, 300, 304, 314
- XLATE in, 288, 291, 292, 300-304
- StringTokenizer class, 316-317
- STRUCT data type, 627
- structured operations and statements, 143-179
  - break statement in, 152-154, 171-174, 179
  - case statement in, 152-154
  - conditional operator (:?) in, 154-155
  - continue statement in, 173-174, 179
  - decision structures in, 144, 146-171
  - DO loop, RPG, 156-163, 179
  - do until, Java, 165-169, 170-171, 179
  - DOU, RPG, 170-171, 179
  - DOW, RPG, 165-169, 179
  - else, Java, 146-151, 179
  - ELSE, RPG, 146-151
  - ENDSL in, 153
  - FOR loop, RPG, 164-165
  - for, Java, 156-163, 169, 179
  - GOTO, RPG, 175, 179
  - if, Java, 146-151, 179
  - IF, RPG, 146-151
  - ITER, RPG, 172-174, 179
  - LEAVE, RPG, 171-174, 179
  - loop structures in, 144, 155-156, 179
  - OTHER in, 153
  - return, Java, 176-178, 179
  - RETURN, RPG, 176-178, 179
  - RPG vs. Java, 145
  - SELECT, RPG, 151-154, 179
  - sequence structures in, 143
  - switch statement, Java, 151-154, 179
  - transfer structures in, 144, 171-178
  - WHEN, 179
  - while, Java, 165-169, 179

struts, in user interface, 529  
 style of coding, Java, 96  
 SUB, 118-119, 143  
 SUBDUR, 322, 330-335, 336, 357  
 subexpressions, 147  
 subfields, RPG, 193-195  
 subprocedures, 36  
 subroutines, 30, 31, 35, 36, 177-178, 362  
 SUBST and %SUBST, 288, 291, 294-296  
 substring method, 291, 294-296  
 substringing, 246, 294-296  
 subtraction (-) operator, 118-119  
 SUDUR, 323  
 suffix operators, 122  
 super keyword, 360, 368, 517  
 suspend method, 482, 486  
   threads and, 482  
 swap method, parameter passing, 282  
 Swing (see user interface design), 487-566  
 switch, in Java, 144, 145, 151-154, 171, 179  
 synchronization of threads, 472-474  
 synchronized keyword, 445-446, **446**, 473-481, 486  
   JavaBeans and, 686  
 synchronous threads, 445-446, **446**  
 syntax  
   Java, 44-50, 95-142, 639-693  
   RPG, 39-40  
 System class, in date and time manipulation, 324  
 System i, using Java on (see Java on System i)  
 system properties in Java, 665-667  
 System.exit, 145, 178, 464, 510  
   graphical user interface (GUI) and, 465  
   threads and, 486  
 System.in, 260, 487  
 System.out, 75, 94, 260, 487  
 SystemColor class, 498

## T

tables and arrays, 229  
 tables, in databases, 576-577  
 TAG, 114, 145, 175  
 tags for HTML, 12-13  
 tags for XML, 724

Taligent, 562  
 tan, 141  
 TCP/IP, 5  
   database access and, 582  
   iSeries Toolbox for Java and, 711  
   remote method invocation (RMI) in Java, 651  
   serialization and, 655  
 ternary operator, 134  
 TEST, 322, 323, 351-354  
 TESTB, 129  
 text component methods, 502  
 TextListener, 511-514  
 this, 59-61  
   constructors and, 79  
   JavaBeans and, 681  
 thrashing, 475  
 thread pools, 476  
 thread scheduler, 481-482  
 ThreadDeath class, 460  
 ThreadGroups class, 462-464, 482, 485  
 threads, 178, 445-486  
   abstract in, 451  
   alternatives to, 475-476  
   asynchronous threading caveats, 465-476, **465**  
   atomic instructions and, 472  
   CALL and, 445-446  
   calling RPG procedures as RPG native  
     methods from Java in, 757-761  
   calls and, 447  
   common local and instance variables in, 447, **447**, 457, 466, 471, 477  
   Common Object Request Broker Architecture (CORBA) and, 467  
   concurrency and, 472-474  
   daemon threads in, 465, 480  
   database access and, 614-615  
   deadlock in, 480-481, **480**, 486  
   default threads in, 465  
   disconnected vs. connected jobs in, 446-448  
   ending programs with running threads,  
     System.exit, 464  
   entry points and, 483  
   exceptions in, 460, 464, 471  
   extends Thread in, 451-454  
   fine grained synchronization in, 474-475

- garbage collection and, 465
- implement Runnable in, 455-456
- inventory example of, dangers of, 467-472
- isAlive method for, 482-483, 486
- Java Virtual Machine (JVM) and, 447, 464
- jobs vs., 446-448
- join, 482, 484, 486
- lock queue and wait queue concept in, 478-479, **479**
- locking in, 476-478, **477**, **479**
- main methods in, 483, 486
- multituser applications using, 466-467, **466**
- multiple, stopping all, using ThreadGroups class, 462-464, 482
- named threads in, 482
- notify, 486
- operating system support for, 447
- overhead of, 447
- primary or main thread in, 447, 454, 464, 469
- prioritizing of threads in, setPriority, 481-482, 486
- releasing a thread in, 478
- Remote Method Invocation (RMI) and, 467
- resume method in, 482, 486
- in using RPG and Java together, 745-746
- run method in, 452-454, 457, 459, 460, 465, 469, 485
- Runnable interface and, 454-456, 461, 462, 463, 485
- service threads in, 465
- signature of method and, 451, 455
- single objects with multiple threads in, 467
- singletons in, 466
- sleep method in, 459, 460, 486
- spawning, asynchronous method calls, 448-456
- start method in, 451-454, **452**, **455**, 459, 483, 485
- stop method in, 459-462, 464, 468, 471, 486
- stopping, 457-464
- suspend method in, 482, 486
- synchronized keyword in, 473-475, 476-481, 486
- synchronizing asynchronous execution in, 472-474
- synchronous vs. asynchronous, 445-446, **446**
- System.exit and, 465, 486, 510
- thrashing and, 475
- Thread class in, 485
- thread pools and, 476
- thread scheduler for, 481-482
- ThreadDeath class, 460
- ThreadGroup class, 485
- time slicing in, preemptive, 472, **472**
- timing applications in, 483-485
- transaction threads in, 465, 469
- in user interface, 510
- voluntary stopping in, 464
- wait and notify in, 478-480, 481, 486
- yield method in, 482, 486
- throw, 144, 145, 179, 427, 433-437, 441, 443
- Throwable class, 427, 428-431, 433, 441
- throws clause, 427, 428, 435, 443
- @THROWS JavaDoc keyword, 102
- TIME, 321, 322, 323
- Time class, 602
- time data type, 182, 184, 185, 189, 206, 618
- TIME data type, 618
- time slicing, threads, preemptive, 472, **472**
- time zones, 348, 355-356
- TIME, 327-330
- Timestamp class, 602
- timestamp data type, 182, 184, 185, 189, 206, 618
- TIMESTAMP data type, 618
- TimeZone class, 323, 355-356, 357
- TIMFMT, 323, 344-346, 357
- timing threaded applications, 483-485
- TINYINT data type, 618
- Tip Calculation applet example, 558-561, 561
- tnameserv, 8
- toCharArray, 318
- TOFILE keyword, 236, 244-248
- tokenized strings and StringTokenizer class, 316-317
- tool tips, 500, **500**
- toolbars and JToolBar class, 550-551
- tools in JDK, 7-8

- toString
    - date and time manipulation, 326
    - overriding, 411
    - vectors and, 258
  - toUpperCase and toLowerCase, 304, 318
  - transaction threads, 465, 469
  - transfer statements, 109
  - transfer structures, 144, 171-178
  - transient variables, 197, 223
  - transient modifier, 655
  - translating string characters, 300-303
  - translators in SQLJ, 632
  - triggers in database access, 624
  - trigonometry, 137
  - trim method, 291, 298-299, 315
  - %TRIM, 291, 298-299
  - %TRIML and %TRIMR, 291, 299, 312
  - trimming blanks from strings, 298-299, 312-316
  - trimr and triml, strings, in Java, 312-316
  - trimToSize, 258
  - Trojan horses, 379
  - true/false, 113, 149, 154, 167, 168, 187, 214-215
  - truncating, in strings, 289-290, 313
  - truncation warnings in database access, 616
  - try/catch blocks, 144, 145, 179, 222, 437-443
    - database access and, 596
    - exception handling and, 427, 428, 429, 434-437, 442
    - serialization and, 654
    - SQLJ and, 634
    - static initializers and, 645
    - threads and, 460
- U**
- UCS-2 data type, 182, 184
  - UCS-2 varying data type, 184
  - %UCS-2 function, 290-291
  - UPDATE, 321
  - UDAY, 321, 322
  - UMONTH, 321, 322
  - unary operator, 117, 121-124, 147
  - unbalanced arrays, 248-249, 283
  - unicast events, 687
  - Unicode, 185, 187, 223, 290-291, 304
  - Unified Modeling Language (UML), 413
  - uniform resource locator (URL), 15-16
  - unique identifier for variables, 204
  - UNIX, 18, 698-700, 705
  - UNLOCK, 567
  - unnamed packages, 86-87, 86
  - unsigned data type, 183, 184, 187, 188, 189, 207
  - updatable iterators, 635
  - UPDATE, 567, 571, 572, 578, 595, 596, 598, 599, 603, 612
  - Update Program (UPDPGM), 30
  - Update Service Program (UPDSRVPGM), 30-31, 30
  - USA format, 322, 339, 344, 345, 348, 352
  - usage of class, 414
  - USC-2 data type, 185
  - user interface design and Swing, 16-19, 20, 487-566
    - Abstract Windowing Toolkit (AWT) for, 488
    - AbstractButton class, 502
    - actions associated with menus in, 551
    - adapter classes in, 513
    - add method in, 492
    - applets vs. applications in, 557-561
    - base class for frame windows in, 516-517
    - basic components for, 494-514, **496**
    - BorderLayout manager in, 520, 521-523, **523**
    - borders in, 498-500, **499**
    - BoxLayout manager in, 521, 529-531, **530**, **531**
    - button component methods in, 502
    - button state methods for, 507
    - CALL, 488
    - CardLayout manager in, 521
    - cascading menus in, 547
    - colors in, 497-498
    - Component class, 493
    - conditional logic vs. indicators in, 490
    - constraints in GridBagLayout manager, 525-526
    - Container classes, 493
    - containers for, 491, 515-543, 552, **552**
    - context menus in, 548
    - default push buttons in, 550
    - dialogs in, message and simple input, 556-557, **556**, **557**



- dialogs, predefined, 553-555
- display files and, 487-488, 490, 519
- encapsulation of classes for, 490
- events in, 492, 509-514, 643
- EXFMT, 510
- F specs and, 487-488
- FlowLayout manager in, 520, 523-524, **524**
- focus in, 513
- fonts in, 498
- form panels in, 536-543, **540, 541**
- GridBagLayout manager in, 521, 525-528, **525, 527, 528**
- GridLayout manager in, 520, 524-525, **525**
- GUI Builder in, 710
- hierarchy of classes in, **493**
- IGNORE/INCLUDE in, 488
- images in, 505-508
- inherited methods commonly used in, 496-500
- instantiating and initializing objects in, 495
- interfaces and, 402
- iSeries Toolbox for Java and, 710
- Java and, 488-566
- Java plug ins for browsers and, 561
- JavaServer Pagers in, 489
- JButton in, 491, 494, **496**, 502, 506, 509, 514, 550
- JCheckBox in, 491, 494, **496**, 502, 506, 509
- JCheckBox, 514
- JColorChooser dialog in, 553-555, **555**
- JComboBox, 494, **496**, 503, 509, 514
- JComponent, 493
- JDialog, **119**, 491, 515-543, 519
- JFileChooser dialog in, 553-555
- JFrame in, 491, 515-543
- JLabel, **493**, 494, **496**, 506, 509, 543
- JList, 494, **496**, 503, 509, 514
- JList, 508, **508**
- JOptionPane class for, 556-557, **556, 557**
- JPanel in, 491, 515-543
- JPasswordField, 494, **496**, 502, 509, 514, 543
- JProgressBar, 551
- JRadioButton, 494, **496**, 502, 506, 509, 514
- JScrollPane, 494, **496**
- JSlider, 551
- JSplitPane, 552
- JTabbedPane in, 521, 552
- JTable, 551
- JTextArea, 494, **496**, 502, 509, 514
- JTextComponent class, 502
- JTextField, 494, **496**, 502, 509, 514
- JTextFields in, 543-545
- JTextPane, 551, 552
- JTree, 551
- layout managers for, 492, 519-531
- list component methods in, 503
- listeners for events in, 511-514, 643
- locales for internationalization in, 562-563
- look and feel settings for, 552-553, 555
- menu bars and popups in, 545-550, **546**
- mnemonics in, 504-505, **504, 505**, 518
- modal behavior in, 518
- model view controller (MVC) in, 508-509
- multiple document interface for (JDesktopPane and JInternalFrame), 551
- nested layout managers in (JPanel), 531-536, **533, 534**
- noninherited methods commonly used in, 501-508
- null layout managers in, 521
- pack method in, 518
- padding space between components in, 531
- Panel Definition Markup Language (PDML) in, 710
- popup menus in, 548-549, **549**
- PREFIX, 488
- READ, 510
- READC keyword in, 488
- RENAME, 488
- reuse of code in, 490
- RPG IV and, 487-488
- SDA and, 489
- servlets and, 489
- setDisplayedMnemonic, 501
- setHorizontal/VerticalTextPosition, 501
- setHorizontalAlignment/setVerticalAlignment, 501
- setIcon, 501, 506
- setLabelFor, 501
- setMnemonic, 501, 504-505

user interface design and Swing, *continued*

- setText/getText, 501
  - setVisible, 515
  - SFILE keyword in, 488
  - shortcuts for menu items in, 550
  - sizing components in, 543-544
  - sizing windows in, 518
  - SLNO keyword in, 488
  - struts in, 529
  - Swing classes for, 489
  - System.exit and, 465, 510
  - System.in and System.out vs., 487
  - text component methods in, 502
  - text input restrictions for JTextFields, 544-545
  - thick vs. thin GUIs in, 489
  - threads and, 510
  - Tip Calculation applet example for, 558-561, **561**
  - tool tips in, 500, **500**
  - toolbars and JToolBar class for, 550-551
  - translating to other languages in, resource bundles for, 562-566
  - Visual Composition Editor and, 489
  - VisualAge for Java and, 488
- User Interface Manager (UIM), 12
- user profiles, 193, 675-677
- uses relationship, 415
- USROPN, 568
- utility classes, 710
- UYEAR, 321

## V

- VALUE keyword, pass by value in, 279-280
- valueOf, strings, 291, 318
- VALUES clause, 596
- VARBINARY data type, 618
- VARCHAR data type, 619
- VARGRAPHIC data type, 619
- variables, 35, 38, 108, 181-223, 412
  - accessing, in Java, 48-49
  - activation groups and, 200-201
  - allocating/deallocating memory for, 201
  - automatic fields and, 201
  - binding, 202
  - boolean, 149

- C specs in, 191
- case sensitivity in, Java, 105-107
- class, 65, 96, 225, 644
- D specs in, 191-192
- declaring in Java, 46-47, 108, 181
- defining, in Java, 195-198
- defining, using DEFINE, RPG, 190-195
- example of, in Java, 202-205
- external access to, 201-202
- final, 197, 198, 223, 224
- getter methods and, 202
- global, 38, 59, 199-200, 223, 466
- instance, 93
- IMPORT and EXPORT, 201-202
- initialization of, 51, 108, 191-193, 196, 205-207, 224
- instance, 55, 68, 96, 167, 198, 201, 204, 418, 447, 457, 466, 471, 477
- Java, 46-47
- lifetime of, 200-201
- LIKE keyword for, in RPG, 191
- literals and, 205-207
- local, 36, 55, 60, 63-64, 199-201, 205, 223, 447, 457, 466, 471, 477
- modifiers for, 197, 223
- naming, 105-107, 142, 196-197, 202
- new operator and, 201, 205
- null values in, 226
- object reference, 54, 57, 74, 93, 198, 361, 391
- parameter, 60
- persistence in, 197
- primitive data types as, 225
- private, 197, 205, 223
- protected, 197, 202, 223
- public, 197, 202, 204, 223
- reference data types as, 225
- reference, 186, 187, 226
- scope of, 199-200
- setter methods and, 202
- static final, 197
- static, 62-64, 197, 198, 202, 204, 205, 223, 224, 644
- stringing together, 120
- threads and, 447, 447, 457, 466, 471, **477**
- transient, 197, 223, 655

type of, 181  
 unique identifier for, 204  
 volatile, 197, 223  
 VARSIZE, 73  
 VARYING keyword, 183, 173, 290, 294, 300, 314, 304  
 Vector class, 365, 378  
 vectors, 256-271, 283
 

- addElement for, 257, 262
- allocating/deallocating memory and, 256, 264-271
- arrays and, 229
- Attendee class example for, 263-264
- AttendeeList class example for, 261-263
- BASED keyword and, in RPG, 271
- capacity in, 257
- casting and, 262-263
- clone in, 257
- contains in, 257, 263, 265
- copyInto in, 258
- elements in, 256, 258
- ensureCapacity in, 258
- Enumeration interface and, 403-409
- equals in, 263, 265, 283
- firstElement in, 258
- growing or shrinking size of, 256, 283
- hashtables and, 271-278
- indexOf and indexing in, 258, 266
- insertElementAt in, 258
- isEmpty in, 258
- lastElement in, 258
- lastIndexOf in, 258
- linked list program and, 267
- lists and, 265, 267
- new operator for, 257
- pointer data type and, 265, 266
- primitive data types and, 257
- Registration class example for, 259-261
- removeAllElements in, 258
- removeElement in, 258, 263, 265
- removeElementAt in, 258
- RPG and, simulating vectors in, 264-271
- service programs and, 265
- setElementAt in, 258
- setSize in, 258

size of, 256, 258, 283  
 toString in, 258  
 trimToSize in, 258  
 Vector class for, 256  
 verify method, exception handling, 437  
 @VERSION, JavaDoc keyword, 102  
 views, in databases, 576-577  
 visual classes, iSeries Toolbox for Java, 709  
 Visual Composition Editor (VCE), 489, 690  
 VisualAge Developer Domain, JavaBeans, 692  
 VisualAge RPG and database access, 575  
 VisualCafe, 8  
 void, 47, 56, 70, 94  
 volatile variables, 197, 223

## W

wait, in threading, 478-481, 486  
 warnings, JDBC, 615-624  
 Web browsers, 5, 16, 558, 561  
 Web-enabled applications, 2  
 Web servers, 15, 16, 17  
 Web Services, 1  
 WebFacing, 2  
 WebSphere Development studio (WDS), 2, 8, 9, 33
 

- Java on System i and, 696, 701, 705
- JavaBeans and, 690, **690**, **691**
- in user interface, 489

 WebSphere Application Server, 18, 631, 692  
 WebSphere Development Tools, 582  
 WebSphere Studio Site Developer, 9  
 WebSphere Studio Application Developer, 9  
 WEEK\_OF\_YEAR, 337  
 WHEN, 108, 152, 164, 179  
 WHERE clause, 570  
 while loops, Java, 111, 112, 114, 121, 144, 145, 155-156, 165-169, 171, 179, 215  
 white space, in Java, 46, 95, 97, 109, 231  
 WindowListener, 511-514  
 Windows look and feel GUI, 555, **555**  
 WinZip, 90  
 working directory in Java, 664-667  
 wrappers for data types, in Java, 220-224  
 WRITE, 379
 

- database access and, 567
- in user interface, 487

**X**

X/Open standards for database access, 574  
x= operator, 121  
XFOOT, array summing, 255  
XLATE, 288, 291, 292, 300-304  
XML, 1, 724

**Y**

YEAR, 322, 333, 337  
YEARS, 331, 333

yield method, 482, 486  
YMD, 339, 344

**Z**

ZADD, 118-119  
zero fill right shift (>>) operator, 130-134  
Zip compression, 90  
ZONE\_OFFSET, 338  
zoned decimal data type, 183, 188, 207, 223  
ZSUB, 118-119